

POABS GRANITES PVT. LTD.

Kuttoor P.O, Tiruvalla, Kerala, India - 689 106 Phone : +91 - 469 2743300 Fax : +91 - 469 2743330 E-mail : mail@poabs.com Website : www.msand.in

04/02/2017

The Director, DoECC & Secretary SEAC Kerala, Devi Kripa, Pallimukku, Pettah P.O, Thiruvananthapuram, Kerala – 695024.

Sub: Environmental Clearance – Quarry project Sy. Nos.459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2, 460/2-1 at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram Dist, Kerala – Compliance report – Reg.

Ref: File No. 37/SEIAA/KL/6092/2012 dt. 14-11-12

Respected sir,

Our quarry project was accorded with environmental clearance vide order No. 37/SEIAA/KL/6092/2012 dt. 14-11-12. Eighth compliance report to the specific and general conditions of the Environmental Clearance (hard copy as well as softcopy (CD)) for the period of July- December, 2016 is enclosed.

Thanking you

Yours respectfully, M/s POABS Granites Pvt. Ltd.

T.k.ID

Jabu K. Abraham (Director)

Copy to:

The Regional Director, MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Banglore – 560034.

Factory: Kuthirakulam P.O, Veilanad, Trivandrum District, Kerala - 695543 Phone: +91 - 472 2882780 Fax: +91 - 472 2882880 E-mail: tvpm@poabs.in

ECOMPLIANCE REPORT TO THE CONDITIONS

OF

ENVIRONMENTAL CLEARANCE ORDER

NO: 37/SEIAA/KL/6092/2012 DT. 14/11/2012

ΒY

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)

FOR PROPOSED QUARRY PROJECT

AT

Sy. Nos. 459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2 and 460/2-1,

PEROORKADA VILLAGE, THIRUVANANTHAPURAM TALUK, THIRUVANANTHAPURAM DISTRICT, KERALA

ΒY

POABS GRANITES PRIVATE LIMITED

KUTHIRAKALAM P.O., TRIVANDRUM, KERALA - 695 543

(JULY – DECEMBER, 2016)

INTRODUCTION

M/s Poabs Granites Pvt. Ltd. is a stone quarry placed at Sy. Nos. 459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2 and 460/2-1, Peroorkada Village, Thiruvananthapuram District and Taluk, Kerala. The quarry project is running according to the environmental clearance order by state Environmental Impact Assessment Authority on 14/11/2012. Six month compliance reports to the conditions of the environmental clearance are to be submitted as part of compliance. Eighth compliance report to the specific and general conditions of the environmental clearance for the period of July 2016 - December 2016 is being submitted.

PART - A - SPECIFIC CONDITIONS

Condition 1)

Assurance in the form of affidavit should be given to SEIAA Kerala that ecorestoration including the mine closure plan shall be done at the expenses of the project proponent on completion of mining.

✓ Compliance:

After the closure of the mine, we planned to build up a green belt in the mined area with indigenous plant species after reclaimed with stacked dumping and overburden. Ten percent of the mined pit area will be preserved as rainwater harvesting pit. Affidavit stating that eco-restoration including the mine closure plan will be done at our own expenses was submitted to SEIAA Kerala on 22.03.2014. Photocopy of the affidavit stated that eco-restoration including the mine closure plan will be done at our expenses is enclosed as Annexure No.1.

> Condition 2)

Quantity of overburden and their storage shall be provided to SEIAA Kerala before initiating activities.

✓ Compliance:

Amount of overburden/top soil and their storage settings were provided to SEIAA through application pro forma. Total Quantity of topsoil removed during the present project is expected to be 33,900m³. The top soil is storing

separately in an earmarked place and the photographs showing top soil storage area are provided at Annexure No.2.

> Condition 3)

Plan clearly showing the internal road system within the project site to be submitted to SEIAA Kerala before initiating activities.

✓ Compliance:

There is about 0.3km of roads having 7.0m width is present within the project area. Road system inside the project area is maintaining well. Sides of the road systems not having natural vegetation are planted with indigenous plant species. Details of the plant species planted along the road sides are as follows.

SI. No	Botanical Name	Common Name	Family	Distribution	Status
1	Mangifera indica L.	Mavu	Anacardiaceae	Evergreen and semi- evergreen forests and also widely cultivated	Indo- Malaysia
2	<i>Cassia fistula</i> L.	Indian Laburnum/ Kanikkonna	Fabaceae		Indo- Malesia
3	<i>Artocarpus heterophyllus</i> Lam.	Plavu	Moraceae	Evergreen and semi- evergreen forests, also widely cultivated	Widely cultivated in the tropics, origin is probably South India
4	<i>Acacia</i> <i>auriculiformis</i> Benth.	Acacia	Leguminosae	Native of Tropical Australia	Exotic
5	<i>Cinnamomum malabatrum</i> (Burm.f.) J.Presl.	Idana	Lauraceae	Southern Western Ghats	Endemic to Southern Western Ghats
6	<i>Polyalthia longifolia</i> (Sonn.) Thwaites	Arnanamaram	Annonaceae	Native of Sri Lanka: introduced to many tropical	Exotic

				countries	
7	<i>Casuarina equisetifolia</i> L.	Choolamaram	Casuarinaceae	Native of Malaysian Region	Exotic

The map showing the internal roads within the project site is enclosed as Annexure No. 3.

> Condition 4)

Specific methodology adopted for drilling and blasting and also the geometry of drill holes to be given to SEIAA Kerala before initiating activities.

✓ Compliance:

In the present project mineral is excavating by excavators. The mineral is fracturing and simply exploiting by rock breakers and excavators. The hard strata are excavating after drilling and blasting. Specific methodology adopted for drilling and blasting and also the geometry of drill holes were submitted to SEIAA Kerala. The specific methodology adopting for drilling, blasting and the geometry of drill holes are attached at Annexure No.4.

> Condition 5)

Garland drains to be provided in the lower slopes around the core area to channelize storm water.

✓ Compliance:

To channelize the storm water, Garland drains has provided in the lower slope of the core area and the photographs showing the same is provided at Annexure No.5. Storm water channels are provided with De-siltation traps which will grab the passage of debris and silt from the project area to the main streams.

> Condition 6)

Debris/silt traps to be provided to prevent entry of dust and quarry waste entering the main streams.

✓ Compliance:

Check dam like De-siltation traps has provided in the storm water channels that arrest the course of debris and slit from project site to the main streams. Slit and debris from the trap were removed periodically. Photographs of the same are provided at Annexure No.6.

Condition 7)

Dust and sound level should be as per the prescribed standards applicable to Dust and sound level should be as per the prescribed standards applicable to the area.

✓ Compliance:

Dust and sound levels are monitored periodically through an NABL accredited laboratory (Polluchem Laboratories (P) LTD) during the quarry in operation and the monitored results are well within the standards applicable. Average Ambient Sound Level in day and night time are 51.8dB and 34.3dB respectively. Value of Particulate matters PM₁₀ and PM_{2.5} are 65.3µg/M³ and 32.4µg/M³ correspondingly. Sulphur dioxide and Nitrogen dioxide values in the air are 5.1µg/M³ and 4.5µg/M³ respectively. Drinking water quality parameters are well within the standards. The copy of the ambient sound monitoring report, ambient air quality monitoring report, and drinking water quality reports are provided at Annexure No. 7, 8 and 9 respectively.

> Condition 8)

The conditions of the environmental clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters.

✓ Compliance:

The specific conditions of environmental clearance are prominently displayed in a metallic board of 3 ft x 3 ft as per the specifications instructed by SEIAA Kerala. The photographs of the display board are provided at Annexure No. 10.

PART - B - GENERAL CONDITIONS

> Condition i)

Rain water harvesting to collect and utilize the entire water falling in the land area should be provided.

✓ Compliance:

Rainwater harvesting systems has maintained in the project site. System consists of two tanks constructed with stone masonry wall having the capacity of 190000 and 144000 liters. Two tanks are separated by a check

dam. Photographs of the rainwater harvesting system are enclosed as Annexure A. Details of the rainwater harvesting system are as follows.

SI. No.	Туре	Length (m)	Width (m)	Height (m)	Capacity (L)
1	Tank constructed with stone masonry wall 1	20	6	2	190000
2	Tank constructed with stone masonry wall 2	12	6	2	144000
3	Tank constructed with stone masonry wall 3	15	6	4	360000

Condition ii)

Environment monitoring cell should be formed and made functional.

✓ Compliance:

An environmental monitoring cell was formed with Mr. Jabu K. Abraham (Director) as head of the monitoring cell and made functional. Meeting of the monitoring cell is arranging monthly and discus the status of the compliance of the specific and general conditions mentioned in the Environmental clearance order. The details of the monitoring cell members are given below

SI. No.	Post	Name
1	Head of the monitoring cell (Director)	Mr. Jabu K. Abraham
2	Head in charge (Environment)	Mr. VT Thomas
3	Senior Environmental Officer	Mr. Rinoy Varghese
4	Environmental Officer	Mr. Navin Xavier
5	Name of the environmental officer in charge	Mr. Anil kumar. M.
6	Name of the officer Environment, Health and safety	Mr. Vijayakumar V.R.
7	Name of the Asst. officer of Environment, Health and safety	Mr. Jayaraj. T.
8	Name of the environmental consultant	M/s Enkay Enviro Services Pvt. Ltd. & M/s Environmental Engineers & Consultants Pvt. Ltd
9	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.

> Condition iii)

Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any.

✓ Compliance:

Natural vegetations including trees, shrub and herbs are present in the sides of tarred road and parking areas. The area with low vegetation planted with trees and a nursery is maintaining for further plantations. Photographs showing the same is provided at Annexure No. B. Plant saplings maintained in the nursery for roadsides and parking areas as follows.

SI. No	Botanical Name	Common Name	Family	Distribution	Status
1	Mangifera indica L.	Mavu	Anacardiaceae	5	Indo- Malaysia
2	<i>Cassia fistula</i> L.	Indian Laburnum/ Kanikkonna	Fabaceae		Indo- Malesia
3	<i>Artocarpus heterophyllus</i> Lam.	Plavu	Moraceae	Evergreen and semi- evergreen forests, also widely cultivated	Widely cultivated in the tropics, origin is probably South India
4	<i>Acacia auriculiformis</i> Benth.	Acacia	Leguminosae	Native of Tropical Australia	Exotic

> Condition IV)

The project may incorporate devices for solar energy generation and utilization wherever possible.

✓ Compliance:

Solar lights and solar water heater has installed in the project area. Three solar water heaters has installed at canteen and staff quarters for

Kitchen/bathroom purposes. Nine solar lights has installed in the different regions of the project area. Photographs showing the same are attached as Annexure B1.

Condition v)

In the case of any change (s) in the scope of the project, the project would require a fresh appraisal by this authority.

✓ Compliance:

Would be complied

> Condition VI)

The authority reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the environmental (protection) Act 1986, to ensure effective implementation of the suggested safe guard measures in a time bound and satisfactory manner.

✓ Compliance

Would be complied

Condition vii)

All other statutory clearances shall be obtained, as applicable, by project proponents from the respective competent authorities.

✓ Compliance

All other statutory approvals required for the quarrying activity is obtained for the project. The details regarding the same along with the copy of the statutory approvals is provided at Annexure C1, C2 & C3.

SI. No.	Annexure	Name of the statutory approvals
1	C1	License from Panchayat
2	C2	Integrated consent to operate issued under Air act, 1981 and Environment act 1986.
3	C3	License to possess: (c) for use, explosives of class1, 2, 3, 4, 5, 6 or 7.

Condition viii)

The stipulations by Statutory Authorities under different Acts and notifications should be complied with, including the provisions of Water (Prevention and control of pollution) Act, 1974, the Air (Prevention and control of pollution) Act

1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.

✓ Compliance

Would be complied

Condition ix)

The project proponent should advertise in at least two local newspapers widely circulated in the region. One of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters area available with the Department of Environment and climate change, Govt. of Kerala and may also be seen on the website of the authority at <u>www.seiaaKerala.org</u>. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same should be forwarded to the office of this authority as confirmation.

✓ Compliance:

Regarding the accordance of environmental clearance to the quarrying process was advertised in two local newspapers and the copy of the same was submitted to SEIAA Kerala. The copy of the advertisement is provided at Annexure D1 & D2. Details of the news paper advertisements are given below.

SI. No.	Annexure	Name of the News paper and edition	Dated
1	D1	Times of India	23/12/2012
		(Thiruvanathapuram, Kollam)	
2	D2	Mathrubhumi	23/12/2012

> Condition x)

A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/District Panchayat/Muncipality/Corporation/Urban local Body and also to the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

✓ Compliance

Environmental clearance order was submitted to Thiruvananthapuram Corporation Office on 14/12/2012. The acknowledgement received is provided as Annexure E. The environmental clearance order is uploaded in the website of the company and it can be seen in the website www.msand.in

Condition xi)

The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hand copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall update the same periodically, it can simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also the Directorate of Environment and Climate Change, Govt. of Kerala.

✓ Compliance:

Eighth compliance report (July – December, 2016) is being submitted to Department of Environment and Climate change, Govt. of Kerala both in hard copy as well as soft copy (CD).

Condition xii)

The proponent should provide affidavit that all the conditions stipulated in the EC shall be scrupulously followed.

✓ Compliance:

An affidavit affirm that all the conditions stipulated in the Environmental clearance will be thoroughly followed was submitted to Department of Environment and climate change, Kerala on 23.12.2012 and the copy of the same is provided at Annexure F.

ANNEXURE 1 8 **Rs.** 100 क सो 502 ONE **NO JNDRED RUPEES** भारत INDIA INDIA NON JUDICIAL கேலதo केरल KERALA AF 880882 AFFIDAVIT I Jabu K. Abraham, Director & authorized signatory of M/s POABS Granite Pvt. Ltd. having its correspondence office at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram strict, Kerala Pin-695543 do hereby affirm and confirm as follows:-1. That, M/s. POABS Granite Pvt. Ltd. running a Quarry Project at Survey Nos. 459/2, Ē 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2, 460/2-1 at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram Dist, Kerala. B 2. That, the eco-restoration including the mine closure plan will be done at our expenses. DEPONENT Verification: Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein. Solemnly affirmed and signed before me by the deponent who Place: Tiruvalla is personally known to me in DEPONENT Pate: 22.03.2014 my office at Thiruvalla on this the 25-15 day of March 20.14 A. P. Gokula Chandran, B.A; LL,B Advocate & Notary Jalou K. Alvah 120/00 P. KRIS Director 14/5 Poabs Crranile Pu



Photographs showing top soil storage area



PRE-FEASIBILITY, BASELINE DATA AND ENVIRONMENTAL MANAGEMENT PLAN - M/S POABS ROCK PRODUCTS PVT. LTD.

2.6.5 Drilling

The excavation of mineral is proposed by excavators. The mineral is fractured and easily exploitable by rock breakers and excavators. The hard strata are proposed to excavate after drilling and blasting. The cross-sectional view of drilling operations is shown below:-



Salient features of drilling

- > About 30 to 50 holes per blast of 32 mm dia and to a depth of 2 to 2.5 m will be adopted
- > It is estimated about 2 to 3 T production per hole
- Number of blasts per day depends upon the workable area and production to be achieved
- > The spacing of 1.0 to 1.5m between the holes will be adopted
- > About 250 g per hole of explosive will be used. However, 10 kg/blast will be adopted at any point of time
- Millisecond electric blasting will be adopted to limit the PPV and Noise levels within the stipulated standards.

15

ENKAY ENVIRO SERVICES, JAIPUR

PRE-FEASIBILITY, BASELINE DATA AND ENVIRONMENTAL MANAGEMENT PLAN - M/S POABS ROCK PRODUCTS PVT. LTD.

2.6.6 Blasting

The controlled blasting is proposed by adopting all the safety measures as per "MMR 1961" and with the permission of DGMS.

In this area for fragmentation of granite the blasting will be conducted. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32 mm drill rod, Jack Hammer and Air Compressor of 100 cfm capacity.

It is estimated about 250 g of explosives per hole is required. About 30 – 50 holes per blast are proposed. Therefore, the requirement of explosives will be about 10 kg/ blast.

2.6.6.1 BLASTING SAFEGUARD

- Blasting in the open cast pits will be done only during day time at designated hours.
- Only competent blasters will be appointed to handle explosives.
- Explosives will be stored in approved and licensed magazine as per Explosive Act/ Rules.
- Explosives will be brought from magazine to blasting site in licensed Explosive Van under the care of blaster.
- · Sufficient warning signals will be given before blasting the holes.
- Guards will be posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during blasting hour.
- Controlled blasting will be practiced to control vibrations and flying fragments.
- · Optimum charge will be used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay will always be less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.

23

ENKAY ENVIRO SERVICES, JAIPUR



Photographs showing garland drains within the project sites to channelize storm water



Photographs showing de-siltation trap (Check dam like)

eraticare No. 1.1955 PHONE:0484-3	DING, N.KALAMASSERYP.O., ERN 261174, 2544030, E-mail: poluci ED BY KERALA STATE POLLUTIO	hem@email.com`	322
			ACCREDITED BY NA
8	TEST REPORT		["""""""""""""""""""""""""""""""""""""
Ref.No. PL/RT/PW/35/201:	5 Da	te of Issue: 28/09/2015	Page 01 of 02
Name & address of custome	* : M/s.Poabs	Granites Pvt Ltd.	
Project Site	Peeroorka	da, Trivandrum	
	Sv.No. 450	Products Pvt Lad, 9/1-1pt, 461/4,461/1, 462	N/1-4
8	448/3pt,2,1	pt, 452/4.6.7.8	staps,
	Village - P	eeroorkada,	A STATE A
and the second second	Taluk-Triv	andrum, ivandrum, Kerala	
Sample drawn by	: Self	ivanosum, Neraia	The start and the
Sample description	: Water samp	ple	Disto Long of the
Sample Code Location of sampling	: 1/35/2015	1	Chal w
	· Open Well	Woton Frank Cida	14
Date of sample collected	: Open Well : 22/09/2015	Water-East Side	
Date of analysis started	: 22/09/2015		1 11 113m
Date of sample collected Date of analysis started Date of completion of analys	: 22/09/2015		A
Date of analysis started Date of completion of analys	: 22/09/2015		Desirable limit as per IS 10500
Date of analysis started Date of completion of analys Parameters tested Color	: 22/09/2015 : 24/09/2015 : 26/09/2015		Desirable limit as per IS 10500 5 Hazen Unit
Date of analysis started Date of completion of analys Parameters lested Color Odour	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method	Results	per IS 10500 5 Hazen Unit
Date of analysis started Date of completion of analys **** Parameters tested Color Odour Turbidity	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 - 1983	Results 2 Hazen Unit	per IS 10500
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 - 1983 IS 3025 (P) 05 - 1983	Results 2 Hazen Unit Unobjectionable	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU
Date of analysis started Date of completion of analys ">>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 - 1983 IS 3025 (P) 05 - 1983 IS 3025 (P) 10 - 1984	Results 2 Hazen Unit Unobjectionable 2 NTU	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH Total Dissolved Solids Total Hardness as CaCO ₃	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 – 1983 IS 3025 (P) 05 – 1983 IS 3025 (P) 10 – 1984 IS 3025 (P) 10 – 1984	Results 2 Hazen Unit Unobjectionable 2 NTU 6.07 43 mg/l	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5 500 mg/l
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH Total Dissolved Solids Total Hardness as CaCO ₃ Total Alkalinity as CaCO ₃	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 – 1983 IS 3025 (P) 05 – 1983 IS 3025 (P) 10 – 1984 IS 3025 (P) 11 – 1983 IS 3025 (P) 15 – 1984	Results 2 Hazen Unit Unobjectionable 2 NTU 6.07 43 mg/l 23.76 mg/l	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5 500 mg/l 300 mg/l
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH Total Dissolved Solids Total Hardness as CaCO ₃	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 - 1983 IS 3025 (P) 05 - 1983 IS 3025 (P) 10 - 1984 IS 3025 (P) 11 - 1983 IS 3025 (P) 15 - 1984 IS 3025 (P) 12 - 1983	Results 2 Hazen Unit Unobjectionable 2 NTU 6.07 43 mg/l	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5 500 mg/l 300 mg/l 200 mg/l
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH Total Dissolved Solids Total Hardness as CaCO ₃ Total Alkalinity as CaCO ₃	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 – 1983 IS 3025 (P) 05 – 1983 IS 3025 (P) 10 – 1984 IS 3025 (P) 11 – 1983 IS 3025 (P) 15 – 1984 IS 3025 (P) 21 – 1983 IS 3025 (P) 23 – 1986	Results 2 Hazen Unit Unobjectionable 2 NTU 6.07 43 mg/l 23.76 mg/l 6 mg/l BDL	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5 500 mg/l 300 mg/l 200 mg/l Min 0.2 mg/l
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH Total Dissolved Solids Total Hardness as CaCO ₃ Total Alkalinity as CaCO ₃ Residual Free Chlorine	: 22/09/2015 : 24/09/2015 : 26/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 – 1983 IS 3025 (P) 05 – 1983 IS 3025 (P) 10 – 1984 IS 3025 (P) 11 – 1983 IS 3025 (P) 15 – 1984 IS 3025 (P) 21 – 1983 IS 3025 (P) 23 – 1986 IS 3025 (P) 26 – 1986 IS 3025 (P) 32 – 1988	Results 2 Hazen Unit Unobjectionable 2 NTU 6.07 43 mg/l 23.76 mg/l 6 mg/l BDL 12.81 mg/l	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5 500 mg/l 300 mg/l 200 mg/l Min 0.2 mg/l 259 mg/l
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH Total Dissolved Solids Total Hardness as CaCO ₃ Total Alkalinity as CaCO ₃ Residual Free Chlorine Chloride as Cl	: 22/09/2015 : 24/09/2015 : 26/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 – 1983 IS 3025 (P) 05 – 1983 IS 3025 (P) 10 – 1984 IS 3025 (P) 11 – 1983 IS 3025 (P) 15 – 1984 IS 3025 (P) 21 – 1983 IS 3025 (P) 23 – 1986 IS 3025 (P) 26 – 1986	Results 2 Hazen Unit Unobjectionable 2 NTU 6.07 43 mg/l 23.76 mg/l 6 mg/l BDL 12.81 mg/l 7.93 mg/l	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5 500 mg/l 300 mg/l 200 mg/l Min 0.2 mg/l 259 mg/l
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH Total Dissolved Solids Total Hardness as CaCO ₃ Total Alkalinity as CaCO ₃ Residual Free Chlorine Chloride as Cl Calcium as Ca	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 – 1983 IS 3025 (P) 05 – 1983 IS 3025 (P) 10 – 1984 IS 3025 (P) 10 – 1984 IS 3025 (P) 15 – 1984 IS 3025 (P) 21 – 1983 IS 3025 (P) 23 – 1986 IS 3025 (P) 26 – 1986 IS 3025 (P) 32 – 1988 IS 3025 (P) 40 – 1991 IS 3025 (P) 46 – 1994	Results 2 Hazen Unit Unobjectionable 2 NTU 6.07 43 mg/l 23.76 mg/l 6 mg/l BDL 12.81 mg/l 7.93 mg/l < 1 mg/l	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5 500 mg/l 300 mg/l 200 mg/l 200 mg/l 250 mg/l 30 mg/l
Date of analysis started Date of completion of analys Parameters tested Color Odour Turbidity pH Total Dissolved Solids Total Hardness as CaCO ₃ Total Alkalinity as CaCO ₃ Residual Free Chlorine Chloride as Cl Calcium as Ca Magnesium as Mg	: 22/09/2015 : 24/09/2015 : 26/09/2015 Test method IS 3025 (P) 04 – 1983 IS 3025 (P) 05 – 1983 IS 3025 (P) 10 – 1984 IS 3025 (P) 10 – 1984 IS 3025 (P) 15 – 1984 IS 3025 (P) 21 – 1983 IS 3025 (P) 23 – 1986 IS 3025 (P) 26 – 1986 IS 3025 (P) 32 – 1988 IS 3025 (P) 40 – 1991	Results 2 Hazen Unit Unobjectionable 2 NTU 6.07 43 mg/l 23.76 mg/l 6 mg/l BDL 12.81 mg/l 7.93 mg/l	per IS 10500 5 Hazen Unit Unobjectionable 5 NTU 6.5 - 8.5 500 mg/l 300 mg/l 200 mg/l Min 0.2 mg/l 259 mg/l

Note: BDL - Below Detection Level

For Poluchem Laboratories (P) Ltd.

140 Authorized S **Quality Managel**

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste Water/Effluent, Soil Tea, Spices, Oil, Fertilisers, Basic Chemical etc; Pesticides Residue, Heavy Metals, Microbiology POLUCHEM LABORATORIES [P] LTD.

ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY PALLATH BUILDING, N.KALAMASSERVP.O., ERNAKULAM-683104 PHONE:0484-3761174, 2544030, E-mail: poluchem@gmail.com 'A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOAR

323

0.01 mg/l

0.05 mg/l

5 mg/l

0.001 mg/l

0.05 mg/l

0.05 mg/]

0.03 mg/l

l mg/l

Continuation of Test Certificate No:_ Page 02 of 02 35/2015 Parameters tested Test method Desirable limit Results Selenium APHA 3111B as per IS 10500 Arsenic BDL 0.01 mg/l APHA 3111B BDL Copper 0.05 mg/l APHA 3111B BDL Manganese 0.05 mg/l APHA 3111B Cadmium BDL 0.1 mg/l

BDL

BDL

BDL

BDL

BDL

BDL

BDL

BDL

APHA 3111B

APHA 3111B

APHA 3111B

APHA 3111B

APHA 4500 E

APHA 3111 B

APHA3500 D

APILA 4500 B

Note: BDL - Below Detection Level

MICROBIOLOGICAL TESTS

Chromium

Zinc

Mercury

Cyanide

Aluminum

Lead

Boron

Parameters		1	in and the second second
The second	Unit	Results	Desirable limit
MPN Coliform Count	MPN/100ml	120	as per IS 10500
Coliform bacteria	/100ml	130	1
E - Coli	/100ml	Present	Absent
	///////	Absent	Absent

414 101.410 16ik

For Poluchern Laboratories (P) Ltd.

Author

SKEEJA RAMES **Ouality Manager**

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste Water/Effluent, Soil Tea, Spices, Oil, Fertilisers, Basic Chemical etc; Pesticides Residue, Heavy Metals, Microbiology

and the second		LA STATE I	POLLUTION CONTROL BO	
Client Name & Address	Certificate No:	PL/RT/SD/6	150/2015	
and the second	Date of issue:	28/09/2015		
	Date of monitoring	21/09/2015	21/09/2015 11.00 Hrs to 22/09/2015 11.00 Hrs	
M/s Poabs Granites Pvt. Lad Peeroorkada , Trivandrum.	Monitoring Location	Peeroorkada, Sy.No. 459/1 448/3pt,2,1p Village - Peen Taluk-Trivand	-1pt, 461/4,461/1, 462/1pt, t,452/4,6,7,8 oorkada,	
	Sample Description	Ambient Sou	ind Level (Leg)	
б. <u>к</u> .				
Monitoring Location	Monitoring	g Time	Results	
	11.00 1	Irs	53.5 dB (A)	
A STATE TO A STATE A	12.00 H		53.6 dB (A)	
14	13.00 1		54.1 dB (A)	
CY-A-PACETATION	15.00 1	Contract of Contract of Contract of Contract	55.1 dB (A) 54.6 dB (A)	
101.140 LEISING	16.00 F	and the second se	54.5 dB (A)	
151	17.00 }	the second s	54.5 dB (A) 54.1 dB (A) 50.0 dB (A) 43.6 dB (A)	
83	18.00 H	the second s		
	19.00 H			
	20.00 H	the second se	36.6 dB (A)	
	21.00 H 22.00 H	and the second se	35.8 dB (A)	
Near east side boundary	23.00 H		35.1 dB (A) 34.9 dB (A) 34.8 dB (A)	
	00.00 H	the second se		
	01.00 H	And the second se	34.9 dB (A)	
N ² N _ =	02.00 H	ts	35.1 dB (A)	
	03.00 H		34.6 dB (A)	
	04.00 H		34.3 dB (A)	
57. B	05.00 H	and the second se	35.5 dB (A)	
4 NA 12	07.00 H	and the second s	39.9 dB (A) 47.8 dB (A)	
1 a ²⁴ a	08.00 Hi	A 100 A	53.2 dB (A)	
(+)	09.00 H	And and a second design of the	54.1 dB (A)	
10	10.00 H	2	53.9 dB (A)	
eq (Day time)			51.8 dB (A)	
eq (Night time)		1	34.3 dB (A)	
			For Poluchem Laboratories (P) I	
		201333700114Y	A RAMESHuthorized Signatory	

NABLACCREDITED PHONE:048	L, CHEMICAL & ENVIRONME ILDING, N.KALAMASSERYP.O., 4-3261174, 2544030, E-mail: p	ERNAKULAM-683104	318
'A' GRADE LABORATORY APPR	OVED BY KERALA STATE POLL	UTION CONTROL BOARD ANI	ACCREDITED BY NAR
	TEST REI	ORT	
Client Name & Addes 7	Certificate No	PL/AMB/RT/31/2015	
1	Date of issue	28/09/2015	
2013-16 LOIVIBIO	Date of monitoring	21/09/2015 11.00 Hrs to	22/09/2015 11 00 11
LOINTRIO	Date of sample received	23/09/2015	22/09/2015 11.00 Hrs
Think ID INT	Date of analysis		
	started	24/09/2015	
M/s Poabs Granites Pvt. Ltd Peeroorkada, Trivandrum.	Monitoring location	M/s. Poabs Granites Pvt J Pceroorkada, Trivandrum, Sy.No.459/1-1pt, 461/4,4 448/3pt,2, Jpt,452/4,6,7,8 Village - Peeroorkada, Taluk-Trivandrum, District - Trivandrum, Ker	61/1, 462/1 _{pt} ,
e	Sample description	Ambient air - Near cast sid	e boundary
	Sample code given by the client	Nil	
	Sample identification	G/1/31/15	<u>.</u>
	No:	[diagon 15	
PARAMETERS			
	TEST METHOD	RESULT	LIMITS
Particulate Matter (PM10)	I S 5182 Part 4 1999	65.3 μg/M ³	100 µg/M ³
Particulate Matter (PM2.5)	CPCB	32,4 µg/M ³	60 µg/M ³
Sulphur dioxide Nitrogen dioxide	I S 5182 Part 2 2001	5.1 µg/M ³	80 µg/M ³
Anogen Gloxide	IS 5182 Part 06 1975	4.5 μg/M ³	80 µg/M ³
	1	9 E	
The results are related only to nalysis. This certificate shall no ill and without the written per gnatory.	t be reproduced except in		ORIES (P) LTD.
		AUTHORIZED S	NATORY
a _k sa s		SKEEJA RJ Ouality M	amest
1. S			
Analysis of Ambient a Tea, Spices, Oil, Fertiliser	oir, Stack emission, Nolse, Light s, Basic Chemical etc; Pesticide	, Water, Waste Water/Effluer	it, Soll
1		·	robiology



Photographs showing specific conditions of the environmental clearance prominently displayed in a metallic board

ANNEXURE A





Photographs showing the rainwater harvesting system in the project area

ANNEXURE B



Photographs showing Road side plantation and plant nursery

ANNEXURE B1





Photographs showing the Solar Energy devices within the project area

ANNEXURE C1

mais 1/2014-15	വിള്ള്ള് നാട്യാം പഞ്ചായത്ത്
	രജ് ആക്ട് (1934 ലെ 13)232, 233, 234, 254 എന്നീ വകുവ്വകൾ
പ്രകാരവും അദേ	ത തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു കൊടുത്ത
	වෛඟග්സ് උනි. എണ്ടി വാ ത്യം (වූයළ ගණුවාර්ගාන08)
ലൈസൻസൂടമസ്ഥരൻറ	යෝනා ශ්රී දා (හා ගෙලා ලා දේ යාදු දේ දී
പേരും മേൽവിലാസവും	Banane.
	1870 HP. 6008306 (001000)2) -
എന്താവശൃത്തിന് ലൈസൻസ് അനുവദിച്ചു എന്ന്	പാറ പൊടിന്റ്, ഒമുൽ, മണൽ എന്റവ ക്രുള്ളി വില്ലം നടന്തുന്നതിന്
ചെട്ടിടത്തിന്റെ നമ്പരും	VP- X 227 656
വാദ്ഡു നമ്പരും ലൈസർസിന്റെ കാലാവധി	VP-XT 227, G56 VP 1x 656
ലൈസൻസ് ഫീസ്	2014-15 to 2018-19
	1,23,505/00 R+No1130110482804014/03/2
Delaborn not an antal an	**
nam and yacan	004
Care month all	min man anno and min man anno ma man man anno anno anno anno anno anno an
man and a set	DCE/HOTINDICOR/DE/2014
VELLA DOIO	
- 131 * 130°	
	and the second sec
	1

ലൈസർസുടമസ്ഥർ നാഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു. പടായയത്ത് രാജ് ആക്ടും ഞത്തെ തുടർന്നുള്ള പട്ടങ്ങളും അനുസരിച്ചു പ്രവർത്തിക്കണനോകുന്നു. 1 തൊഴിൽ സ്ഥാദവും പരിസരങ്ങളും വെടിപ്പായും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തറിലത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വൃാപാരത്തിനു വച്ചിട്ടുള്ള കേള്ണപദാർത്ഥങ്ങൾ ഈച്ച, അണുക്കൾ, പൊടി മുതരായവയുടെ ശലും ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്. 2 തൊഴിൽ സ്ഥാവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തയികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്നമറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് മൈദസർസൂടമസ്ഥൽ റോണ് സൗകര്യം നൽകേണ്ടതും അവം ആവശ്യമപ്പട്ടാൽ ഈ മണ്ടെസൻസ് കാണിക്കേണുതുമാകുന്നു. പഞ്ചായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമറ്റുംതെ തൊഴിൽ സ്ഥലം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൾകുട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു. എതൊരു പ്രവർത്തി ദിവസത്തിരൾറയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്. ആ സ്ഥലത്തികര്ഹയോ പുരയിടത്തിൽറയോ. പുരത്തിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന പപ്പുപവറോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ ഒറ്റ് പദാര്ത്ഥരോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ 7. മൈസർസുകാരൻ എതൊരു കെട്ടിടത്തിലെന്നയും ച്വാതുകളുടെ അകവശത്തിൻെ എതൊരു ഭാഗവും മാമ്പറഞ്ഞ പുരയിടത്തിലുള്ള തറയും നടപ്പാതയും അറിലും തെറിച്ചുവിഴാനിടയുള്ള എതെങ്കിലും ദാവകരോ, മാമിനുമോ ചപ്പുപവറോ, അസഹുമോ; ഉപഗ്രവകരമായ എതെങ്കിലും പദാദ്താമായ അവിടെ ലയിക്കുന്നത്. തയേത്മക്കവിയം എപ്പോഴും നന്നായും കേടുപാട് തിർത്തും വയ്പിക്കേണ്ടരാണ്. 6 മേലസർസുകാരൻ മേൽപറഞ്ഞ പുരയിടങ്ങിലേട, അതോടു ചേർത്തോ ഉള്ള എതൊരു ഓവുപാലും, അഴുക്കുങ്ങം കളയുത്താിയുള്ള ഉപകരങ്ങവും എപ്പോഴും നണായും കേടുപാടുണിർത്തും വൽപിക്കേണ്ടതാണ്. എതെയിലും തരത്തിലുള്ള ത്വക്ക് രോഗത്താ കൂഷ്ടാ രോഗയേ വ്രണമോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന്, ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്ത്യം പ്രവർത്തിക്കുവാൽ പാടില്ലാത്തതാകുന്നു. ്. എത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസർസ് നൽകിയിരിക്കുന്നുറോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധ ത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസർസുകാരൻ തന്റെ പേരും, ലൈസർസിൻെ നന്ദരും ഇദ്ദേശവും കാണിക്കുന്ന ഒരു 11 ഭാവിണം ആചരിക്കുന്ന കടകളുടെ ടൈസർസ് റ്യൂചെയ്യുന്നതാണ്. ടുകളിച്ച് കുണ്ണിപ്പിടിന്നുണ് വ്യവസ്ഥകളിൽ എതെങ്കിലും ലംഘിക്കുന്ന പക്ഷം ഈ ലൈസൻസ് റദ്ദ് പെയ്യുന്നതാണ്. 12 Vino 4- day സെക്ഷറി SECRIT anin: Velland Grama Forgers 695 5-13 Thinwananahapurtu 4 Pn: 0472 2882034 / 9496040675

ANNEXURE C2

File No. PCB/TVM-DO/CO/6424/2007

Date: 04-08-2011



KERALA STATE POLLUTION CONTROL BOARD District office, Plamoodu Jn., Thiruvananthapuram

INTEGRATED CONSENT TO OPERATE

ISSUED UNDER

The Air (Prevention & Control of Pollution) Act, 1981

The Water (Prevention & Control of Pollution) Act, 1974

&

The Environment (Protection) Act, 1986

то

Shri. K.A Abraham, Poabs Granites (P) Ltd., Malamugal, Vattiyoorkavu, Thiruvananthapuram.

(for Quarrying at Malamugal, Peroorkada,Thiruvananthapuram)

Consent No. PCB/TVM-DO/ICO/QRY/1495/2011



e.mail: <u>kspcbdotvpm@gmail.com</u> <u>kspcbdotvm@yahoo.com</u> KERALA STATE POLLUTION CONTROL BOARD சேக ஒது ஸ் ாய் 2 வ மிறிக் ஒன்றியை என்ற கன்ற கி DISTRICT OFFICE, THIRUVANANTHAPURAM

ട്രില്ലാ ഓരമിസ്. തിരുവനത്തപുരം T. C. 12/96 (4,5), PLAMOODU JN., PATTOM P.O.THIRUVANANTHAPURAM – 695 004 ടി.സി. 12/95 (കട). പ്രാജ്ജ് അംഗ്ഷൻ. പും കി.ടെ. തിരുവനത്തപുരം - മോട രേക

No. PCB/TVM-DO/CO/6424/2007

Date: 29-04-2015

20471-2303844

VARIATION ORDER

Ref: - 1. Request received from the Director on 16-04-2015.
2. Consent no. PCB/TVM-DO/ICO(R)/QRY/1217/2014 dated 19-05-2014.

The 'Consent to Operate-Renewal' issued vide reference (2), to Poabs Granites Pvt Ltd., Malamugal, Vattiyoorkavu, Thiruvananthapuram is hereby **renewed up to 31-01-2017**. The copy of consent cited under reference (2) attached herewith is part of this renewal order and this order is subject to the conditions stipulated therein and subject to the following conditions;

1) Quarrying area having valid lease in survey nos. 459/2, 460/10, 460/12,

446/8 (part), 462/5, 461/2, 461/3, 446/7 (part), 460/2-2 and 460/2-1.

- 2) Any order passed by the Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal in the matter of quarrying, this order will become invalid immediately on the basis of the above mentioned order/judgment.
- Any Government Order passed in the matter of quarrying by the Central Government, State Government & Pollution Control Board, this order will become invalid immediately.



4) This Consent to Operate is issued only in accordance with norms and parameters of the Board as per the Air (Prevention & Control of Pollution) Act, 1981 and is not a permit/license to carry out mining operations/quarrying operation. Permit/license for mining/quarrying operation shall be obtained from competent authorities.

2

- 5) Regular wetting of the roads in the premises of the quarry and approach roads near the quarry shall be done for avoiding dust emission within and outside the boundary.
- 6) This order is issued based on pollution control purpose and necessary orders/licenses/clearances shall be obtained for quarrying from appropriate authorities.
- 7) Fencing shall be maintained around the quarrying area.

 Occupier shall ensure that quarrying area is restricted to a distance more than 100 m from residences and public roads having vehicular traffic.



	Amedment C	overing Letter							Page 1 of 1
								ANIN	
								ANN	IEXURE C3
			GOVERNM	ENT (OF IN	DIA			
		M PETROLEUM	INISTRY OF COM	IMER	TEA	INDUS	STRY VISATION/DE	501	
			(Formerly Depar No.140, Rukm	riment	of E	colosive	ei	30)	
		· N	Aarshalls Road, Eg	gmore.	, Che	nnai 600	008		
98 ⁻ 13			Tele: 285148 Email: jtccechenr	48 Pax ai@ex	c: 285 xplosi	14848 ives.gov	.in		
	No.: E/SC/KL/2	22/1452(E68709)							
	r_/								Dated:04/10/2012
	Shri ABY MATH	EW. Managing Director,							
	District-PATHA	ANITES PVT: LTD: Kuttoor, PO, 7 NAMTHITTA, State-Kerala, Pince	Tiruvalla, Town/Villa ode - 689551	ge - Ku	ttoor				
	Subject: Pos	ssession for Use of of Explosives	from magazine situa	ited at	Surve	v No.:194	6 Block No 39		
	(E6	llanadu.Nedumangadu.Taluk, D 8709) granted in Form LE-3 of lendment of Quantity of Explosi	Explosives Dates 20	THAP	URAN	l, Kerala	-Licence No.: E	/SC/KL/22/145	1
		containent of Quantity of Explosi	wes/Monthly Purcha	se Lim	it.				~
	Sir(s), Please rafes t	a succession and the second	22 W. W. W.						
		to your letter No. x dated 03/10/20 No.: E/SC/KL/22/1452(E68709) ;							
			uantity of Explosives				271R		
	with condition								
		n QUARTERLY RETURNS SHA						arded herewith;	
	The free of	apacity at any one time shall not e	xceed the kinds and q	uantitic	s men	tioned bei	ow ;		
		No Explosive(s) I Nitrate Mixture		Class 2	Div S	ub Div 0	Capacity 300	Unit Kg	
		2 Safety Fuse 3 Electric and/or Ordinary D	etonators	6	1 3	0	30000 40000	Mtrs Nos.	
	Quantity of explo-	sives to be purchased in a calenda		r licene					
			cence shall remain val					unes as above.	
	Vor forther service								
	Receipt of this lett	al of licence, please follow the pro ter may please be acknowledged.	cedure under Rule 11	2 of Ex	plosiv	es Rules,	2008		
	Enclosures :								
								cA	Yours faithfully.
								Contro	(C Shanmegam) oller of Explosives
							For Ja	oint Chief Contro	oller of Explosives th Circle, Chennai
	Copy Forwarded to								
	1. The Dy. Cl 2. Additional	hief Controller of Explosives, Ko District Magistrate, THIRUVA	ochi. NANTHARIDAM	Variation		-	massenaut		
	31/10/2011 3. Superinten	, ident of Police, THIRUVANAN	THAPURAM, Keral	Keraia	with	reference	to his Noc No:	A17-9946/2011	Dated:
							For Jo	int Chief Contro	ller of Explosives
	<i>w</i>	[For more information re	egarding status, fees and oth	er detailis,	please v	isit our web:	iita hilo //peso gov in)	Soul	h Circle, Chennai
			÷.				and a second second		
htt	p://10.0.1.11/	IntExp/AmdCovering]	LetterNew.asp						10/4/2012

							Page 1 of 1
							Page 1 of 1
			(See article 3(a		FORM LE-3 chedule IV of Explosives I	Rules, 2008)	
			Licence to possess	: (c) for use,explosiv	es of class 1, 2,3,4,5,6 or	7 in a margaine?	a and
		: E/SC/KI Rs:4500/-	/22/1452(E68709)				> At the -
						90.00	
1.			eby granted to : Shi M/s. Poabs Granites P		Aanaging Director (Occu	pier : SHRI ABY	MATHEW MG.
			M/s, 1	POABS GRANITES	PVT. LTD. Kuttoor.PO, ITTA, State-Kerala, Pinc		Village - Kuttoor
	Lice	ence is val	usee : Company id only for the following	g purpose : possess for	use of Nitrate Mixture,	Safety Fuse, Elec	tric and/or Ordinary
4.		icence is	valid for the following	kinds and quantity of e	explosives:	Sub-division	Quantity
		Sr. No.	Name and Nitrate Mixture	Description	Class & Division 2,0	(If any) 0	at any one time 300 Kg.
		2.	Safety Fuse Electric and/or Ordinary	Datanatam	6,1 6,3	0	30000 Mtrs 40000 Nos.
	(h) (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	nth[applicable for licence	10 W/01 Factor	140 Col. 400 1910 12
8. 9. this	The 200 (1) (2) (3) Thi Iicenc	licence is 8 framed Drawings Condition Distance i s licence is s licence is	s granted subject to the p there under and the cono (showing site, construct is and Additional Condit Form DE-2 shall remain valid till 31 is liable to be suspended	provision of Explosives ditions, additional conc tional and other details tions of this licence sig st day of March 2017 or revoked for any vic rever applicable, refer	plation of the Act or Rules red to in Part 4 of Schedul	om time to time an Annexures. above. ority.	d the Explosives Rules, er or the conditions of
	Date: (03/07/2012				Joint Chief C	ontroller of Explosives South Circle, Chennai
The							U
Ame	endme		ntity of Exploringent double	Purchase I muit dated . 16A	08/2012		
Am. • A	mendr	nent of Qua	antity of Explosives/Monthly intity of Explosives/Monthly Endorsement for renev	Purchase Limit dated : 04/			
Am. • A	mendr	nent of Qua	intity of Explosives/Monthly	Purchase Limit dated : 04/		authority	
Am. • A	mendr	nent of Qua	intity of Explosives/Monthly Endorsement for renev	Purchase Limit dated : 04/ val of licence:	10/2012	authority	
Am. • A	mendr	nent of Qua nent of Qua	intity of Explosives/Monthly Endorsement for renew Date of Renewal	Purchase Limit dated : 04/ val of licence: Date of Expiry	10/2012		r the law.
Am. • A	mendr	nent of Qua nent of Qua	intity of Explosives/Monthly Endorsement for renew Date of Renewal	Purchase Limit dated : 04/ val of licence: Date of Expiry	10/2012 Signature of licensing		r the law.
Am. • A • A	.mendr	nent of Qua nent of Qua <u>Sta</u>	intity of Explosives/Monthly Endorsement for renew Date of Renewal	Purchase Limit dated 047 val of licence: Date of Expiry lling and misuse of explos	10/2012 Signature of licensing		r the law. 10/4/2012
Am. • A • A	.mendr	nent of Qua nent of Qua <u>Sta</u>	nnity of Explosives/Monthly Endorsement for renev Date of Renewal atutory Warning : Mishand	Purchase Limit dated 047 val of licence: Date of Expiry lling and misuse of explos	10/2012 Signature of licensing		
Am. • A • A	.mendr	nent of Qua nent of Qua <u>Sta</u>	nnity of Explosives/Monthly Endorsement for renev Date of Renewal atutory Warning : Mishand	Purchase Limit dated 047 val of licence: Date of Expiry lling and misuse of explos	10/2012 Signature of licensing		
Am. • A • A	.mendr	nent of Qua nent of Qua <u>Sta</u>	nnity of Explosives/Monthly Endorsement for renev Date of Renewal atutory Warning : Mishand	Purchase Limit dated 047 val of licence: Date of Expiry lling and misuse of explos	10/2012 Signature of licensing		

SUNDAY			a pr di Ja	als esput- befult befult befult not be not be earlier and be	2.28) vs Assam AL Agenerate Goa vs Tripura. No play, bed light.
SUNDAY TIMES OF INDIA, THIRUVANANTHAPURAM KOLLAM	Tron lousewife's Deat	Last date extended: The kerals university has extended ed the last date to submit ap- plications for admission to MPhil courses for the year 2012-13, till December 31. Exam timetable: The time- table for the fifth semester LB (three-year), ninth se- mester LB (fine-year) to be- mester LB (three-year) to be- ond semester MSC computer science exam to begin from	January 4 the institute of distance education is avail- able in the website www.ker- abuniversity.ac.in.	maiden GP finals utes of intense battle Sugatan terted the shut- utes of intense battle Sugatan terted the shut- utes of intense battle Sugatan heared a bug sign of relief. Kashyap now plays Tanongski aconter Indonestan Yunus Alansyah, the filth seed, 23-44, 23-17. Voung Sikuhu, on the other hand looked confident as she set up a final closs hagainst in confident as she set up a final closs hagainst in confident as she set up a final closs hagainst in conselast Lindowen Panetr. Mannanung the final in style. The cull listy-sur-old guildent final in style. The cull listy-sur-old guildent no- tion	All Murtaza sig no, R Matolan 2-26) vs Assam 3.830vs TW 3.830vs TW 7.6 Aga va ar Tripura. At Fulbli, I Haryana 233/7 No play, bad light.
HAPURAM KOLLAM	Trouble in a can A Housewife's Death In Aluva Following Burns She Suffered In A Canister		and the copy of the Environmental Ceresce is available with the offse of Department of Environment and Climate Crange, Gort of Karela and may step be serve on the websile of the Authority at www.salaakersta.org	я П	fe in 3.83) vs TN A Hubbi I Haryana 293/7
	Burns She Suffe	while care of Santa caps rangefrom Rs201080. This price of Santa caps rangefrom Rs201080. This to norm to be General Publichs the proposid aurory project at Offsan be proposid aurory project at Offsan Village & Parchardt, Educations Taul, Kolan Dater, Konzaheng Mendan Kapata Energinas P. Ltd. is accorded, with Energinas P. Ltd. is accorded, with Energinas P. Ltd. is accorded, with Santa Environment Instance Assessment Johannyn (franka) Order the, 355ELAAD MODOD17 at.	Environmental Celevance & seellable environmental Celevance & seellable Environment and Celevance & Celevance Celevance and cray side be seen on the weak-table of the Authority at www.setuaterata.urg	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	to a 4.2 home win over Getafe in the earlier kickoff, scores
TIMES CITY	red In A Canister	Online Digital Library Online Digital Library Video Contenues Online Facility Continues Online Mentoring. AppLiCATION PROCEDURE For application forms & prospectus si Raad, Ghazabad in fayouroit/N/TcOD also Apply Online at www.imited at information Centres. teat E-mail: newadmission@intcdlac	E CONTRACTOR OFFICE	Controversial win for Juve Mahan: Defending champions Juventus scored two stoppage time goals to nared a contro- versal 31 vm over (phama Ca- gitarin Serie An Driday Mirko Vuchits saded them and bollowing two goals from from c cagains striker Ades scond after an apparent hand, pellburesenente A denovible	zone after their fourth defeat in their last five league games, æurens
CITY	Corp to ban s	Online Digital Library Faculty Video Conferencing Etaclity Continuous Online Processory Continuous Online Proceeding Pre-ups Continuous Online Etaclity Continuous Online Etaclity Content Classes for AppLICATION PROCEDURE Complication forms & prospectus, send a Demand Distront Sat 1000- to IN/T-CDL, A*6 Site/3, USIDC industrial Area IV/enut Status Apply Online at www.imtteflac.in. Fei: 0120-6744744 E-mail: newadmission @imttell.ac.in. Tel: 0120-6744744	INFORMATION CENTRES, GHAZJABAD (Head Office): 3015465 / 450 / 492 / 493 Delhi (CP): 9711005580, Noida (Sector 2251 325 - 983672365 - Mumbal (Navi Mumbal): 40809248, 9322627316 - Nagpur: 3221728, 992359488 - M Ahmedabad: 9317576768, 9317576145 Bangalore: 32512000 6845300725 - Bhubaneswar: 2436656, 986106101 Indore: 4055363 982622262	RPORATION LTD ; GoVT. OF KERALA) apuram-14, 40. 6771-3045647), a. www.kmscl.kerala.gov.in Date: 22.12.2012	Dave Jones thumped a shot narrow- ly wide of the upright with Szczes-
	o implement sans alterna	1 YEAR PGDM (EXECUTIVE) hecognized by DEC (huly Online Mode) MIS in CVBER LA in collaboration with Nution for graduates in any dece to enroll wait our website.	15465/450/492/493 Delhi (CP):9711005080 Nolda (Sector De05249, 9322677316. Nagpur: 322172/8, 9923594888. H 512000: 5845300725. Bhubaneswar: 2436656. 986106101	A MEDICAL SERVICES CORPO RTMENT OF HEALTH & FAMILY WELFARE, GOV Head Office : Thycaud, Thiruvananthapura lippione No. 0471-2337353, 3045600 FAX NO. 047 ntialdrugs@kmscl.kerala.gov.in, website : ww 131/2012 TENDER NOTICE	when Arouna Kone sprinted 1 through on goal but dragged a left-
	Inna	1 YEAR PG DID IN CYBER SECU Recognised by DEC for graduates in any disc for graduates in any disc for graduates in any disc W & SECURITY al Law University (NLU), to line with SOM marks	080 Noida (Sector 8, 9923594888, H 6656, 9861061017	A MEDIC RTMENT OF H Head Offic lipphone No. 0 ntialdrugs@k 131/2012 TEN	22



ANNEXURE E

ത്വരുവ 0046369	നന്തപുരാ കോർ കൈപ്പറ്റ് രസീത്	
All and a second se	തീയതി	16.01.2014
all HAN Ancived the 14.12.20 being e	copy of ender n 12, of the member not reconnected ele	16:01:2014 16:01:2014 Secretary SEIAA, Keedla Secretary SEIAA, Keedla Project O malamukal, 2006. UTA, TU.
A LUNDING THE DOT OF THE STATE OF	ben groeniter pa	

മറുപുറത്ത് പറഞ്ഞിട്ടുള്ള താങ്കളുടെ മേൽനമ്പർ ഹർജി/പരാതി/ മെമ്മോറാണ്ടാ കൈപ്പറ്റിയിരിക്കുന്നു. ആയതു മേൽനടപടികൾക്കായി മറൂപുറത്ത് പറഞ്ഞിട്ടുള്ള സെക്ഷനിലേക്ക് അയച്ച് കൊടുത്തിട്ടുണ്ട്. ആയതിന് 15 ദിവസത്തിനകം യാതൊരു മറുപടിയും ലഭിക്കാത്തപക്ഷം താങ്കൾക്ക് സെക്രട്ടറിയേയോ/സെക്രട്ടറിയുടെ പേഴ്സണൽ അസിസ്റ്റന്റിനേയോ നേരിൽ കണ്ട് റിവരം ബോധിപ്പിക്കാവുന്നതാണ്.

ചൗണ്ടർ സൂപ്രണ്ട്/കൗണ്ടർ ക്ലാർക്ക്

ANNEXURE F रत INDIA INDIA NON JUDICIAL கேര்ളo केरल KERALA P 788331 AFFIDAVIT I. Jabu K Abraham, Director & authorized signatory of M/s Poabs Granites Pvt. Ltd. having its correspondence office at Kuthirakalam P.O., Trivandrum, Kerala-695543 do hereby affirm and confirm as follows :-Ē 1. That, M/s. Poabs Granites Pvt. Ltd. proposes to develop a Quarry Project at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala. B 2. That, all the conditions stipulated in the Environment Clearance would be scrupulously followed. DEPONENT Verification : Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein. DEPONENT Place : Thiruvananthapuram Date : 23-12-2012 Relool. 9.12 Mr. Jaby IC Omlohom, Directiv tins. PORD Wanites Pitol, 1Cuthinalistom TUM 8