

**COMPLIANCE REPORT TO
THE CONDITIONS
OF
ENVIRONMENTAL CLEARANCE ORDER
NO: 48/SEIAA/KL/7176/2012
DT. 23- 08- 2013**

BY

**STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)
FOR
PROPOSED QUARRY PROJECT**

AT

**SURVEY NO. 172, KODIYATHOOR VILLAGE AND PANCHAYAT, KOZHIKODE
TALUK, KOZHIKODE DISTRICT, KERALA**

BY

**M/S POABS ROCK PRODUCTS PRIVATE LIMITED
NELLIKKAPARAMBU P.O. GOTHEMBU ROAD, CALICUT - 673602**

(MARCH, 2017 - AUGUST, 2017)

INTRODUCTION

M/s Poabs Rock Products Pvt. Ltd. is a stone quarry situated at Survey No. 172, Kodyathoor Village & Panchayat, Kozhikode Taluk, Kozhikode District, Kerala. The quarry project was accorded with the environmental clearance by state Environmental Impact Assessment Authority on 23-08-2013. Six month compliance reports to the conditions of the environmental clearance are to be submitted as part of compliance. The compliance report to the specific and general conditions of the environmental clearance for the period of March, 2017 – August, 2017 is being submitted.

PART - A – SPECIFIC CONDITIONS**➤ Condition 1)**

Storm water management plans provided in the proposal should be implemented.

✓ Compliance

In the project area, a well structured garland drain system is maintaining to handle storm water. Storm water from entire project area is channelizing in to a quarry pit and the pit opening is guarded with check dam. During this storage, slit/debris in the storm water is sedimenting and it prevents the entry of debris/silt in to nearby natural streams. Sediments from storm water collecting pit has been removing periodically. The photographs showing the storm water collecting pit is given in Annexure No.1.

➤ Condition 2)

Arrangements must be made to provide adequate safe drinking water to all project workers.

✓ Compliance

For the present project, water demand being met from rainwater and the daily water demand for the project is about 5KLD. Drinking water for workers has been providing from rain water harvesting tank after proper treatment and the quality of drinking water has periodically analyzed by accredited laboratories (Polluchem Laboratories (P) LTD).

➤ **Condition 3)**

10 percent of the pit formed on completion of quarrying activities should be used for the storage of water. The rest has to be refilled with the stacked top soil and the overburden and covered with vegetation.

✓ **Compliance**

Ten percentages of the excavated mine area will be maintained as water storage area after the closure of the mine. In the remaining region, it has planned to build up a green belt by indigenous plant species after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will be planted in the areas prone to erosion especially at foot hills.

➤ **Condition 4)**

A 20m wide permanent continuous tree belt with deep root system on the upper area of the lease should be provided.

✓ **Compliance**

Natural vegetation with deep root system occurred in the upper part of the lease area. The photograph showing the same is attached at Annexure No 2. Some of the tree species found in the upper area is listed below.

SI No.	Scientific Name	Common Name	Family
1	<i>Mangifera indica L.</i>	Mavu	Anacardiaceae
2	<i>Artocarpus heterophyllus</i>	Plavu (Jack fruit tree)	Moraceae
3	<i>Cieba pentandra</i>	Panjimaram (Silk cotton tree)	Bombaceae
4	<i>Cocus nucifera</i>	Thengu (Coconut)	Arecaceae

➤ **Condition 5)**

A protective wall should be constructed in the upper reaches of the mine area to prevent anticipated soil erosion.

✓ **Compliance**

Majority of the upper reaches of the mine area has covered by natural vegetation with deep root system and the remaining area consist of exposed

rocks hence the chance of soil erosion in the upper reaches of the mine is negligible. The risk of causing soil erosion at the foot of the hill has prevented by protective walls. The photographs showing the protective walls at the foot hills are enclosed as Annexure No.3.

➤ **Condition 6)**

Avoid blasting in the rainy days. Blasting to be resumed only after the flow of the water through channels is stopped.

✓ **Compliance**

Blasting has limited during rainy days and other unfavorable weather conditions. Blasting operation resumed only after the flow of the water through the channels has stopped.

➤ **Condition 7)**

Spent oil from DG sets should be disposed off as per Hazardous Waste (Management & Handling) rules and send to stores for disposal through authorized agents.

✓ **Compliance**

Spent oil from DG sets is reused for different purposes

➤ **Condition 8)**

Amount should be earmarked for CSR components as per the provisions of Companies Bill, 2011.

✓ **Compliance**

As part of the Corporate Social Responsibility, the amount proposed by the company is spending for various social activities. Details of CSR activities during 2016 -2017 Financial Year are as follows.

Sl. No.	Activity	Amount (Rs.)
1	Road maintenance	1247000/-
2	Education aid	75000/-
3	Medical aid	65000/-
4	Materials supply for construction works	155000/-
5	Marriage support	50000/-
6	Socio cultural	168000/-
	Total	1760000/-

PART – B – GENERAL CONDITIONS**➤ Condition 1)**

Rain water harvesting to collect and utilize the entire water falling in land area should be provided.

✓ Compliance

One check Dam, excavated pit and a concrete tank is used as rainwater harvesting system having the capacity of 3240000, 1 200 000 and 128000 liters respectively. Photograph showing the same is enclosed as Annexure A. Information of the rainwater harvesting systems are as follows.

Sl. No.	Type	Length (m)	Width (m)	Height (m)	Capacity (L)
1	Excavated mine pit	30	18	6	3240,000
2	Concrete tank	8	4	4	128,000
3	Check Dam	20	30	2	1200000

➤ Condition 2)

Environment monitoring cell as agreed under the affidavit filed by the proponent should be formed and made functional.

✓ Compliance

An environmental monitoring cell has formed with Mr. Binu K. Mathew (Managing Director of the Company) as head of the monitoring cell and made functional. Meeting of monitoring cell has been arranging monthly and discuss the status of the compliance of the specific and general conditions stated in the Environmental clearance order. The details of the monitoring cell members are given below.

Sl. No.	Post	Name
1	Head of the monitoring cell (Managing Director of the Company)	Mr. Binu K. Mathew
2	Head in charge (Environment)	Mr. Girish Menon

3	Senior Environmental Officer	Mr. Rinoy Varghese
4	Environmental Officer	Mr. Navin Xavier
5	Name of the environmental officer in charge at site	Mr. Ramesh Babu K
6	Name of the officer Environment, Health and safety at site.	Mr. Maria Suainathan
7	Name of the Asst. officer of Environment, Health and safety at site	Mr. Chinippi Jeevarathnam
8	Name of the environmental consultant	M/s Environmental Engineers & Consultants Pvt. Ltd
9	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.

➤ **Condition 3)**

Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.

✓ **Compliance**

Sides of tarred road and parking areas has roofed by natural vegetation including trees and shrubs. We planted the area with less vegetation by tree saplings. Details of the tree species planted along the road side as follows. Photographs showing the same are given Annexure A1.

SI No.	Scientific Name	Common Name	Family
1	<i>Casuarina equisetifolia</i> L.	Choolamaram	Casuarinaceae
2	<i>Acacia mangium</i> Wild	Mangium	Leguminosae
3	<i>Mimusops elengi</i> L.	Spanish Cherry/ Elanji	Sapotaceae

➤ **Condition 4)**

The project shall incorporate devices for solar energy generation and utilization wherever possible.

✓ **Compliance**

Solar energy devices has installed in the project area. Ten solar lights has installed in the road side, magazine area, office area, crusher units etc. A

Biogas plant and associated small scale cattle, duck and chicken farm is also maintaining in the project site. This all makes the site a good eco friendly area. Photographs showing solar energy devices are given in Annexure A2.

➤ **Condition 5)**

Sprinklers shall be installed and used in the project site to contain dust emissions.

✓ **Compliance**

Fixed sprinklers has installed in the crusher unit to contain dust emission generated during Crushing & Screening operation. Other areas (tarred road and project area) are watering in regular intervals by sprinkler system installed in Tanker Lories.

➤ **Condition 6)**

The eco-restoration plan submitted with the proposal should be fully implemented.

✓ **Compliance**

After the closure of the mine, 10% of the excavated pit area will be maintained as water storage area. It has planned to develop a green belt in the remaining area with indigenous plant species after reclaimed with stacked dumping and overburden. List of some of the selected indigenous plants for green belt development is given below.

SI No.	Scientific Name	Common Name	Family
1	<i>Aegle marmelos</i> (L.) Corrêa	Bael Tree/Stome apple/ Koovalam	Rutaceae
2	<i>Alstonia scholaris</i> (L.) R. Br.	Ezhilampala/ Devil Tree	Apocynaceae
3	<i>Artocarpus hirsutus</i> Lam.	Wild Jack Fruit Tree/Anjili	Moraceae
4	<i>Cinnamomum malabathrum</i> (Burm.f.) J.Presl	Cinnamon/ Vazhana	Lauraceae
5	<i>Mimusops elengi</i> L.	Elenji	Sapotaceae
6	<i>Saraca asoca</i> (Roxb.) Willd.	Ashoka tree/ Asokam	Fabaceae

➤ **Condition 7)**

At least 10 percent of the excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly.

✓ **Compliance**

Following the closure of the mine, ten percent of the excavated pit area will be retained as water storage area. In the remaining area, it has planned to develop a green belt with indigenous vegetation after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will be planted in the areas prone to erosion especially at the foot of the hill.

➤ **Condition 8)**

Rain water harvesting capacity should be installed as per the prevailing provisions of KMBR/KPBR

✓ **Compliance**

The present project consists of an area of 4.8240 hectare and the entire project requires about 5,000 liters of water per day. Rain water harvesting system is providing in the project site. One excavated pit, Check Dam and a concrete tank is using as rainwater harvesting system having the capacity of 4500000 liters. The pits can store water for all the years, and makes the company self-sufficient in its water needs.

➤ **Condition 9)**

Corporate Social Responsibility agreed upon by the proponent should be implemented in tune with the conditions specified in Companies Bill, 2011.

✓ **Compliance**

As part of the Corporate Social Responsibility, the amount proposed by the company is spending for various social activities. Details of CSR activities during 2016 -2017 Financial Year are as follows.

Sl. No.	Activity	Amount (Rs.)
1	Road maintenance	1247000/-
2	Education aid	75000/-

3	Medical aid	65000/-
4	Materials supply for construction works	155000/-
5	Marriage support	50000/-
6	Socio cultural	168000/-
	Total	<u>1760000/-</u>

➤ **Condition 10)**

Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that the falling of animals/human/belongings/dumping of garbage's etc. does not happen.

✓ **Compliance**

Barbed metal wire fence has constructed around the mining area with a height of 5 ft so that the falling of animals/human/belongings/dumping of garbage's etc. does not happen.

➤ **Condition 11)**

Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of explosive department.

✓ **Compliance**

Warning alarm has installed in the project area. The blasting time has fixed and the blasting is conducting during 1.30pm to 2.30pm. A danger board with blasting time has installed in the project site. The photographs showing the danger board and warning alarm as enclosed as Annexure B

➤ **Condition 12)**

Controlled measures on noise and vibration prescribed by KSPCB should be implemented.

✓ **Compliance**

Noise pollution

Mitigation measures Implemented

The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are undertaken to bring down the noise levels:-

- ❖ Proper maintenance of machinery, equipments and improvement of design of machines.
- ❖ Use of personal protective devices i.e., earmuffs and ear plugs by workers, working in high noise areas.
- ❖ Wide green belt of dense foliage between mine areas and residential colonies.
- ❖ The mine is working only during day times.
- ❖ Noise quality is checking periodically. The sound levels are monitored through an NABL accredited laboratory during the quarry in operation and the monitored results are well within the permissible limits.

Blast vibrations and control measures

- ❖ Controlled blasting technique is adopted in this project in order to reduce blast vibrations.
- ❖ The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.
- ❖ Optimum delay sequence and stem to column ratio is maintaining to minimize the ground vibration intensity.
- **Condition 13)**

Quarrying activities should be limited to daytime as per KSPCB guidelines.

- ✓ **Compliance**

Quarry is running only during day time as per KSPCB guidelines.

- **Condition 14)**

Blasting should be done in controlled manner as specified by the regulations of explosives department or any other concerned agency.

- ✓ **Compliance**

Blasting

- ❖ The controlled blasting is proposed by adopting all the safety measures as per “MMR 1961” and with the permission of DGMS.
- ❖ Blasting is carried out for the fragmentation of the granite within the project area. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with

the help of 32mm drill rod, Jack Hammer and air compressor of 100 cm capacity.

- ❖ It is estimated about 250g of explosives per hole is required. About 30-50 holes per blast are proposed. Therefore the requirement of explosive will be about 10kg/ blast.

Blasting safeguard

- ❖ Blasting in the open cast is done only during day time at designated hours.
- ❖ Only competent blasters are appointed to handle explosives.
- ❖ Explosives are stored in approved and licensed magazine as per explosive Act/ Rules.
- ❖ Explosives are brought from magazine to blasting site under the care of blaster.
- ❖ Sufficient warning signals are given before blasting the holes.
- ❖ Guards are posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during the blasting hour.
- ❖ Controlled blasting is practiced to control vibrations and flying fragments.
- ❖ Optimum charge is used, while blasting near office complex/ infrastructure site.
- ❖ Maximum charge per delay is always being less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.

➤ Condition 15)

A licensed person should supervise/ control the blasting operations.

✓ Compliance

Licensed person is supervising/controlling the blasting operations.

➤ Condition 16)

Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.

✓ **Compliance**

Entree roads to the quarry have tarred to contain dust emissions that may arise during transportation of materials. The photographs showing the same is attached at Annexure C.

➤ **Condition 17)**

Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.

✓ **Compliance**

The excavated top soil is managing within the site for plantations and the remaining soil is storing separately in a prefixed location. A fraction of the soil is using for organic farming. The photos showing the same are enclosed as Annexure D.

➤ **Condition 18)**

Height of the benches should not exceed 5m and width should not be less than 5m.

✓ **Compliance**

Quarrying operations in the mine is in the form of benches. The proposed height and width of the bench will attain shortly. The photograph showing the bench type mining is enclosed as Annexure E.

➤ **Condition 19)**

Mats to reduce fly rock blast to a maximum of 15 PPV should be provided.

✓ **Compliance**

Mats to prevent fly rock during blasting have provided.

➤ **Condition 20)**

Mining depth should not exceed beyond 40m, unless otherwise specified or not below the level of nearest stream bed whichever is less.

✓ **Compliance**

Mining depth will not exceed beyond 40m. There is no nearest stream bed above the specified depth.

➤ **Condition 21)**

No mining operations should be carried out at places having a slope greater than 45°.

✓ **Compliance**

No mining operations carrying out at places having a slope greater than 45°.

Condition 22)

Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of greenbelt and hollow brick envelope for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.

✓ **Compliance**

The crusher unit has encircled by thick green belt. The photographs showing the same is enclosed Annexure F.

➤ **Condition 23)**

The workers on the site should be provided with the required protective equipments such as ear muffs, Helmet, etc.

✓ **Compliance**

Workers have been using personal protective devices such as earmuffs, ear plugs in high noise areas.

➤ **Condition 24)**

Assurance in the form of affidavit should be given to SEIAA that eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.

✓ **Compliance**

Assurance in the form of affidavit stated that eco-restoration including the mine closure plan shall be done at the own cost of the project proponent was submitted to SEIAA on March 2014 and the copy of the same is attached at Annexure G.

➤ **Condition 25)**

Assurance in the form of affidavit should be given to SEIAA that only a maximum of 10 percent of the total mine area shall be retained as water body, which shall be lined properly and further provided with protective wall to prevent accidents.

✓ **Compliance**

Assurance in the form of affidavit stated that a maximum of 10 percent of the total mine area will be retained as water body, which will be lined properly and further provided with protective walls to prevent accidents was submitted to SEIAA on March 2014 and the copy of the same is attached at Annexure H.

➤ **Condition 26)**

Garland drains to be provided in the lower slopes around the core area to channelize storm water.

✓ **Compliance**

Garland drains has provided at the lower slopes around the core area to channelize storm water. The photographs showing the construction of Garland drains is provided at Annexure I.

➤ **Condition 27)**

Debris/ slit traps to be provided to prevent entry of dust and quarry wastes entering the main streams.

✓ **Compliance**

Storm water from entire project area is channelizing in to check dam and storing the storm water in it. During this storage all the Debris/slit in the storm water are sedimented. Sediment from the storm water pit is removing and disposing annually. Overflow from the check dam has opened in to Garland drains which entering to the main stream and these garland drains also contain Check dam model silt trap. This arrangement will prevent the passage of waste from the quarry site to the main streams.

➤ **Condition 28)**

All statutory clearances should have been obtained, as applicable, by the project proponents from the respective competent authorities including that for blasting and storage of explosives.

✓ **Compliance**

All other statutory approvals required for the quarrying activity has obtained for the project. The details regarding the same along with the copy of the statutory approvals is provided at Annexure J1, J2 & J3.

Sl. No.	Annexure	Statutory approvals
1	J1	License to possess: (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7.
2	J2	Integrated consent to operate issued under Air act, 1981 and Environment act 1986. (Pollution Control Board Consent)
3	J3	License from Panchayat

➤ **Condition 29)**

In case of any change(s) in the scope of the project, the project would require a fresh appraisal by this authority.

✓ **Compliance**

Would be complied

➤ **Condition 30)**

The authority reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

✓ **Compliance**

Would be complied

➤ **Condition 31)**

The stipulations by Statutory Authorities under different Acts and notifications should be complied with, including the provisions of Water (Prevention and control of pollution) Act, 1974, the Air (Prevention and control of pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.

✓ **Compliance**

Would be complied

➤ **Condition 32)**

The project proponent should advertise in at least two local newspapers widely circulated in the region. One of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Department of Environment and climate change, Govt. of Kerala and may also be seen on the website of the authority at www.seiaaKerala.org. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same should be forwarded to the office of this authority as confirmation.

✓ **Compliance**

Company advertises in two local newspapers regarding the according of environmental clearance to the quarrying activity was carried out and the copy of the same was submitted at SEIAA Kerala. The copy of the advertisement is provided at Annexure K1 and K2. Details of the news paper advertisements are given below.

Sl. No.	Annexure	Name of the News paper and edition	Dated
1	K1	The New Indian Express	9/11/2013
2	K2	Mathrubhumi	9/11/2013

➤ **Condition 33)**

A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat / District panchayat / Municipality / Corporation / Urban local Body and also to the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

✓ **Compliance**

A copy of the environmental clearance order was submitted to the Panchayat office. The acknowledgment received is enclosed as Annexure L. There is no suggestion/ representation received so far from anybody. The environmental clearance order is uploaded in the website of the company (www.msand. in.)

➤ **Condition 34)**

The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hand copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall update the same periodically, it can simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also the Directorate of Environment and Climate Change, Govt. of Kerala.

✓ **Compliance**

Eighth compliance report is being submitted to Department of Environment and Climate change, Govt. of India both in hard copy as well as soft copy (CD).

➤ **Condition 35)**

The conditions of the environmental clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font size of not less than 40.

✓ **Compliance**

The conditions of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times

New Roman fond was installed. The photographs showing the metallic board is given in Annexure M.

➤ **Condition 36)**

The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

✓ **Compliance**

Notarized affidavit stated that all the conditions stipulated in the Environmental clearance will be scrupulously followed was submitted to Department of Environment and climate change on 18.09.2013 and the copy of the same is given in Annexure N.

➤ **Condition 37)**

Time schedule for completion of project should be informed to SEIAA.

✓ **Compliance**

The expected life of the mine is 6.74 Years.

ANNEXURE 1



Photographs showing the storm water collecting pits

ANNEXURE 2



Photographs showing the upper region of the lease area covered by natural trees with deep root system

ANNEXURE 3




Photographs showing the protective walls at the foot hills to prevent soil erosion

ANNEXURE A



Photographs showing the rainwater harvesting system within the project area

ANNEXURE A1



Photographs showing tree saplings planted within the project area

ANNEXURE A2




Solar energy devices installed in the project area

ANNEXURE B



Photographs showing the danger board (Blasting zone) and warning alarm

ANNEXURE C



Photographs showing tarred access road to the quarry

ANNEXURE D



Photograph showing the stacked overburden and top soil

ANNEXURE E



The photograph showing the bench type mode of mining

ANNEXURE F



Photograph showing the crusher unit encircled by thick green belt

ANNEXURE G



കോട്ടം കേരള KERALA

AF 099978

AFFIDAVIT

I, **Binu K. Mathew**, Managing Director & authorized signatory of M/s POABS Rock Products Pvt. Ltd. having its correspondence office at Kodyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala do hereby affirm and confirm as follows:-

1. That, M/s. POABS Rock Products Pvt. Ltd. running a Quarry Project at Sy. No. 172 at Kodyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala.
2. That, the eco-restoration including the mine closure plan will be done at our expenses.


DEPONENT

Verification:

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

*Solemnly affirmed and signed
before me by the deponent who*

Place: Tiruvalla personally known to me in
my office at Thiruvalla, on this
Date: 28.03.2014


DEPONENT



M.D. M/s Poabs Rock Products
CP) P. Krishnan Kutty Nair
Advocate & Notary
Tiruvalla.
Calicut P. KRISHNAN KUTTY NAIR
THIRUVALLA VENDOR



ANNEXURE H



കോളം കേരള KERALA

AF 099977

AFFIDAVIT

Binu K. Mathew, Managing Director & authorized signatory of M/s POABS Rock Products Pvt. Ltd. having its correspondence office at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala do hereby affirm and confirm as follows:-

1. That, M/s. POABS Rock Products Pvt. Ltd. running a Quarry Project at Sy. No. 172 at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala.
2. That, a maximum of 10% of the total mined area will be retained as water body, which will be lined properly and provided with protective wall to prevent accidents.


 DEPONENT
Verification:

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

Solemnly affirmed and signed
before me by the deponent who
is personally known to me in


Place: Tiruvalla my office at Thiruvalla on this
Date: 28.03.2014 the 28th day of March 2014


 DEPONENT


55531
2613/2014

Binu K. Mathew
Managing Director
M/s POABS Rock Products Pvt. Ltd.
Neelicheppuram
P. KRISHNAN KUTTY NAIR
THIRUVALLA VENDOR


ANNEXURE I



Photographs showing the Garland drain within the project area

ANNEXURE J1

Page 1 of 1



भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ पी ओ कक्कनाड कोच्चि | CSEZ PO Kakkanaad Dist. Ernakulam Ernakulam 682037
फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276
ई-मेल Email: dyceernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/22/268(E11682) दिनांक (Date): 10/02/2016

सेवा में | To,
The Managing Director M/s. POABS ROCK PRODUCTS PRIVATE LTD.,
Gothambhu Road, Nellikoparambu PO, Mukkom, Kozhikode District, Kerala State, Town/Village -
District-, State-, Pincode - 6736002

विषय : Survey No(s).172, ग्राम KODIYATHOOR, जिला KOZHIIKODE, राज्य Kerala में विस्फोटक के मंगलजिन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/268(E11682) के नवीनीकरण संदर्भ में।

Subject: Possession for Use of Explosives from magazine situated at Survey No(s):172, KODIYATHOOR, Dist. KOZHIIKODE, Kerala -Licence No.: E/SC/KL/22/268 (E11682) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या nil दिनांक 22/01/2016 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2021 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।
Reference to your letter No.: nil dated: 22/01/2016, the subject licence duly renewed upto 31/3/2021 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

Conditions:

1)1.VALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENSEE FOR BLASTING OPERATIONS AND LOCAL STATE GOVERNMENT AUTHORITIES APPROVAL/ENVIRONMENTAL CLEARANCE AS APPLICABLE AND RENEWED FROM TIME TO TIME SHALL BE IN POSSESSION.2. IF ANY CHANGE OF QUARRY OR ADDITIONAL QUARRY IS INVOLVED, NECESSARY PRIOR APPROVAL/ENDORSEMENT SHALL BE OBTAINED FROM THE LICENSING AUTHORITY.3. OPENING OF QUARRY SHALL BE INFORMED TO THE DGMS AND BLASTING OPERATIONS SHALL BE CONDUCTED AS PER MINES ACT.4. APPROVED BLASTER SHALL BE APPOINTED IN THE QUARRY FOR BLASTING.5. ALL RECORDS OF USE OF EXPLOSIVES IN RE-3, RE-5, RE-7 RE-13 SHALL BE MAINTAINED.6.DAILY PASS FOR USE OF EXPLOSIVES (RE-13)SHALL BE GENERATED ONLINE.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2021 से पहले इस कार्यालय को भेजे जाएं।
For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2021.

- प्ररूप आरई-1 में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पांच वर्ष के अनुज्ञप्ति शुल्क का बैंक ड्राफ्ट। बैंक ड्राफ्ट किसी भी राष्ट्रीयकृत बैंक के नाम आहरित, संयुक्त मुख्य विस्फोटक नियंत्रक, चेन्नई के पक्ष में चेन्नई में देय हो।
Licence fees for one to five years in the form of demand draft drawn on any Nationalized Bank in favour of Jt. Chief Controller of Explosives, Chennai payable at Chennai
- अनुमोदित प्लान, के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाए। विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)। Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house)
- सभी ब्लास्टिंग ऑपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग ऑपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो।
All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

भवदीय | Yours faithfully
(एस.एम.कुलकर्णी) | S M Kul Karni
विस्फोटक नियंत्रक | Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक | For The Dy. Chief Controller of Explosives
कोच्चि | Ernakulam
एरनाकुलम Ernakulam

प्रतिनिधि भेजित | Copy Forwarded to:
1. जिला मजिस्ट्रेट (District Magistrate), KOZHIIKODE (Kerala)- सूचना के लिए (for information)


कृते उप मुख्य विस्फोटक नियंत्रक | For The Dy. Chief Controller of Explosives,
कोच्चि | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें।)
(Fore more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

अनुज्ञप्ति प्ररूप एल.ई.-3 | LICENCE FORM LE-3
(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए)
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक
Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.): E/SC/KL/22/268(E11682)
वार्षिक फीस रूप (Annual Fee Rs): 2400/-



1. Licence is hereby granted to
The Managing Director M/s. POABS ROCK PRODUCTS PRIVATE LTD. (अधिगोत्री / Occupier : Shri Binu K. Mathew), Gothanpuzha Road, Nellikuppam PO, Mukkom, Kozhikode District, Kerala State, Town/Village - , District-, State-, Pincode - 6736002

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अनुज्ञप्तिधारी की प्रस्थिति | Status of licensee : Company

3. अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमानी है।
Licence is valid only for the following purpose.

4. अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमानी है।
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. सं.	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one time
1.	Nitrate Mixture	2,0	0	500 Kg.
2.	Safety Fuse	6,1	0	5000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	10000 Nos.

(ख) किसी एक कैलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए] : 20 times as above.
(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] :

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्ति परिसर की पुष्टि होती है।
The licensed premises shall conform to the following drawing(s): . रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/268(E11682)
दिनांक (Dated) 15/03/2001

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित है। The licensed premises are situated at following address:
Survey No(s). 172, ग्राम (Town/Village) : KODIYATHOOR
जिला (District) : KOZHIIKODE राज्य (State) : Kerala पुलिस थाना (Police Station) : MUKKOM
दूरभाष (Phone) : ई.मेल (E-Mail) : पिनकोड (Pincode) : फैक्स (Fax) :

7. अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।
The licensed premises consist of following facilities. : NIL

8. अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.
- दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2006 तक विधिमानी रहेगी। This licence shall remain valid till 31st day of March 2006.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्ति परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिबंधित की जा सकती है, जहां वह लागू हो।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 15/03/2001

Sd/-
संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 20/05/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 23/11/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 03/10/2013

नवीनीकरण के पृष्ठान्न के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
10/02/2016	31/03/2021	Dy. Chief Controller of Explosives, Ernakulam कुले उप मुख्य विस्फोटक नियंत्रक For Deputy Chief Controller of Explosives एरनाकुलम Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडित अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

(सेट VIII | Set VIII)

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्रत्येक एन.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/268(E11682) की शर्तें निम्नलिखित हैं।

The following are the conditions of licence number E/SC/KL/22/268(E11682) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.


- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट हैं, रखे जाने के लिए और ऐसे रखे जाने से संबंधित आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके; परंतु -
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पत्तीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पत्तीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।
Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लाइसीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचों, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचें, शेल्फें और फिटिंग यथासाध्य गिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे; परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्यकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।
The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;
Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a

- in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
- यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञापिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञापिधारी द्वारा पश्चात्कर्त प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :
- परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभावी होगा ; परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है ।
- If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:
- Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :
- Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.
10. उपयुक्त तथा जेब रहित कार्यकरण वस्त्रों , उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपाय किये जाएंगे कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो : परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है ।
 - Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion.
 - Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.
 11. अनुज्ञापिधारी प्रत्येक आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टॉक पुस्तक और अभिलेख प्रस्तुत करेगा । स्टॉक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी ।
 - The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
 12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञापिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करें ।
 - No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
 13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी) । यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञापिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा ।
 - Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
 - मैगजीन का अनुज्ञापिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।
 - The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
 14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी ।
 - Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
 15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी ।
 - The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
 16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेटों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशेषताओं को पढ़ने के लिए उनके बीच से होकर आ जा सके ।
 - The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
 - तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओहम से अधिक नहीं होगा ।
 - The resistance of the lighting conductor to earth shall be as low as possible and in no case be more than 10 ohms.
 17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी ।
 - A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
 18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी ।
 - Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
 19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा ।
 - Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
 20. विस्फोटकों के खाली पैकेटों को शीघ्रतः वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा ।
 - Empty packages of the explosives shall be removed at the earliest and destroyed.
 21. अनुज्ञापिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए ।
 - The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
 22. निरीक्षण या नमूना अधिकारी को सभी व्यक्तिगत समयों पर अनुज्ञापन परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित

- करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है।
प्रत्येक सुविधा प्रदान की जाएगी।
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञप्तिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञप्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञात फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पत्ती खरीदेगा।
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियाँ पटाखों की बिक्री और रखने के लिए -
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
(ख) शृंखला (जुड़े हुए पटाखे) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के.प्रतिबंधित होंगे;
The possession and sale of fire-crackers generating noise level exceeding;
a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together.
26. आग या विस्फोट ब्य़दारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञप्तिधारी विदेशी मूल के आतिशबाजी को ना रखेगा ना ही उसकी बिक्री करेगा। The licensee shall not possess and sale fireworks of foreign origin.


कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives
South Circle, Chennai
कृते उप मुख्य विस्फोटक नियंत्रक
For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/268(E11682) in form LE-3 granted to The Managing Director M/s. POABS ROCK PRODUCTS PRIVATE LTD., Gothanmbu Road, Nellikaparambu PO, Mukkom, Kozhikode District, Kerala State, Kerala-.

Type of Structure(s)		Safety distances meters	
Inside Safety Distances(ISD)		M	UM
1	Room or Workshop used in Connection with the Magazine	19	29
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
Middle Safety Distances(MSD)			
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		48
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmill or Solar panel for Power Generation		
Outside Safety Distances(OSD)			
13	Dwelling House		
14	Govt. and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		95
19	Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		
20	Aerodrome		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
Overhead Electric lines			
27	Electric Power over head Transmission Lines above 440V	90	
28	Electric Power over head Transmission Lines upto 440V	15	

The Date : 15/03/2001

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 20/05/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 23/11/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 03/10/2013

For Joint Chief Controller of Explosives
South Circle, Chennai
कृते उप मुख्य विस्फोटक नियन्त्रक
For Deputy Chief Controller of Explosives
एरनाकुलम Ernakulam

ANNEXURE J2



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/RO/KKD/IC/114/2015

Date of issue :06/07/2015

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/RO/KKD/ICO-R/05/2015

Ref : 1.Your online application no.1369896 dated 24.06.2015

2.CONSENT NO. PCB/RO/KKD/ICO-R/04/2012 dated 17.07.2012 valid up to 30.06.2015

3.CONSENT VARIATION ORDER No. PCB/RO/KKD/IC/112/2012 dated 01.10.2013

The 'Integrated Consent to Operate' issued as per reference above to M/s Poabs Rock Products Pvt Ltd. (Quarry), Nellikkaparambu (P.O), Gothambu Road, Mukkom, Kozhikode – 673 602 is hereby renewed up to 30/06/2018 and issued to M/s Binu K Mathew, Managing Director, Poabs Rock Products Pvt Ltd. (Quarry), Nellikkaparambu (P.O), Gothambu Road, Mukkom, Kozhikode – 673 602 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	Activity	Quarrying in 17.0334 hectares
2	Annual Fee	Rs. 20,000/-
3	Validity	30.06.2018
4	Fee remitted	Rs. 60,000/-
5	Capital Investment	Rs. 214.65 Lakhs

II. CONDITIONS

2.1. Condition no.2.3 of the consent referred 2nd above is modified to the extent that for renewal of the integrated consent application in the prescribed form shall be submitted to the Board in the third month before expiry of the consent ie, on or before 29.03.2018 through the web portal of the Board (krocmms.nic.in) for Online Consent Management & Monitoring System. Late application will be accepted only with fine/late fee as applicable.

2.2. Condition no.4.1 of the consent referred 2nd above is modified to the extent that this consent is granted to operate a granite quarry of 17.0334 hectares.

2.3. Condition no.4.2 of the consent referred 2nd above is modified to the extent that adequate safety measures shall be provided in accordance with fire safety regulations.

2.4. Condition no. 3.8 of the consent referred 2nd above is modified to the extent that activities related to quarrying, loading, unloading and transportation shall not be carried out between 6.00 pm and 6.00 am.

2.5. Condition no. 3.5. of the consent referred 2nd above is modified to the extent that Particular matter (PM10&PM2.5) at the boundary of the premises shall not exceed the standard applicable to the adjoining area. The sound level measured 1 m outside the boundary of the premises shall not exceed the standards applicable to the adjoining area.

2.6. Condition no. 2.10. of the consent referred 2nd above is modified to the extent that location of the quarry shall be as shown in the drawing attached. No change or alteration to the above shall be made.

2.7. No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the references or in the identity of the occupier /authorised agent is to be intimated to the Board forthwith.

2.8. Water sprinklers shall be provided to suppress spreading of dust.

2.9. Condition no. 2.9, 3.2, 3.3, 3.4, 3.9, 3.10, 4.1, 4.5. of the consent referred 2nd above is mandatory for crusher only.

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :06/07/2015

SIGNATURE & SEAL OF ISSUING AUTHORITY

OFFICE SEAL

Copy To

- 1.The Member Secretary, Head Office, Thiruvananthapuram
- 2.The Environmental Engineer, District Office, Kozhikode
- 3.The Secretary, Kodyathur Grama Panchayat, Kozhikode
- 4.Stock file


KERALA STATE POLLUTION CONTROL BOARD
കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്
**കോഴിക്കോട് റീജണൽ ഓഫീസ്
REGIONAL OFFICE, KOZHIKODE**

 Phone: 2300744 (CEE); Telefax: 2300745, 46, 47 www.keralapcb.org
 3rd FLOOR, ZAMORIN'S SQUARE, LINK ROAD, KOZHIKODE - 673 002


Ref. No. PCB/RO/KKD /IC/112/2012

Date: 06.11.2015

CONSENT VARIATION ORDER

 Ref: - 1. Integrated Consent to Operate No.PCB/RO/KKD/ICO-R/06/2015 dated
 09.07.2015 valid up to 30.06.2018

 Integrated Consent to Operate Renewal referred above issued to M/s Poabs Rock
 Products Pvt Ltd (Crusher), Nellikaparamba P.O, Gothambu Road, Mukkam,
 Kozhikode-673602 modified as:

1. Under General item no 2 Capital investment modified as Rs. 608.44 Lakhs
2. Condition no. 2.5 is modified to the extent that no activities related to crushing shall be carried out between 6.00 pm and 6.00 am applicable to the adjoining area.

All the other conditions in the 'Consent to Operate Renewal' remain unchanged.

Signature

OFFICE SEAL
**SENIOR ENVIRONMENTAL ENGINEER
REGIONAL OFFICE, KOZHIKODE**

To

 M/s.Poabs Rock Products Pvt Ltd,
 Nellikaparamba P.O,
 Gothambu Road, Mukkam,
 Kozhikode - 673 602

- Copy to:
1. The Member Secretary, Head Office, Thiruvananthapuram
 2. Environmental Engineer, District Office, Kozhikode
 3. The Secretary, Kodyathur Grama Panchayat, Kozhikode
 4. Stock file

ANNEXURE J3



ലൈസൻസ് നമ്പർ : എ3- 115 /2016-17

തീയതി : 01/04/2016

കൊടിയത്തൂർ ഗ്രാമ പഞ്ചായത്തിൽനിന്നും
1994 ലെ കേരള പഞ്ചായത്തരാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകൾ
പ്രകാരവും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് കൊടുത്ത

ഡി & ഒ ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	ബിനു. കെ. മാത്യു മാനേജിങ്ങ് ഡയറക്ടർ പോബ്സ് റോക്ക് പ്രോഡക്ട്സ് പ്രൈവറ്റ് ലിമിറ്റഡ് ഗോതമ്പ് റോഡ്, നെല്ലിക്കാപറമ്പ് പി.ഒ, കൊടിയത്തൂർ, കോഴിക്കോട്		
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	പോബ്സ് റോക്ക് പ്രോഡക്ട്സ് പ്രൈവറ്റ് ലിമിറ്റഡ് ഗോതമ്പ് റോഡ്		
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കൽ പൊട്ടിച്ച് സ്റ്റോക്ക് ചെയ്ത് വിൽപന നടത്തുന്നതിന്		
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	R.S.No - 172		
ലൈസൻസിന്റെ കാലയളവ്	01/04/2016	മുതൽ	31/03/2021 വരെ
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	തുക	രസീത് നമ്പർ	
	LF - 20000 PT - 12500	115011 - 03753 115011 - 03755	
ലൈസൻസ് അനുവദിക്കു ന്നതിനായി ഹാജരാക്കിയ നിരീക്ഷണ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽ കിയ അധികാരസ്ഥാനം)	1) Environmental Clearance No.48/SEIAA/KL/7176/2012 Dtd 23/08/2013 Of Member Secretary SEIAA Kerala Validity 2) Quarrying Lease Order No 787/08-09/4694/M3/2011 Dtd 06/08/2011 Of The Director of Mining & Geology,Tvm validity 05/08/2021 3) Licence No.E/SC/KL/22/268/(E11682) Dtd 10/02/2016 Of Joint Chief Controller Of Explosive, Ernakulam Validity 31/03/2021 4) Licence No. PCB/RO/KKD/IC/114/2015 DTD 06/07/2015 Of Enviornmental Engineer, Kerala Pollution Control Board, Kozhikode Valid up to 30/06/2018		




പി.പി. രാജൻ, സെക്രട്ടറി
കൊടിയത്തൂർ ഗ്രാമ പഞ്ചായത്ത്
കൊടിയത്തൂർ പോസ്റ്റ്, മുക്കം
673602, ഫോൺ- 0495 2209130

ലൈസൻസുടമസ്ഥൻ താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- 1 കേരള പഞ്ചായത്തരാജ് ആക്ടും അതേതുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- 2 തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധന സാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥന്മാർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവിശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
- 3 ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽനിന്നും അനുവാദം സിദ്ധിച്ച ശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർമ്മാണ പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- 5 തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വെടിപ്പായും വൃത്തിയായും സാംക്രമിക രോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാത്തിനുവെച്ചിട്ടുള്ള ഭക്ഷണ പദാർത്ഥങ്ങൾ ഈച്ച, അടുക്കൾപൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്തവിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 6 ഏതൊരു പ്രവൃത്തി ദിവസത്തിന്റേയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റേയോ പരിസരത്തിന്റേയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ മറ്റ് പദാർത്ഥമോ ശോഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കാ ചെയ്യേണ്ടതാണ്.
- 8 ലൈസൻസുകാരൻ ഏതൊരു കെട്ടിടത്തിന്റേയും ചുമരുകളുടെ അവകാശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ച് വീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവറോ, അസഹ്യമോ, ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായും കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- 9 ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ പരിസരത്തോ, അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായും കേടുപാടു തീർത്തും വെപ്പിക്കേണ്ടതാണ്.
- 10 ഐത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റബ് ചെയ്യേണ്ടതാണ്
- 11 ഏതെങ്കിലും തരത്തിലുള്ള തപ് റോഗ്മോ കൂഷ് റോഗ്മോ വ്രണമോ ഉള്ളയാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 40 മൈക്രോണിൽ കുറവുള്ള പ്ലാസ്റ്റിക്കുകളും മറ്റു നിരോധിത പ്ലാസ്റ്റിക് ഇനങ്ങളും ഉൽപാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സിറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റസ്റ്റോറന്റുകൾക്കും ടോയ്ലറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- 15 നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗുഡ്ബ തിടങ്ങിയവ സംഭരിച്ച് വെക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- 17 മലിനീകരണ നിയന്ത്രണ ബോർഡിന്റെ NOC കാലാവധി 30/06/2018 ന് അവസാനിക്കുന്നതിന് മുൻപ് പുതുക്കിയ NOC ഹാജരാക്കേണ്ടതാണ്. NOC യിലെ നിബന്ധനകൾ കർഷണമായി പാലിക്കേണ്ടതാണ്.
- 18 SEIAA കാലാവധി അവസാനിക്കുന്നതിന് മുൻപ് പുതുക്കിയ ലൈസൻസ് ഹാജരാക്കേണ്ടതാണ്. ആയതിലെ നിബന്ധനകൾ കർഷണമായി പാലിക്കേണ്ടതാണ്.
- 17 മറ്റു ഡിപ്പാർട്ടുമെന്റുകളിൽനിന്നുള്ള നിരാകേഷപ സാക്ഷ്യപത്രങ്ങളിലെ നിബന്ധനകൾ കർഷണമായി പാലിക്കേണ്ടതാണ്.
- 19 മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്.

V.B : ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുൻപ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.


 സെക്രട്ടറി
 കൊടിയത്തൂർ ഗ്രാമ പഞ്ചായത്ത്



ലൈസൻസ് നമ്പർ : എ3- 116 /2016-17

തീയതി : 01/04/2016

കൊടിയത്തൂർ ഗ്രാമ പഞ്ചായത്തിൽനിന്നും
1994 ലെ കേരള പഞ്ചായത്തരാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകൾ
പ്രകാരവും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് കൊടുത്ത

ഡി & ഒ ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	ബിന്ദു. കെ. മാത്യു മാനേജിങ് ഡയറക്ടർ പോബ്സ് റോക്ക് പ്രോഡക്ട്സ് പ്രൈവറ്റ് ലിമിറ്റഡ് ഗോതമ്പ് റോഡ്, നെല്ലിക്കാപറമ്പ് പി.ഒ, കൊടിയത്തൂർ, കോഴിക്കോട്		
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	പോബ്സ് റോക്ക് പ്രോഡക്ട്സ് പ്രൈവറ്റ് ലിമിറ്റഡ് ഗോതമ്പ് റോഡ്		
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	2300 എച്.പി മോട്ടോർ ഉപയോഗിച്ച ക്രഷർ നടത്തുന്നതിന്		
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	4/177		
ലൈസൻസിന്റെ കാലയളവ്	01/04/2016	മുതൽ	31/03/2021 വരെ
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	തുക	രസീത് നമ്പർ	
	LF - 20000 MRF - 135000	115011 - 03755 115011 - 03755	
ലൈസൻസ് അനുവദിക്കു ന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽ കിയ അധികാരസ്ഥാനം)	Licence No. PCB/RO/KKD/IC/112/2012 DTD 09/07/2015 Of Enviornmental Engineer, Kerala Pollution Control Board, Kozhikode Valid up to 30/06/2018		



പി.പി. രാജൻ, സെക്രട്ടറി
കൊടിയത്തൂർ ഗ്രാമ പഞ്ചായത്ത്
കൊടിയത്തൂർ പോസ്റ്റ്, മുക്കം
673602, ഫോൺ- 0495 2209130

ലൈസൻസുടമസ്ഥൻ താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- 1 കേരള പഞ്ചായത്തരാജ് ആക്ടും അതനുസരിച്ചുള്ള ചട്ടങ്ങളും അനുസരിച്ച് പ്രവർത്തിക്കേണ്ടതാകുന്നു.
- 2 തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധന സാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർമാർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവിശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
- 3 ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പെടുത്തൽ വച്ചിരിക്കേണ്ടതാണ്.
- 4 പഞ്ചായത്തിൽനിന്നും അനുവാദം സിദ്ധിച്ച ശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- 5 തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വെടിപ്പായും വൃത്തിയായും സാഫ്തക്കീക രോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപത്തിനുവെച്ചിട്ടുള്ള ഭക്ഷണ പദാർത്ഥങ്ങൾ ഈച്ച, അടുക്കൽപൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്തവിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- 6 ഏതൊരു പ്രവൃത്തി ദിവസത്തിന്റേയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- 7 ആ സ്ഥലത്തിന്റേയോ പരിസരത്തിന്റേയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യേണ്ടതാണ്.
- 8 ലൈസൻസുകാരൻ ഏതൊരു കെട്ടിടത്തിന്റേയും ചുമരുകളുടെ അവകാശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചു വീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവറോ, അസഹ്യമോ, ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായും കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്.
- 9 ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ പരിസരത്തോ, അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായും കേടുപാട് തീർത്തും വെച്ചിരിക്കേണ്ടതാണ്.
- 10 ഐത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദ് ചെയ്യേണ്ടതാണ്.
- 11 ഏതെങ്കിലും തരത്തിലുള്ള തിക്ക് രോഗമോ കുഷ്ഠ രോഗമോ വ്രണമോ ഉള്ളയാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 12 40 മൈക്രോണിൽ കുറവുള്ള പ്ലാസ്റ്റിക് കളും മറ്റു നിരോധിത പ്ലാസ്റ്റിക് ഇനങ്ങളും ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
- 13 സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
- 14 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയ്ലറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്.
- 15 നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗുഡ്ബ തിടങ്ങിയവ സംഭരിച്ച് വെക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
- 16 ബാലവേല അനുവദിക്കാൻ പാടില്ല.
- 17 മലിനീകരണ നിയന്ത്രണ ബോർഡിന്റെ NOC കാലാവധി 30/06/2018 ന് അവസാനിക്കുന്നതിന് മുൻപ് പുതുക്കിയ NOC ഹാജരാക്കേണ്ടതാണ്. NOC യിലെ നിബന്ധനകൾ കർഷണമായി പാലിക്കേണ്ടതാണ്.
- 18 മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്.

സെക്രട്ടറി

കൊടിയത്തൂർ ഗ്രാമ പഞ്ചായത്ത്

V.B : ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് 30 ദിവസം മുൻപ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.



ANNEXURE K1

5

KALA



at the book-releasing function in
re also seen | MANO R MAYELI

'Govt Considering Panel Report on Endosulfan-hit'

Express News Service

Kochi: The Kasargod District Collector, who is the convenor of the district-level cell for the rehabilitation of endosulfan victims, on Wednesday submitted before the Kerala High Court that the Justice Ramachandran Nair committee's recommendations, including setting up of a tribunal for taking decisions on payment of compensation to the victims is under active consideration of the government.

In an affidavit, District Collector Muhammed Sagir submitted that several steps have been taken by the government to augment the package of services already provided to the victims. The Collector made the submis-

sion in response to a petition by B C Kumaran of Kasargod seeking to pay compensation to the entire 5,500 victims already identified.

It submitted that there are 5,500 persons in the list of victims and that 2,046 victims have been paid the first instalment of the compensation recommended by the National Human Rights Commission. Categorisation of victims eligible for compensation has been made by doctors designated by the Health Department. All the patients in the list were given a package of services. Though all the persons in the list are eligible for the package of services, payment of compensation was limited only to the completely bed-ridden, mentally retarded and

other disable victims as recommended by the NHRC. A compensation of ₹3 lakh was paid to disabled persons while ₹5 lakh was paid to completely bed-ridden and mentally-retarded persons. The category to which the patients in the list belong to has been identified by the medical officers.

According to the Collector, the govt has been providing a comprehensive package of services to all the victims. The relatives of 594 victims have already been paid the first instalment of compensation of ₹1.5 lakh. The govt has earmarked ₹17.875 crore for payment of compensation to the next of-kin of those who died, out of which ₹8.91 crore has already been paid.

Firoz Released from Custody

T'Puram: Suspended Information and Public Relations Department director A Firoz was released on bail from judicial custody here on Tuesday. He was granted bail by the High Court the other day.

He was released after furnishing ₹1 lakh as bond and two sureties for the same amount. He has also been asked not to leave the district for three months and the state until the probe is completed. Tension prevailed for some time on the Poojappura prison premises when some relatives of Firoz as well as prison officials prevented mediapersons from taking photographs of the release of Firoz. ENS

NOTICE

This is to inform to the General Public that the proposed quarry project at Kodyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala being developed by M/s. Poabs Rock Products Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. 48 / SEIAA / KL / 7176 / 2012 dt. 02.09.2013 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org

NOTICE

This is to inform to the General Public that the proposed quarry project at Kariyavattom Village, Vettathoor Panchayat, Perinthalmanna Taluk, Malappuram District, Kerala being developed by M/s. Poabs Granite Products Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. 50 / SEIAA / KL / 7241 / 2012 dt. 02.09.2013 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org

PUBLIC NOTICE

This is to inform the consumers that signals of the MEDIA PRO Channels (comprising of Zee 24 Gantalu, 24 Ghanta, Zee 24 Taas, Cartoon Nw, CNN, ETC, Zee ETC Punjabi, HBO, Pogo, Warner Brothers, Zee Action, Zee Bangla, Zee Business, Zee Cafe, Zee Cinema, Zee Classic, Zee Jagran, Zee Kannada, Zee Marathi, Zing, Zee News, Zee UP UK, Zee Premier, Zee Punjab Haryana Himachal Pradesh, Zee Salaam, Zee Smile, Zee Studio, Zee Talkies, Zee Tamil, Zee Telugu, Zee Trendz, Zee TV, Star Movies, Star Plus, Star World, Star Gold, National Geographic Channel, Fox Traveler, Life Ok, Star Vijay, Channel V, MGM, ABP Ananda, Star Jalsa, FX, Fox Crime, Nat Geo Wild, Nat Geo Adventure, Nat Geo Music, Baby TV, NDTV 24X7, NDTV Profit, NDTV Good Times, NDTV India, Suvarna, Star Utsav, ABP News, Zee Khana Khazana, Movies OK, Star Pravah, ABP Majha, Asianet, Asianet Plus, Star Movies Action (Erstwhile Fox Action Movies), Zee Bangla Cinema, ZeeQ, Star Jalsa Movies, 9x, Asianet Movies, Zee Madhya Pradesh Chhattisgarh, Suvarna Plus, Zee Rajasthan Plus, * & Pictures and Zee Anmol) are likely to be disconnected after three weeks from today on account of Non-payment of outstanding subscription fees and Non-signing of fresh subscription agreement for these channels, in respect of the following cable operator(s):

Cable Operator(s) Name	Address
• M/s. Century Satellite Communication	Century Complex, Mukkam Bus Stand, Mukkam, Calicut- 673602, Kerala.
• M/s. Hi Vision	Peravoor Post, Peravoor, Kannur- 670673, Kerala.
• M/s. Zeal Cable Network	Kanul PO, Dharmasala, Kannur- 670564, Kerala.
• M/s. A.J Network	Edoor, Irity, Kannur- 670703, Kerala.
• M/s. Malabar Satellite Communication	Chungam, Thamarassery, Calicut- 673573, Kerala.

All the areas serviced by the Operator (s) and its franchisees will be affected.

Issued by: Media Pro Enterprise India Private Limited
7th Floor, Blue Wave, Behind Kuber Chambers,
Off Link Road, Andheri(W), Mumbai - 400 053.

ANNEXURE K2

WD CLT 7

മാതൃഭൂമി • 2013 സെപ്റ്റംബർ 11 • ബുധനാഴ്ച

സബർബൻ റെയിൽവേ സാധ്യതാപഠനം മുന്നുമാസത്തിനുള്ളിൽ പൂർത്തിയാക്കും

തിരുവനന്തപുരം: തിരുവനന്തപുരം - ചെന്നൈ പാതയിൽ സബർബൻ തീവണ്ടി ഓടിക്കാനുള്ള സാധ്യതാപഠനം മുന്നുമാസത്തിനുള്ളിൽ പൂർത്തിയാക്കും. ഇതിനുള്ള ധാരണാപത്രം ഉടൻ ഒപ്പുവെക്കും. മുംബൈ റെയിൽവീകാർപ്പോർട്ടേഷൻ പ്രതിനിധികളുമായി ചീഫ് സെക്രട്ടറി രമേശ് കുമാർ നടത്തിയ ചർച്ചയിലാണ് ഇതു സംബന്ധിച്ച തീരുമാനമുണ്ടായത്.

സാധ്യതാപഠനം പൂർത്തിയാക്കാൻ മുന്നുമാസത്തെ സമയം വേണ്ടിവരുമെന്ന് മുംബൈ റെയിൽവീകാർപ്പോർട്ടേഷൻ അധ്യക്ഷൻ അയിച്ചു. ഇതിനുവേണ്ടിവരുന്ന ചെലവും സർക്കാരിനെ ഉടൻ അറിയിക്കും.

എം.ആർ.വി.സി ചീഫ് ഓപ്പറേഷൻസ് മാനേജർ പ്രകാശ് രഞ്ജൻ, ഡെപ്യൂട്ടി ചീഫ് എൻജിനീയർ സഞ്ജയ് സിങ്, ചീഫ് പ്രോജക്ട് മാനേജർ എ.പി. മാലിക് എന്നിവരാണ് പ്രാഥമിക ചർച്ചകൾക്കായി എത്തിയത്. തിരുവനന്തപുരം-എറണാകുളം പാതയിലെ യാത്രാമുഖ്യം പരിഹരിക്കുന്നതിനായി തിരുവനന്തപുരം റെയിൽവേ ഡിവിഷൻ അധ്യക്ഷനാണ് സബർബൻ റെയിൽവേ എന്ന ആശയം മുന്നോട്ടുവെച്ചത്.

നിലവിലുള്ള പാതയിൽ ഓട്ടോമറ്റീവ് സിസ്റ്റം ഏർപ്പെടുത്തി കൂടുതൽ മെച്ച തീവണ്ടികൾ ഓടിക്കുകയാണ് പദ്ധതി. ഇതിനായി 3000 കോടി രൂപയോളം വേണ്ടിവരും.

NOTICE

This is to inform to the General Public that the proposed quarry project at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala being developed by M/s. Poabs Rock Products Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority Kerala vide Order No. 48 / SEIAA / KL / 7176 / 2012 dt. 02.09.2013 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org



Payment
9,999/-

(ഐ) ബൈ. ലി.സി
നാ. ഓഫീസ് നമ്പർ : 1800 1022 348

പതി മെറ്റീവ് • മുൻകൂട്ട് ഓർക്കിങ്ങ് കോച്ച്

7824

9349531801; (Branch) Kallachi : 0496-95-2295532/9846101370 Koduvally: 93984141 Kuttivadi: 9846708708/ (New) 04936-2261100/ 9605061100/ ur: 9349531806 Atholi: 9745471234

ഇന്ത്യയിലെ No.1*

അപ്ഡേറ്റ് സസ് ബ്രാൻഡ് വിറ്റിലെത്തിക്കും

ബജാജ് സമൃദ്ധി ഓണോ ഓഫർ

സ്ട്രോളർ ചെയ്യൂ വിജയിക്കൂ

ബജാജ് സമൃദ്ധി - ഫസ്റ്റ് ഓഫ് 128

സ്വർണ്ണ നാണയങ്ങൾ

പ്രഷർ കൂക്കർ

അടുത്ത പരിച്ഛേദിച്ച് ആകർഷകമായ ഡിസൈൻ

നോൺ-സ്റ്റീക് ഫ്രൈയിംഗ് പാൻ

ഇൻഡക്ഷൻ ബേസ് കവ

സൗജന്യം - 3 ലിറ്റർ പ്രഷർ കൂക്കർ തിരഞ്ഞെടുത്ത ഡിസൈനുകൾക്കൊപ്പം

BAJAJ APPLIANCES

നിങ്ങളുടെ പണത്തിനു വാങ്ങാവുന്നതിൽ ഏറ്റവും മികച്ചത്

*പ്രത്യേക ഡിസൈനിംഗ് പരിപാടിയിലൂടെ മാത്രം. *മികച്ച, ഹാൻഡ് റൂസ് മികച്ച, ഉപയോഗിച്ച് കൂടുതൽ ഉത്തമത ലഭിക്കുന്നതാണ്. *ബജാജ് കൂക്കർ, ബ്ലണ്ടർ, മിക്സർ, ഡ്രൈംഗ് പാൻ, ഇവയെല്ലാം ഉപയോഗിച്ച് 30 ദിവസം നോൺ-സ്റ്റീക് ഫ്രൈയിംഗ് പാൻ, ഇവയെല്ലാം ഉപയോഗിച്ച് 30 ദിവസം നോൺ-സ്റ്റീക് ഫ്രൈയിംഗ് പാൻ, ഇവയെല്ലാം ഉപയോഗിച്ച് 30 ദിവസം നോൺ-സ്റ്റീക് ഫ്രൈയിംഗ് പാൻ.

Available at all leading modern format outlets and malls. For further institutional inquiries contact: Mr. B. Prabhakaran: 09047018575. Helpline No.: 022 41280020

CALICUT: AVAILABLE AT ALL LEADING APPLIANCES & VESSELS OUTLETS. TRADE ENQUIRIES CONTACT: VEEKAY DISTRIBUTORS, CALICUT Ph NO. 0495 3018161, 3018171, 9349546474, SKY ASSOCIATES MOB: 9388009669, RIGHT MARKETING MOB: 388009668 HAMILTON INTERNATIONAL MOB: 9745733360, FOR SERVICE 9895314048. WAYANAD: TRADE ENQUIRIES CONTACT: SKY ASSOCIATES MOB: 9388009669, VEEKAY DISTRIBUTORS, CALICUT Ph NO. 0495 3018161, 3018171, 9349546474. For Service : 04147540318

ANNEXURE L

Annex. A.

By Regd A/D



Government of Kerala

Department of Environment & Climate Change

(The Secretariat of SEIAA & SEAC Kerala)

Pallimukku, Pettah P.O., Thiruvananthapuram- 695 024

Ph: +91471-2742264(Off); 0471-2742554 (Dir); +91471-2742554 (Fax)

e-mail: environmentdirectorat@gmail.com web: www.envc.kerala.gov.in

No. 48/SEIAA/KL/7176/2012

02-09-2013

From

The Director

To

Mr. Binu K. Mathew
Managing Director
M/s Poabs Rock Products Pvt. Ltd.
Nellikaparambu P.O.
Gothembu Road, Calicut - 673602.

Sir,

Sub: Environment Impact Assessment Authority - Quarry project at
Kodiyathoor Village and Panchayath, Kozhikode Taluk, Kozhikode
District, Kerala by M/s Poabs Rock Products Pvt. Ltd. - Environmental
Clearance under EIA Notification 2006 - Forwarded.

Ref: Proceedings of even no. dt. 23-08-2013 of State Environment Impact
Assessment Authority Kerala

I am forwarding herewith the Environmental Clearance (EC) issued by State
Level Environment Impact Assessment Authority Kerala (SEIAA Kerala) to Mr. Binu
K. Mathew, Managing Director, M/s Poabs Rock Products Pvt. Ltd., for the quarry
project at Kodiyathoor Village and Panchayath, Kozhikode Taluk, Kozhikode
District, Kerala vide reference cited.

You are requested to comply with the following immediately:

- (i) Return a copy of the EC with due signature of the authorized signatory in all
pages in token of acceptance.
- (ii) Forward copies of newspaper advertisements in which the Environmental
Clearance issued is published and
- (iii) Forward a NOTARIZED affidavit mentioning the EC proceedings number and
date, stating that all the conditions stipulated in the EC shall be scrupulously
followed.

Yours faithfully,

P. Sreekanth Nair



ANNEXURE M



Photograph showing specific conditions of the environmental clearance order prominently displayed in a metallic board

ANNEXURE N



കേരളം KERALA

AFFIDAVIT

AB 023968

I, Binu K. Mathew, Authorized Signatory of Poabs Rock Products Pvt. Ltd. having its correspondence office at Kuttoor P.O., Tiruvalla 689 106, Kerala do hereby affirm and confirm as follows:

1. That, the Poabs Rock Products Pvt. Ltd., proposed quarry project in Survey No. 172 at Kodiyathoor Village and Panchayath, Kozhikode Taluk, Kozhikode District, Kerala.
2. That, the EC proceedings number and date are 48/SEIAA/KL/7176/2012 dt. 23.08.2013.
3. That, all the conditions stipulated in the Environment Clearance would be scrupulously followed.


 DEPONENT

Verification:

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein

Place: Kuttoor
14.09.2013

*Solemnly affirmed and signed
before me by the deponent who
is personally known to me in
my office at Thiruvalla on this
14th day of September 2013.*


 DEPONENT


A. P. Gokula Chandran, B.A; LL.B.
Advocate & Notary

Tiruvalla
P. K. KUTTY NAIR
THIRUVALLA VENDOR



2023973/100
13/9/2013

Binu K Mathew MD
Poabs Rock Products Pvt. Ltd.
Kuttoor