

COMPLIANCE REPORT

то

THE CONDITIONS OF

ENVIRONMENTAL CLEARANCE ORDER

NO: 1108/EC/SEIAA/KL/2017

DT. 20 – 11 – 2017

BY

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)

FOR

QUARRY PROJECT

AT

Survey Nos. 259/1, 256/4, 265/1, 272/1, 272/7, 272/6, 271/3, 271/6, 273/1, 270/1, 265/2, 271/2, 270/2, 269/2, 272/2-2, 273/3, 274/1-2, 268/9-2, 266/15, 266/24, 266/16-1, 266/16-2, 271/7-1, 271/7-2, 271/7-3, 272/5, 267/5, 268/2-1, 268/2-2, 268/3-2-1, 268/3-2-2, 268/5-2, 268/6, 268/7, 269/9-2, 268/8-1, 268/8-2, 268/4, 268/4-2, 268/4-3, 271/4, 271/5

CHITHARA VILLAGE & PANCHAYAT, KOTTARAKKARA TALUK, KOLLAM DISTRICT, KERALA

BY

POABS ENTERPRISES PRIVATE LIMITED

KOLLAI P.O.CHITARA, KOLLAM, KERALA

(October 2019 - March, 2020)

INTRODUCTION

M/s Poabs Enterprises Pvt. Ltd. is a stone quarry situated at Sy. Nos. 259/1, 256/4, 265/1, 272/1, 272/7, 272/6, 271/3, 271/6, 273/1, 270/1, 265/2, 271/2, 270/2, 269/2, 272/2-2, 273/3, 274/1-2, 268/9-2, 266/15, 266/24, 266/16-1, 266/16-2, 271/7-1, 271/7-2, 271/7-3, 272/5, 267/5, 268/2-1, 268/2-2, 268/3-2-1, 268/3-2-2, 268/5-2, 268/6, 268/7, 269/9-2, 268/8-1, 268/8-2, 268/4, 268/4-2, 268/4-3, 271/4, 271/5, Chithara village, Kottarakkara Taluk, Kollayil P.O, Kollam District, Kerala. The quarry project was accorded with the environmental clearance by state Environmental Impact Assessment Authority on 20-11-2017. Six monthly compliance reports to the conditions of the environmental clearance are to be submitted as part of compliance. The compliance report to the specific and general conditions of the environmental clearance for the period of October 2019 - March, 2020 (Fifth Report) is being submitted.

PART A – SPECIFIC CONDITIONS

Condition 1

Quarry needs to reorient its mining operation following top to bottom approach.

✓ Compliance

We are working in a top to bottom bench mode approach.

Condition 2

If any plant species endemic to Western Ghats are noticed in the area, they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

✓ Compliance

Project team properly protecting the plant species that are endemic to Western Ghats in situ or by transplanting to an appropriate location. We also plan to start a Nursery exclusively for endemic plant species.

PART B - GENERAL CONDITIONS

> Condition 1

Rainwater harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR unless otherwise specified.

✓ Compliance

We have provided rainwater harvesting system in the project site. Rainwater harvesting system consists of 3 concrete wells each having the capacity of 35350 liters and two harvesting tanks constructed with stone masonry wall having the capacity of 180000 liters each. Details of the rainwater harvesting system are as follows.

S1.	Туре	Length	Width	Height	Diameter	
No.	-71-	(m)	(m)	(m)	(m)	(L)
	Tank constructed					
1	with stone masonry	15	12	1	-	180000
	wall l					
	Tank constructed					
2	with stone masonry	15	8	1.5	-	180000
	wall 2					
3	Concrete well 1	-	-	5	3	35350
4	Concrete well 2	-	-	5	3	35350
5	Concrete well 3	-	-	5	3	35350

Photograph of the rainwater harvesting system as enclosed at Annexure 1.

> Condition 2

Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.

✓ Compliance

An environmental monitoring cell was formed with Mr. Thomas Jacob (Director of the Company) as head of the monitoring cell and made functional. Meeting of monitoring cell is arranging monthly and discus the status of the compliance of the specific and general conditions stated in the Environmental clearance order. The details of the monitoring cell members are given below.

Sl. No.	Post	Name
1	Head of the monitoring cell (Director of the Company)	Mr. Thomas Jacob
2	Head in charge (Environment)	Mr. Girish Menon
2	Senior Environmental Officer	Dr. Rinoy Varghese
3	Environmental Officer	Mr. Navin Xavier
4	Name of the environmental officer in charge at Site	Mr. K. Sambath Raj
5	Name of the officer of Environment, Health and safety at Site	Mr. Ramesh Iyyer
6	Name of the environmental consultant	M/s Environmental Engineers & Consultants Pvt. Ltd
7	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.

> Condition 3

Suitable avenue trees should be planted along either side of the tarred road and, open parking areas if any, including approach road and internal roads.

✓ Compliance

Presently lots of natural vegetation including trees, shrub and herbs occurring along the sides of tarred road and parking areas. We are planting the area with less vegetation with trees, shrubs etc. and a nursery is maintaining also for further plantations. Photograph showing the same is provided at Annexure 2. Details of the tree species planted as follows.

S1. No.	Scientific Name	Common Name	Family
1	<i>Cassia fistula</i> L.	Indian Laburnum/ Kanikkonna	Fabaceae
2	<i>Mangifera indica</i> L.	Mango tree/ Mavu	Anacardiacea e
3	Polyalthia longifolia (Sonn.) Thwaites	Arnanamaram	Annonaceae
4	Terminalia catappa L.	Badam	Combretacea e
5	Bauhinia tomentosa L.	Manjamandaram	Caesalpiniac eae

> Condition 4

Maximum possible solar energy generation and utilization shall done at the own cost of the project proponent.

✓ Compliance

In connection with the present project, we provided solar energy devices such as solar lights and solar water heater in the project site. A biogas plant has also maintaining in association with the project. Solar water heater and biogas plant are associated with canteen and are using for kitchen purposes. Solar lights were installed in different locations of the project area. Photograph showing the same is enclosed as Annexure 3.

> Condition 5

Sprinklers shall be installed and used in the project site to contain dust emission.

✓ Compliance

For the suppression of the dust generated during Crushing & Screening operation, we have provided fixed water sprinkling systems and dust

suckers in the Crushing units. Approached road, road system of the project site, and other connected roads has been watering daily by sprinkler system installed in tipper lorry since the starting of the project. Photograph showing the sprinkler system installed in tipper lorry is enclosed as Annexure 4

\succ Condition 6

Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.

✓ Compliance

After the closing of the mine, 10% of the excavated area will be retained as water storage area. It is proposes to develop a green belt in the remaining area after reclaimed with stacked dumping and overburden. As part of the same, we have stored the top soil and overburden in a prefixed area and started planting. Eco-restoration including the mine closure plan will perform at our own cost.

> Condition 7

At least 10 percent out of the total excavated pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.

✓ Compliance

We will retain ten percent of the mined out area as water storage area. It is proposes to develop a green belt in the remaining area with indigenous plant species after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will plant in the areas prone to erosion especially at the foot of the hill.

Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.

✓ Compliance

As part of the Corporate Social Responsibility, the amount proposed by the company has been spending for various social activities. The major CSR activities carried out by the company are: medical aid, marriage support, material supply for house constructions/maintenance, public road maintenance, water supply etc.

> Condition 9

The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.

✓ Compliance

All the boundary indicators (boards, stores, markings, etc.) has protected. Barbed metal wire fencing has installed around the mining with of 4 ft area а height to prevent falling of animals/human/belongings/dumping of garbage's etc. Photograph showing the metal wire fencing and indicators boards are enclosed as Annexure 5.

> Condition 10

Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulation of Explosive Department.

✓ Compliance

The blasting time has fixed and is between 3.00pm and 4.30pm. Warning alarm has installed in the project area and maintaining properly. A danger board indicating blasting time has installed in the project site. Photograph showing the same is enclosed as Annexure 6.

Control measures on noise and vibration prescribed by KSPCB should be implemented.

✓ Compliance

Noise pollution

Mitigation measures Implemented

The major noise generating source from the mining activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are undertaken to bring down the noise levels:-

- Proper maintenance of machinery, equipment and improvement of design of machines.
- Personal protective devices i.e., earmuffs, ear plugs etc. are provided to workers working in high noise areas.
- Maintain a wide green belt of dense foliage between mine areas and residential colonies.
- > The mining area is working only during day times.
- Noise quality is checking periodically. The sound levels are monitored through an NABL accredited laboratory during the quarry in operation and the monitored results are well within the permissible limits.

Blast vibrations and control measures

- Controlled blasting technique is adopted in this project in order to reduce blast vibrations.
- The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.
- Optimum delay sequence and stem to column ratio is maintaining to minimize the ground vibration intensity.
- > Condition 12

Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.

✓ Compliance

Quarrying activities running only during day time.

> Condition 13

Blasting should be in a controlled manner as specified by the regulations of Explosive department or any other concerned agency.

✓ Compliance

Blasting

- The controlled blasting is proposed by adopting all the safety measures as per "MMR 1961" and with the permission of DGMS.
- * Non electric detonators (NONEL) are used for Blasting
- Blasting is carried out for the fragmentation of the granite within the project area. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32mm drill rod, Jack Hammer and air compressor of 100 cm capacity.
- It is estimated about 250g of explosives per hole is required. About 30-50 holes per blast are proposed. Therefore the requirement of explosive will be about 10kg/ blast.

Blasting safeguard

- Slasting in the open cast is done only during day time at designated hours.
- Only competent blasters are appointed to handle explosives.
- Explosives are stored in approved and licensed magazine as per explosive Act/ Rules.
- Explosives are brought from magazine to blasting site in licensed explosive van under the care of blaster.
- **Sufficient warning signals are given before blasting the holes.**

- Guards are posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during the blasting hour.
- Controlled blasting is practiced to control vibrations and flying fragments.
- Optimum charge is used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay is always being less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.
- > Condition 14

A licensed person should supervise/ control the blasting operations.

✓ Compliance

All the operations related to blasting is supervising by licensed person. Licensed person authorization letter from DGMS is attached as Annexure 7.

> Condition 15

Access road to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.

✓ Compliance

Access road to the quarry has tarred and maintaining well to contain dust emissions that may arise during transportation of materials. The photographs showing the same is given in Annexure 8.

> Condition 16

Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/ specific condition.

✓ Compliance

Overburden and top soil and has been storing in a prefixed location for the reclamation of mine pit as per mine closure plan/specific condition. The photographs showing the same is given in Annexure 9.

Height of the benches should not exceed 5m, and width should not be less than 5m, if there is no mention is the mining plan/ specific condition.

✓ Compliance

Mining operation is carrying out in the form of benches. The proposed height and width of the benches are maintaining. The photograph showing the bench type mining is enclosed as Annexure 10.

> Condition 18

Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.

✓ Compliance

We are using blasting mats to prevent fly rock to a maximum of 10 PPV. Various other safety measures are also setting down to prevent fly rocks cross the lease area. Blasting during unfavorable weather conditions has avoided. Maintain optimum delay sequence and stem to column ratio to minimize the fly rock distance.

> Condition 19

Maximum depth of mining from general ground level at site shall not exceed 10 m.

✓ Compliance

In the present quarrying project, the exploitation of mineral is from 300-145 m MSL in conceptual phases. Mining depth will not exceed beyond 10m from general ground level.

> Condition 20

No mining operation should be carried out at places having a slope greater than 45.

✓ Compliance

Mining activities are not carrying out at regions having a slope greater than 45°.

Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers, so that the noise level is kept within prescribed standards given by CPCB/KSPCB.

✓ Compliance

Crusher unit has covered by thick green belt and metal sheet envelop is also covering the entire machinery. All quarrying area has covered by thick green belt and it will reduce sound amplifications produced during mining activities. Photograph showing the crusher unit covered by thick green belt and metal sheet covering is enclosed as Annexure 11. The noise level will be limited within the prescribed standards given by CPCB/KSPCB. Sound monitoring report is attached as Annexure 12.

> Condition 22

The workers on the site should be provided with the required protective equipment such as ear muffs, helmets, etc.

✓ Compliance

We providing personal protective devices such as earmuffs, ear plugs, helmet etc. at the site. Blasting shelters are also arranged in the mining site and the photograph showing the same is attached as Annexure 13.

> Condition 23

Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.

✓ Compliance

Garland drains with clarifiers has provided in the lower slopes around the core area to channelize storm water. The photograph showing the Garland drains with clarifiers is enclosed as Annexure 14.

The transportation of minerals should be done in covered trucks to contain dust emissions.

✓ Compliance

Trucks are covered with tarpaulin sheets after loading to control dust emissions during transportation. Trucks are not overloading and the loads are maintained to the body level.

> Condition 25

The proponent should plant at least 5 times of the loss that has been occurred while clearing the land for the project.

✓ Compliance

We have been planting trees 5 times of the loss that has been occurred while clearing the land for the project. Most of the land in the lease area consist of exposed rocks, thus the tree density/lose is very low. Moreover some of the area in the mining lease is already under mining.

> Condition 26

Disposal of spend oil from diesel engines should be as specified under relevant rules/regulations.

✓ Compliance

Disposal of spent oil from diesel engines are carried out under relevant rules/regulations.

> Condition 27

Explosive should be stored in magazines in isolated place specified and approved by the Explosive Department.

✓ Compliance

Explosives are storing in magazines built in an isolated place specified and approved by the Explosives Department. Photograph showing the same is attached as Annexure 15.

A minimum distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.

✓ Compliance

Distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures has provided.

> Condition 29

100 m buffer distance should be maintained from forest boundaries.

✓ Compliance

No forest boundary near to the project area

> Condition 30

Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.

✓ Compliance

Consent from Kerala State Pollution Control Board under Water and Air Act(s) has obtained. Consent Order from Kerala State Pollution Control Board is attached as Annexure 16.

> Condition 31

All other statutory clearances should be obtained as applicable by project proponents from the respective competent authorities including that blasting and storage of explosives.

✓ Compliance

For the quarrying activity, all the required statutory approvals has obtained. Copy of the statutory approvals are enclosed as Annexure 17 and 18. Details of statutory approvals are given below.

S1. No.	Annexure	Statutory approvals
1	17	License from Panchayat
2	18	License to possess: (c) for use, explosives of class1, 2, 3, 4, 5, 6 or 7.

In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts are assessed, based on which only the E.C. is issued, the project would require a fresh appraisal by this Authority for which the proponent shall apply and get the approval of this authority.

✓ Compliance

Would be complied

Condition 33

The Authority reserves the right to add additional safeguard measures subsequently if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

✓ Compliance

Would be complied

> Condition 34

The stipulation by the statutory authorities under different acts and notifications should be complied with including the Water (Prevention and Control of Pollution) Act 1974, The Air (Prevention and Control of Pollution) Act, 1981, The Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 2006.

The stipulation by all the statutory authorities regarding the present project under different acts and notifications are complying.

> Condition 35

The project Proponent should advertise in at least two local newspapers widely circulated in the region one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environmental Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at <u>www.seiaa.kerala.org</u>. The advertisement should be made within 10 days from the date of receipt of the clearance letter and the copy of the same signed in all pages should be forwarded to the office of the Authority as confirmation.

✓ Compliance

The accordance of environmental clearance to the quarrying activity has advertised in two local newspapers and the copy of the same was submitted to SEIAA Kerala. Details of the newspaper advertisements are given below.

S1.		Name of the Newspaper and	Dated
No.	Annexure	edition	
1	19	New Indian Express	29/11/2017
2	20	Mathrubhumi	29/11/2017

> Condition 36

A copy of the clearance letter shall be send by the proponent to concerned Grama panchayat/ District panchayat/ Muncipality/ Corporation/ Urban local body and also to the Local NGO if any, from whom suggestions/ representations if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.

✓ Compliance

A copy of the environmental clearance order was submitted to the Panchayat office. The acknowledgement received is provided at Annexure 21. There is no suggestion/representation received so far from anybody. The environmental clearance order is uploaded in the website of the company and can be seen in the website www.msand.in

> Condition 37

The proponent shall submit half yearly reports on the status of compliance of the stipulated E.C. conditions including results of monitored data (both in hard copies as well as by e- mail) and upload the status of compliance of the stipulated E.C. conditions, including result of monitored data on website and shall update the same periodically. It shall simultaneously be send to the respective Regional office, of MOEF, Govt. of India and also to the State Environmental Impact Assessment Authority (SEIAA) office.

✓ Compliance

Fifth compliance report is being submitted to SEIAA, Department of Environment and Climate change, Govt. of Kerala and Regional Office of MoEF, Govt. of India.

Condition 38

The details of environmental clearance should be prominently displayed in a metallic board of 3ft x 3ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry visible to the public.

Particulars of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman fond has installed. Photograph showing the same is attached as Annexure 22.

> Condition 39

The proponent should provide notarized affidavit (indicating the number and date of environmental clearance proceedings) that all the conditions stipulated in the E.C. shall be scrupulously followed.

✓ Compliance

An affidavit stating that all the conditions stipulated in the Environmental clearance will be scrupulously followed has submitted to SEIAA and the copy of the same is attached as Annexure 23.

Condition 40

No change in mining technology and scope of work should be made without prior approval of the SEIAA, No further expansion or modifications in the mines shall be carried out without prior approval of the SEIAA, as applicable.

✓ Compliance

We will not make any change in mining technology and scope of work without prior approval of the SEIAA and further expansion or modifications in the mines will not be carried out without prior approval of the SEIAA.

> Condition 41

The project proponent shall ensure that no natural water course and/or water recourses shall be obstructed due to any mining operations. Necessary safe guard measures to protect the first order streams if any, originated from the mine lease shall be taken.

We ensure that no natural water course and/or water recourses has not obstructed due to any mining operations. There is no first order streams originated from the mine lease.

> Condition 42

Monitoring of Ambient Air Quality to be carried out based on the notification 2009, as amended from the time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points and transfer points to reduce fugitive emission.

✓ Compliance

The Company carrying out Ambient Air Quality monitoring based on the notification 2009, as amended from the time to time by the Central Pollution Control Board. Water sprinkling has installed at places via loading and unloading points and transfer points to reduce fugitive emission. Ambient Air Quality monitoring Report is attached as Annexure 24.

> Condition 43

The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the top soil shall be used for land reclamation and plantation. The overburden generated during the mining operation shall be stacked at earmarked dump site(s) only. The maximum height of the dump shall not exceed 8m and width 20m and overall slope of the dump shall be maintained to 45°. The O.B. dump should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for the stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated area should continue until the vegetation become selfsustaining.

The area has earmarked for dumping the overburden generated during the mining operation. The maximum height of the dump will not exceed 8m and width 20m and overall slope of the dump will be maintained to 45°. The O.B. dump is scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, we will use geo textiles undertaken for the stabilization of the dump. The entire excavated area will be backfilled. We will monitor and manage the rehabilitated area until the vegetation become self-sustaining. Photograph showing the overburden dumping area scientifically vegetated with suitable native species is attached as Annexure 25.

> Condition 44

Catch drains and siltation ponds of appropriate site shall be constructed around the mine working mineral and O.B. dumps to prevent runoff water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

✓ Compliance

Siltation ponds and catch drains has constructed around the mine working, mineral and O.B. dumps to prevent runoff water and flow of sediments directly into the river and other water bodies. The water so collected are utilizing for watering the mine area, roads, green belt development etc. The drains are regularly desilting particularly after monsoon and maintained properly. Photograph showing the Storm water pond is attached as Annexure 26.

> Condition 45

Effective safe guard measures such as regular water sprinkling shall be carried out in critical areas porn to air pollution and having high levels of PM_{10} and PM_{25} such as haul road loading and uploading points and transfer points. It shall be ensure that the Ambient Air Quality Parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

✓ Compliance

Effective safe guard measures such as regular water sprinkling are carrying out in critical areas porn to air pollution and having high levels of PM_{10} and PM_{25} such as haul road loading and uploading points and transfer points. It will be ensuring that the Ambient Air Quality Parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

Condition 46

Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading at transfer points. Should be provided and properly maintained.

✓ Compliance

Fugitive dust emission from all the sources are controlling regularly. Water spraying arrangements on haul roads, loading and unloading at transfer points has arranged and properly maintained.

> Condition 47

Measures should be taken for the control of Noise level below 85 DBA in the work environment.

✓ Compliance

Different measures are taking for the control of noise level below 85 DBA in the work environment. We are also checking the Ambient Sound level periodically.

> Condition 48

A separate Environment Management Cell with suitable qualified personal should be setup under the control of a senior executive who will directly report to the head of the organization.

A separate Environment Management Cell with suitable qualified personal has formed under the control of a senior executive who will directly report to the head of the organization. Environment Management Cell are monitoring all Environment Management plan carried out in connection with the present project.

> Condition 49

The funds earmarked for the Environmental protection measures and CSR activities should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environmental Impact Assessment Authority (SEIAA) office.

✓ Compliance

The funds earmarked for the Environmental protection measures and CSR activities will not diverted for other purpose

Condition 50

The regional office of MOEF and CC located at Bangalore shall monitor compliance of the stipulated conditions. The project Authorities should extent full co-operation to the officer (s) of the regional office by furnishing the requisite data/information/monitoring reports.

✓ Compliance

We will extent full co-operation to the MOEF officer (s) of the regional office by furnishing the requisite data/information/monitoring reports.

> Condition 51

Any appeal against the Environmental Clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.

✓ Compliance

There is no appeal against this Environmental Clearance with the National Green Tribunal.

Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in the withdrawal of this clearance and attract action under the provision of Environmental Protection Act, 1986.

✓ Compliance

We agreed

> Condition 53

The SEIAA may revoke, or suspend the order for non-implementation of any of the specific or this implementation of any of the conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further conditions or stipulate any further conditions in the interest of Environmental Protection.

✓ Compliance

We agreed

> Condition 54

The above conditions shall prevail not withstanding anything to the contrary in consistent or simplified, contained in any other permit, license on consent given by any other authority for any other project.

✓ Compliance

We agreed

> Condition 55

The order is valid for a period of 5 years or the expiry date of mining lease period issued by the Government of Kerala, whichever is earlier.

✓ Compliance

We agreed

> Condition 56

The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.

There is no pending litigation related to the land or project, in any court of law regarding this project.

Condition 57

The mining operation shall restrict to above ground water table and it should not intersect ground water table.

✓ Compliance

We are carrying out mining activity above the ground water table only and it will not intersect ground water table.

> Condition 58

All vehicles used for transportation and within the mine shall have 'PUC' certificate from authorized pollution taking center. Washing of all vehicles shall be in the lease area.

✓ Compliance

All vehicles using for the transportation within the mine have obtained 'PUC' certificate from authorized pollution taking center. All vehicles are washing within in the lease area only.

> Condition 59

Project proponent should obtain necessary prior permission of the competent authorities for withdrawal of requisite quantity of surface water and ground water for the project.

✓ Compliance

Presently, the entire project activities are carrying out using harvested rainwater. We will obtain necessary prior permission from the competent authorities for withdrawal of requisite quantity of surface water and ground water for the project when it start to withdraw.

> Condition 60

Regular monitoring of flow rates and water quality upstream and down streams of the spring and perennial nallahs flowing in and around the mining

lease area shall be carried out and reported in the six monthly reports to the SEIAA.

✓ Compliance

There is no spring and perennial nallahs flowing in and around the mining lease area.

> Condition 61


Occupational Health surveillance programme of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures if needed.

✓ Compliance

The Company carrying out Occupational Health surveillance programme of our workers periodically to observe any contractions due to exposure to dust and take corrective measures in connection with Mines Vocational Training.



Photographs showing the rainwater harvesting system in the project area





Photographs showing tree planted around parking areas and road sides





Photograph showing the Solar Energy device installed within the project area



Photograph showing the Sprinkler system installed in tipper lorry







Photograph showing the metal wire fencing and indicators boards



Photograph showing the danger board indicating blasting time installed in the project site

BY REGISTERED POST भारत सरकार/ Govt. of India अम एवं रोडगार मंखराय/ Ministry of Labour & Employment आल सुरक्षा मन्त्रनिदेशालय/ Directorate General of Mines Safety र्वेगलुक क्षेत्र, त.सं,/Bangalore Region ,SZ. E-Mabi : <u>ulicitzy Sidoms.gov.in</u> No.5, 17^{d,} Main, 100 ft Road, 4⁰ Block Koramangala, Bargalore - 550034(Kamataka) Ter., 080-25535971-74 HAX: (W0-25535972 H./SZ/DGE/KRL/KDL/23/ALAh-36(5)/P-164/2017-18/ 2/71 बैंगलून, दिनोक, 19/12/ 2017. प्रेषक. জ্ঞান सुरदाह निदेशक, बेगलुङ क्षेत्र, दं.उां.। तेवा में. Sfi Ramesh S. Agent: Chithara Stone Mine, M/s Poabs Enlocrarises Pvt Limited, Punnour Madons, Karunagappality, Kalleri Bhagom Post, Kollam, Kerala-690 546 विश्य:- Authorization under Regulation 34(8) of MMR, 1961 in favour of Sri K. Sampath Raj, holder of Second class Manager's Cardificate (Un-Restricted), to work as manager of Chithara Stone Mine of M/s Poals Enterprises Pvt Limited., Kollavil Post Chithara, Kollam Dist, Kerala, शहोदय, Please refer to your letter No.Nil dated 10.11.2016, on the above subject. In view of what has been stated in your application, I, in exarcise of the provide conferred on the Chief Inspector of Mines under the Provisions of Regulation 34(6) of the Metalliferous Mines Regulations, 1951 and by write of the authorization granted to me by the Chief Inspector of Mines (also designated as Director General of Mines Safety) under Section 6(1) of the Mines Act, 1952, do hereby authorize Sd K.Sampath Raj, holder of Second class Manager's (Lin-Restricted) SMU/1592 dated 03.06.2002, to act as Manager of Chithara Stone Mine of M/s Poabs Enterprises Pvt Limited., Kollavil Post Chithara, Kollam Dist, Kerala, for a period up to 13.12.2018 subject to the following conditions; Manager shall not take up any appointment in any capacity whatsoever in another mine. 2. If required, deep hole deliling machinery not exceeding 100 mm diameter may be deployed with maximum two loading machines with tippers in the mine. 3. In case, deep hole blasting with hole diameter not exceeding 100mm has to be conducted, it shall be carried out under the personal supervision of the manager. Blassing parameters of each blast with a skatch showing the drilling pattern and the holes charged shall be maintained in register kept for the purpose for each blast. 4. The average daily employment of persons at the mine shall not exceed 100 in all, underground workings shall not be made and consumption of explosives per day shall not exceed 500Kgs.




Photograph showing the tarred Access road to the quarry



Photographs showing top soil storage area




Photograph showing the Bench Type Mining



Photograph showing the crusher unit covered by thick green belt and metal sheet envelop

7 ALLATH BUIL	DING, N. KALAMAS	ND MICROBI SSERY P. O.,	RIES (P) LTD. OLOGY LABORATORY ERNAKULAM - 683104 Nuchem.com, poluchem@gmail.com	
LABORATORRES Phone : 0484-2544030				
CABORATO	ACCREDITED BY KSPCB AS	"A" GRADE LABOR	ATORY	
	TEST R	EPORT	Page 01 of 01	
Client Name & Address	Certificate No:	PL/RT/SD/21		
	Date of issue:		15/2020	
	Date of monitoring	10/01/2020	0.00 11	
	Date of monitoring		0.00 Hrs to 03/01/2020 10.00 Hrs	
M/s Poabs Enterprises Pvt. Ltd Kottarakkara Kollam	Monitoring Location	256/4, 265/1 273/1, 270/1 2, 273/3, 27 266/16-1, 26 272/5, 267/5 268/3-2-2, 2	'hithara . kara	
	Sample Description		id Level (Leg)	
Monitoring Location	Time		Results	
	11.00 Hrs		52.4dB (A)	
	12.00 Hrs		53.4dB (A)	
	13.00 Hrs		54.6 dB (A)	
	14.00 Hrs		53.4 dB (A)	
	15.00 Hrs		50.2 dB (A)	
	16.00 Hrs 17.00 Hrs		49.8 dB (A)	
	17.00 Hrs		49.2 dB (A) 48.7 dB (A)	
	19.00 Hrs		47.4 dB (A)	
	20.00 Hrs		44.2 dB (A)	
	21.00 Hrs	/	43.2 dB (A)	
Near East side boundary	22.00 Hrs		42.1 dB (A)	
the case side boundary	23.00 Hrs 00.00 Hrs	39,4 dB (A)		
	01.00 Hrs			
	02.00 Hrs		38.4dB (A) 35.2 dB (A)	
	03.00 Hrs		33.7 dB (A)	
	04.00 Hrs		33.7 dB (A) 35.6 dB (A)	
	05.00 Hrs		40.4 dB (A)	
	06.00 Hrs		45.1 dB (A)	
	07.00 Hrs		48.3 dB (A)	
	08.00 Hrs		49.6 dB (A)	
	09.00 Hrs		50.2 dB (A)	
	10.00 Hrs		51.3 dB (A)	
Leq (Day time)			53.6 dB (A)	
Leq (Night time)			36.1 dB (A)	



Photograph showing Blasting Shelter installed in the project area



Photographs showing storm water channels with de–siltation trap (Check dam like)



Photograph showing the Explosives magazines built in an isolated area

	1					
				-		
				1		
		KERALA	STATE POLLUT	TION CONTROL	BOARD	
	: PCB/ sue : 28/04	KO/CTO/G/280)/2013			
Date of 15	Suc . solo .				THE REAL PROPERTY OF THE PROPERTY OF THE REAL PROPE	
		INTEGRAT	FED CONSENT I	TO OPERATE - R	ENEWAL	
Consent N	o : PCB/K	O/CTO/R2/281/	2017	*1		
	N: 0/		/281/2015 dated: 06	11 2015		
The ' Integ	grated Conse	ent to Operate' iss	ued as per reference	above to M/s Poabs I	Entherprises(P) Ltd,	Chakkamala,
Kolavil P	O Chithara	Kottarakkara, K	Collam-691 541 is he	creby renewed up to 3	1/03/2020 and issue	ed to Poabs
Enthernris	es (P) Ltd. (Chakkamala, Kol	avil P.O., Chithara, I	Kottarakkara, Kollam	-691 541. The cons	ent(s)/ variation
a service and the service of the ser			a second and a second second second second	I order and this order	is subject to the cor	ditions
order(s) ci	ted under re	ference is integra	al part of this renewa	i order and this order.	is subject to the col	iunions
order(s) ci stipulated	ted under re therein and	ference is integra the following mo	al part of this renewa adifications/ addition	s.	is subject to the con	lations
stipulated	therein and	eference is integra the following mo	al part of this renewa difications/ addition	s.	, subject to the con	
order(s) ci stipulated I. GENE	therein and	eference is integra the following mo	al part of this renewa	s.		
stipulated	therein and	the following mo	odifications/ addition	s.	Description	
stipulated I. GENE S.No.	therein and RAL Validity	the following mo	odifications/ addition	s. 31.03.2020		
stipulated I. GENE S.No. 1 2	RAL Validity Category	the following mo	ns	s. 31.03.2020 Red		
stipulated I. GENE S.No. 1 2 3	therein and RAL Validity Category Capital In	the following mo lten nvestment (Rs.	ns	s. 31.03.2020 Red ₹94		
stipulated I. GENE S.No. 1 2 3 4	RAL Validity Category Capital II Annual f	the following mo Iten nvestment (Rs.	ns	s. 31.03.2020 Red ₹94 ₹15000/-		
stipulated I. GENE S.No. 1 2 3 4 5	RAL Validity Category Capital II Annual f Fce remi	the following mo lten nvestment (Rs. fee itted	ns	s. 31.03.2020 Red ₹94 ₹15000/- ₹52500/	Description	
stipulated I. GENE S.No. 1 2 3 4	RAL Validity Category Capital II Annual f Fce remi	the following mo Iten nvestment (Rs.	ns	s. 31.03.2020 Red ₹94 ₹15000/- ₹52500/		
stipulated I. GENE S.No. 1 2 3 4 5	therein and RAL Validity Category Capital II Annual f Fee remi Activity/	the following mo lten nvestment (Rs. fee itted	ns	s. 31.03.2020 Red ₹94 ₹15000/- ₹52500/	Description	
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten nvestment (Rs. fee itted /Product/day	ns	s. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry	Description	
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	therein and RAL Validity Category Capital II Annual f Fee remi Activity/	the following mo lten nvestment (Rs. fee itted	ns	s. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry Stack Heig Ground Level(In	Description ing @ 42000 Sq N zht above Roof Level(In	Atr
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten Investment (Rs. fee itted /Product/day Source of	ns In lakhs)	IS. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry: Stack Heig	Description ing @ 42000 Sq N	Arr Control
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten Investment (Rs. fee itted /Product/day Source of	ns In lakhs)	s. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry Stack Heig Ground Level(In	Description ing @ 42000 Sq N zht above Roof Level(In	Arr Control
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten Investment (Rs. fee itted /Product/day Source of Emission	Emission Rate(Nm3/Hr)	s. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry Stack Heig Ground Level(In Meters)	Description ing @ 42000 Sq N ght above Roof Level(In Meters)	Arr Control
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten Investment (Rs. fee itted /Product/day Source of Emission	Emission Rate(Nm3/Hr)	s. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry Stack Heig Ground Level(In	Description ing @ 42000 Sq N ght above Roof Level(In Meters)	Arr Control
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten Investment (Rs. fee itted /Product/day Source of Emission	Emission Rate(Nm3/Hr)	IS. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry Stack Heig Ground Level(In Meters) Bogard District Office, Koll	Description ing @ 42000 Sq N ght above Roof Level(In Meters)	Arr Control
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten Investment (Rs. fee itted /Product/day Source of Emission	Emission Rate(Nm3/Hr)	IS. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry Stack Heig Ground Level(In Meters) Bogard District Office, Koll	Description ing @ 42000 Sq N ght above Roof Level(In Meters)	Atr
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten Investment (Rs. fee itted /Product/day Source of Emission	Emission Rate(Nm3/Hr)	S. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry Stack Heis Ground Level(In Meters) Board District Office, Kolo	Description ing @ 42000 Sq N ght above Roof Level(In Meters)	Atr
stipulated I. GENE S.No. 1 2 3 4 5 6 II. Stack	Activity Category Capital II Annual f Fee remi Activity	Iten Iten Investment (Rs. fee itted /Product/day Source of Emission	Emission Rate(Nm3/Hr)	S. 31.03.2020 Red ₹94 ₹15000/- ₹52500/- Rock Quarry Stack Heis Ground Level(In Meters) Board District Office, Kolo	Description ing @ 42000 Sq N ght above Roof Level(In Meters)	Atr

III. CONDITIONS The consent is issued only with respect to the powers vested under the Water Act 1974, Air Act 1981 and Rules thereunder. This Integrated Consent to Operate (Renewal), unless withdrawn earlier and subject to condition 2. no.2.1 shall be valid up to 31.03.2020. For continuing to operate beyond the validity date application for the renewal has to be submitted through online (website : krocmms.nic.in) before 31.12.2019. A distance of 100m shall be maintained from the quarrying area to nearby residences/other buildings/ 3. roads with public transport system/ river/ lake/ bridge. This consent is issued based on the order no. 35/SEIAA/KL/6090/2012 dated 14.11.2012 of the State 4. Environment Impact Assessment Authority of Kerala and is valid only when all other statutory/ necessary clearances from other concerned authorities are valid. The Quarrying shall be done after obtaining clearance from all concerned authorities. All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged. . dh-SIGNATURE & SEAL OF ISSUING AUTHORITY DATE: 28/04/2017 Bindhu Radhakrishnan Environmental Engineer To Sri. Joseph Jacob, Managing Director Poabs Entherprises (P) Ltd, Chakkamala, Chithara, Kottarakkara, Kollam-691 541 Kerala State Pollution Control Board, District Office, Kollam Page2

ലൈ	സൻസ് നമ്പർ:ഡി–29/122/2019–20	തീയതി: 26/04/2019
232,23	റ ഗ്രാമപഞ്ചായത്തിൽ നിന്നും 1994 ലെ ദേ 33,234,254 എന്നീ വകുപ്പുകളും അതേ ട്ടറികൾ, വ്യവസായങ്ങൾ എന്നിവയ്ക്കായി	കരളാ പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ13) തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് നൽകുന്ന നൽകുന്ന ലൈസൻസ്
	സൻസിയുടെ പേരും പിലാസവും	ജോസഫ് ജേക്കബ്(മാനേജിംഗ് ഡയറക്ടർ) പോബ്സ് എന്റർപ്രൈസസ് പ്രൈവറ്റ ലിമിറ്റഡ്
Den Store		കുറ്റൂര് പി.ഒ,തിരുവല്ല പത്തനംതിട്ട
സ്ഥാ	പനത്തിന്റെ പേരും സ്ഥലനാമവും	പോബ്സ് എന്റർപ്രൈസസ് പ്രൈവറ്റ ലിമിറ്റഡ്
Stream Prese	സൻസ് നൽകിയിട്ടുള്ള ർത്തനങ്ങൾ	പാറ ഖനനം
കെട്ട	ിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	ചിതറ വില്ലേജിൽ ബ്ലോക്ക് നം.56-ത് റീ–സർവ്വേ നമ്പർ 270/1, 271/3, 272/1, 272/5 271/4, 271/5, 271/6, 270/2, 274/1–2, 273/3 273/1, 272/7, 272/2–2
ലൈ	സൻസ് കാലയളവ്	01/04/2019 മുതൽ 31/03/2021 വരെ
ഈ	ഓക്കിയ ലൈസൻസ് ഫീസ്	License fee-125000/-, PT-2500/-, CF-2/-, M/0 Running -3500/- Receipt No 11801050034 dtd 20/02/2019
ഹാജ	സൻസ് അനുവദിക്കുന്നതിനായി രോക്കിയ നിരാക്ഷേപ പത്രങ്ങൾ	1)പൊല്യൂഷൻ സർട്ടിഫിക്കറ്റ്– consen no.PCB/KO/ICO/F/441/2018 dtd 27/06/2018 valid upto 19/11/2022
	പർ, തീയതി, കാലയളവ്, നൽകിയ ികാര സ്ഥാപനം)	2)കേരളാ സ്റ്റേറ്റ് ജില്ലാ എൻവയോൺമെന്റ് ഇപാക്ട് അസസ്സ്മെന്റ് അതോറിറ്റിയുടെ 14/11/2012 തീയതിയിലെ 35/SEIAA/KL/6090/2012-ാംനം.എൻവയോൺമെന്റൽ ക്ലിയറൻസ് സർട്ടിഫിക്കറ്റ്
		valid upto 13/11/2022 3)എറണാകുളം ഡെപ്യൂട്ടി ചീഫ് കൺട്രോളർ ഓഫ് എക്സ്പ്ലോസീവ് സേഫ്റ്റിഓർഗനൈസേഷന്റെ NO.E/SC/KL/22/1537(E64133) dtd 21/05/18
	STHARA OR	ലൈസൻസ്. <u>valid upto 31/03/2021</u> 4)മൈനിംഗ് ആൻഡ് ജിയോളജി ഡയറക്ടറുടെ 17/10/2018 തീയതിയിലെ 499/2018–19 /11009/ എം3/2017/ ഡിഎംജി നമ്പർ ഉത്തരവ്
	Culture P.O. Pio-401-50	1 martin

ലൈസൻസി താഴെ പറയുന്ന വ്യവസ്ഥകൾ ഭരനുസരിക്കേണ്ടതാകുന്നു 1. കേരളാ പഞ്ചായത്ത് മാജ് ആക്ലം അതേ തുടർന്നുളള ചട്ടങ്ങളും ബൈലകളും ഒനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു. തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു. വിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ്. പഞ്ചായത്തിൽ നിന്നും അനുവാദം ലഭിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു. 5. തൊഴിൽ സ്ഥലവൂം പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്ത വിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച. അണുക്കൾ, പൊടി മുതലായവയുടെ ശലും ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്. ഓരോ പ്രവർത്തി ദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്. 7. ആ സ്ഥലത്തിന്റെയോ പരിസമത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് , സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്. 8. ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുവരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ, ചപ്പുചവാോ,അസഹൃവും, ഉപദ്രവകരവുമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാട് തീർത്ത് നിലനിർത്തേണ്ടതാണ്. 9. ലൈസൻസി മേൽപറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവൂചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാടുതീർത്ത് വയ്പിക്കേണ്ടതാണ്. 10. അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദുചെയ്യുന്നതാണ്. 11. ഏതെങ്കിലും തരത്തിലുള്ള ത്വക്ക് രോഗമോ കുഷ്ഠ രോഗമോ വ്രണമോ പകർച്ച വ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു. 12. 40 മൈക്രോണിൽ കുറവുള്ള പ്ലാസ്റ്റിക്കുകളും മറ്റ് നിരോധിത പ്ലാസ്റ്റിക്ക് ഇനങ്ങളും ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല. 13. സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്. 14. 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയ്ലെറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്, ____ 15. നിരോധിത ഉൽപന്നങ്ങളായ പാൻമസാല, ഗൂഡ്ഖ തുടങ്ങിയവ സംഭരിച്ചുവയ്ക്കുവാനോ വിൽക്കുവാനോ പാടില്ല. 16. ബാലവേല അനുവദിക്കാൻ പാടില്ല. 17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വൃവസ്ഥകളുടെ ലാഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യപ്പെടുന്നതിന് കാരണമാകാവുന്നതാണ്. N.B :- ഈ ലൈസൻസ് അവസാനിക്കുന്ന തിയതിയ്ക്ക് 20 ദിവസം മൂമ്പ് ലൈസൻസ് പൂതു പൂതുക്കുന്നതിനുള്ള SECRETARY അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്. ANCHAYAT CHITHARA GRAMA KOLLAM DIST, KERALA, INDIA

ലൈസൻസ് നമ്പർ : -3557	/2020-21 87	തീയതി : 01/07/2
1994ലെ കേരള പഞ്ചായര അരേ	ത തുടർന്നുള്ള ചട്ടങ്ങളും	32, 233, 234, 254 എന്നീ വകുപ്പുകളും അനുസരിച്ച് ഞ്ഞർ എന്നിവയ്ക്കായി നൽകുന്ന
ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	ജോസഫ്ജേകബ്മ്രാനേ പോബ്സ്എന്റെര്പ്രിറ പ്രൈവറ്റ്ലിമിറ്റഡ്,കുറ്റ	സസ്
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	പോബസ്എന്റെര്പ്രി കൊല്ലയിൽ	സേസ്പ്രൈവറ്റ്ലിമിറ്റഡ്,
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	എം.സാൻഡ ഉത്പാദന	രം നടത്തുന്നതിന്
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	12/401	
ലൈസൻസ് കാലയളവ്	01-04-2026 മുതൽ 31-03-202	പ വരെ
	125,000 + 3,500/- രൂപ	രസീത് നമ്പർ തീയതി 00-01-1900
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	തൊഴിൽക്കരം	1250 + 1250 Rt.No.11801050034 Dt : 20-02-2019 Rt.No.11801050035 Dt : 20-02-2019
ലൈസൻസ് അനുവദിക്കുന്നതിനാ യി ഹാജരാക്കിയ നിരാക്ഷേപപത്രങ്ങളു ടെ വിശദാംശങ്ങൾ ന്ന്വർ, തീയതി, കാലയളവ്, നൽകിയ അധികാരസ്ഥാനം)	അനുമതി PCB/KO/NOC 2. അഗ്നിസുരക്ഷാവക നിരാക്ഷേപപത്രം 282: 3. ഫാഷ്ടറീസ് & വ്യവന നിരാക്ഷേപപത്രം DO 4. മൈനിംഗ് & ജിയോള	പ്പിൽനിന്നുള്ള 5/2012 19-07-2012 സായവകുപ്പിൽനിന്നുള്ള 3/KUR/11/437/2012 14-11-2012 ളജീ വകുപ്പിൽനിന്നുള്ള 2024) പ്രതേഭപ്പെറ്റു
ദ്രാഫീസ് മുദ്ര	in the all	സെക്രട്ട ചിതറ ഗ്രാമപ്പഞ്ചായര Secretary Chithara Grama Panchayat

	ലൈസൻസി താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു
	 കേരള പഞ്ചായത്ത് രാജ് ആക്ടും അതേത്തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലോകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
	പ്രവരത്തിക്കേണ്ടതാകുന്നു. 2. തൊഴിൽസ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്ത് അധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യാഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൌകര്യങ്ങൾ നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
	3. ഏതു സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശ്യവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വെച്ചിരിക്കേണ്ടതാണ്.
	4. പഞ്ചായത്തിൽനിന്നും അനുവാദം സിദ്ധിച്ച ശേഷമല്പാതെ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകുട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
	5. തൊഴിൽസ്ഥലവും പരിസരങ്ങളും വൃത്തിയായും സാംക്രമികരോഗാണുകൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വെച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച. അണുക്കൾ. പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സുക്ഷിക്കേണ്ടതാണ്.
	6. ഏതൊരു പ്രവൃത്തിദിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
	7. ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചപ്പുചവറോ മൃഗങ്ങളുടെ അവശിഷ്ടങ്ങളോ മറ്റു പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്ലികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
	8. ലൈസൻസി ഏതൊരു കെട്ടിടത്തിന്റെയും ചുമരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപ്പറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിനുമോ ചപ്പുചവറോ അസഹ്യവും ഉപദ്രവകരവുമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാടു തീർത്തു നിപനിർത്തേണ്ടതാണ്.
	ഴ. ലൈസൻസി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അതോടുചേർന്നുള്ള ഏതൊരു ഓവുചാലാം അഴുക്കുജലം കട്ടയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാടുതീർത്തും വെപ്പിക്കേണ്ടതാണ്.
	10. അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.
	।।. ഏതെങ്കിലും തരത്തിലുള്ള ത്വക്ക് രോഗമോ കുഷ്യരോഗമോ. വ്രണമോ പകർച്ചവ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
	12. 50 മൈക്രോണിൽ കുറവുള്ള പ്ലാസ്റ്റിക്കുകളും മറ്റു നിരോധിത പ്ലാസ്റ്റിക് ഇനങ്ങളും ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
	13. സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
	14. 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയിലെറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്
	15. നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല. ഗുഡ്ല തുടങ്ങിയവ സംഭരിച്ചു വെക്കുവാനോ വിൽക്കുവാനോ പാടിപ്പ.
	ചം. ബാലപ്പേല തന്നെഫ്രിക്കുവാന്ദ് പാടില്ല
	17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതിന് കാരണമാകാവുന്നതാണ് കാരണമാകാവുന്നതാണ്
	N.B. ഈ ലൈസൻസ് സ്റ്റെസ്ന്ന് എമുന്ന തീയതിക്ക് മുപ്പതു ദിവസം മുസ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള സ്ക്രൂക്ഷ് സ്ക്രമറ്റിക്കണ്ടതാണ്. Secretary
1	Chithara Grama Panch Kollam Dist, Kerala. 1

वाणिज्य और उद्योग मंत्रालय | Government of India वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry पेट्रोलियम तथा विरफोटक सुरक्षा संगठल (पेसी) | Petroleum & Explosives Safety Organisation (PESO) पूर्व मार्म-विरफोटक विश्वग | Formerly- Department of Explosives केन्द्रीय मोहन, ब्लाक सी.2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor CSEZ पी.3fl.कब्बदनाइ कोरची (CSEZ PO Kakknad Dist Ernakulam Ernakulam 682037 फोन (Phone)- 2427286 | फेस्स (Fax):- 2427276 ई-मेल Ernal. dycceernakulam@explosives.gov.in MICH HEAR | Government of India संख्या (No): E/SC/KL/22/1537(E64133) दिनाक (Date): 17/02/2016 To. Shri JOSEPH JACOB, Managing Director, Ms. POABS ENTERPRISES PVT LTD., Kuttuor Past, Tiruvalla, Town Village - Tiruvalla District PATHANAMTHITTA, State-Kerala, Pincode - 689106 विषय Survey No.268/5/2 of Block No.56, साम Chithara(v), Kottarakkara-Taluk, जिला KOLLAM, राज्य Kerala में विस्पोटक के मंगजान में उपयोग के लिए बच्चा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुमन्ति सं E/SC/KL/22/1537(E64133) के नवीनीकरण संदर्भ में Possession for Use of of Explosives from magazine situated at Survey No.: 268/5/2 of Block No.56. Chitharn(v),Kottarakkara-Taluk, Dist KOLLAM, Kerala -Licence No.: E/SC/KL/22/1537(E64133) granted in Form LE-3 of Explosives Rules. 2008 - Renewal regarding Subject: महोदग | Sir. आपका उपयुक्त विषय पर पत्र संख्या nil दिलांक 22/01/2016 का संदर्भ यहण वर्ते। विस्फोटक नियम 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुजन्ति दिलांक 31/3/2021 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है। Reference to your letter No. nil dated: 22/01/2016, the subject licence duly renewed upto 31/3/2021 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded Conditions: 1)1.VALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENSEE FOR BLASTING OPERATIONS AND LOCAL STATE GOVERNMENT AUTHORITIES APPROVALENVIRONMENTAL CLEARANCE AS APPLICABLE AND RENEWED FROM TIME TO TIME SHALL BE IN POSSESSION 2. IF ANY CHANGE OF QUARRY OR ADDITIONAL QUARRY IS INVOLVED, NECESSARY PRIOR APPROVALENDORSEMENT SHALL BE OBTAINED FROM THE LICENSING AUTHORITY, 3. OPENING OF QUARRY SHALL BE INFORMED TO THE DGMS AND BLASTING OPERATIONS SHALL BE CONDUCTED ON SPER MINES ACT. 4. APPROVED BLASTER SHALL, RE APPOINTED IN THE QUARRY FOR BLASTING, 5. ALL RECORDS OF USE OF EXPLOSIVES IN RE-3, RE-5, RE-7, RE-13 SHALL BE MADITAINED & DAILY PASS FOR USE OF EXPLOSIVES (RE-13)SHALL BE GENERATED ONLINE. Conditions: MAINTAINED.6.DAILY PASS FOR USE OF EXPLOSIVES (RE-13)SHALL BE GENERATED ONLINE. अनुजण्ति के आगामी नवीकरण हेतु कृपया निम्मलिखित दस्तावेज दिलांक 31/03/ 2021 से पहले इस कार्यालय को मेद्रे जाए For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2021. • प्ररूप आरई-। में विधिवत पूर्ण एवं हस्ताशरित आवेदन। Application in Form RE-1 duly filled in and signed एक से पाँच वर्ष के अनुजयित शुल्क का बैंक इप्पट। बैंक इप्पट किसी भी राष्ट्रीयकृत बैंक के नाम आहरित. संयुक्त मुख्य दिस्कोटक निवंधक, घेल्जई के पक्ष में चेननई में देय हो । चलाई म दन हा। Licence fields for not to five years in the form of demand draft drawn on any Nationalized Bank in favour of Jt. Chief Controller of Explosives, Chennai payable at Chennal - अनुमोदित प्यान के साथ मूल अनुजन्ति। Original licence with approved plan - कुम्प्या इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें। In this connection, please also refer to Rule 112 of Explosives Rules, 2008 विस्फोटकों के क्रय हेतु आरई-।। में मांगपत (इंडेंट) आपूर्तिकलों को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाएं (आतिशवाजी गोटाम के लिए लागू नहीं) 1 Indent for pure nt for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house) कृषया विरफोटकों की पैमासीक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं । विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी मोदाम के लिए लागू नहीं) 1 Please submit quarterly returns of explosives in RF-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house) • सभी ब्लाहिटेंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमी के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्ट्रिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो। All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act. आपके खाते में क्षण 500/- की राशि शेष हैं जो इस संदर्भ को उद्धत करते हुए अविषय के संख्यवहार में समायोजित की जा सकती है । An amount of Rs. 500/- balance is in your credit, which may be utilized for future transaction by quoting this reference. अवदीय | Your's faithfully (VH. UH. ANAMI | S M Kulkurni) विस्पोटक नियंत्रक | Controller of Explosives कते उप मुख्य विद्युहोदक निय का the Dy Chief Controller of Explosives For Depending hit bankubanies of fxplosives प्रतितिषि येथित | Copy Forwarded to: ब भाषत (Copy Forwarded an जिला मजिस्ट्रेट (District Magistrate), KOLLAM (Kerala)- सुचला के लिए (for information.) कृते उप मुख्य विस्फोटक नियत्रक (For The Dy. Chief Controller of Explosives. कोटची | Emakulam

	/	अनुजप्ति प्ररुप	एल. ई3 LICE	NCE FORM LE-3		
	/	(विस्फोटक नियम, 2008 की 3	सनुसूची 4 के भाग 1	के अनुच्छेद 3(क) से (ध) देखिए।)	
	/	(See article 3(a) to (d) of			2230463	
1	(ग) उपयोग के लिए एक स	मय पर वर्ग 1,2,3,4,5 या वर्ग				
1	among and an an an an and	Licence to possess : (c) for a	ise, explosives of cla	is 1, 2, 3, 4, 5, 6 or 7 in a	magazine	
	अनुजन्ति स. (Licence No.) : E/SC. वाधिक फीस रुपए (Annual Fee Rs)	3000/-				
	+				1	1000
	1. Licence is hereby granted to					
	Shri.JOSEPH JACOB, Manag	ng Director, (अधिभोगी / Oci	upier : Joseph Jac	b, Managing Directo	Penty and a	
	Enterprises Pvt Ltd), M/s. PO District-PATHANAMTHITTA.	ABS ENTERPRISES PVT L1 State-Kerala, Pincode - 68910	D., Kuttoor Post, I ir 6	uvalla,, Town/Village	Govil of Indi	
	को अनुजप्ति अन्दत्त की जाती		×	1*/	* Concentration .	
	2. अनजम्तिधारी की प्रास्थिति Sta	TO A LOCAL COMPANY		1	AND TELE	
	³ अनज्ञप्ति निम्नतिखित प्रयोजनौ	IN COLOR STREET, STREE	nossess for i	se of Nitrate Million	e, Salery Tuse, Ordinary	Detonator.
	Licence is valid only for the folk		Electric Det	onators, - & But	के लिए	
1.00	4. अनजपित विस्फोटकों के निम्नति			11-121		
	Licence is valid for the following			Lal?	an arrived	
125			र्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक सम	
1		Call by Call of the state of the second se	lass & Division	Sub-division	Quantity at any one	time
		rate Mixture afety Fuse	2,0	0	300 Kg. 5000 Mtrs	
		nary Detonator	6.3	0	2000 Nos.	House Hannes
		ric Detonators	6,3	0	10000 Nos.	
100	. (ख) किसी एक कलैंडर मास में खरी	दे जाने वाले विस्फोटक की मात्र	(अनच्छेद अख) और	(ग) के अधीन अनज़पित	के लिए।	20 times
	(b) Quantity of explosives to be pur				Construction of the second	as above.
100	 निम्नलिखित रेखाचित्र (रेखाचित्रां 	से अनजप्त परिसर की पष्टि	होती है।	रेखाचित्र झ. (Drawi	ng No.) E/SC/KL/22/1537(E64133)
	The licensed premises shall conf			े दिनांक (Duted) 13/	02/2013	
	 अनुज्ञपित परिसर निम्नलिखित । 	से पर स्थित हैं। The licensed	i premises are situate	ed at following address	C	
	Survey No. 268/5/2 of Block No					ce Station) : Kollam
	जिला (District) KOL दरमाण (Phone) 04743	LAM राज्य (State) 294866 ई. मेल (E-M		a Ipoabs.com	पिनकोड (Pincode) फैक्स (Fax)	691541
		and the second			Service And	
	7. अनुजण्ति परिसर में निम्नलिखिः The licensed premises consist of		: Type A. ma	gazine-Lobby,HE an	d Detonator rooms	
÷.,	8. अन्जपित समय - समय पर यथ					the first
	अतिरिक्त शतौ और निम्नलिखि				Can 141449, 2004 m 34444	, and and
	The licence is granted subject to	the provision of Explosives A	et 1884 as amended	from time to time and	the Explosives Rules, 2008	framed there under
1	and the conditions, additional co					
		वा कथित रेखाचित्र (स्थान, सन्			नरते हुए)।	
		constructional and other detail				
		ररा हरूला क्षरित इस अनुजन्ति				
	3. दूरी प्ररूप DE-2 Distan	al Conditions of this licence s ce Form DE-2	igned by the ticensin	g autority.		
	9. यह अनजमित तारीख 31 मार्च 20		his licence shall rem	ain valid till 31st day	of March 2016.	
	यह अनुजन्ति, अधिनियम या उर					र्णेत दस अनजमित
	की शर्तों का अधिक्रमण करने य					
1	का राता का आधक्रमण करन य प्रतिसंहत की जा सकती है, जहां		वा उसस सलल्म उ	inate a citic land	I I anges ript sic one	a at monate at
1	This licence is liable to be suspe	nded or revoked for any violat	ion of the Act or Rul	es framed there under	or the conditions of this lie	ence as set forth
400	under Set VIII, wherever applica		hedule V or if the lic	ensed premises are not	found conforming to the c	lescription shown in
	the plans and Annexure attached	hereto.				Sd/-
L				a war Oraber O		
0	लारीख The Date - 13/02/2013		सपुर	त मुख्य विस्फोटक नि		roller of Explosives ath Circle, Chennai
	Amendments : Amendment of Quantity of Exp	osives/Monthly Purchase Lim	it dated : 27/06/2013	D	0	
			तरण के पृष्ठांकन के		$1 \wedge$	
	the second second	Spac	e for Endorsement o	Renewal /	8 /]	*
	नवीकरण की तारीख	समाप्ति की तारीख		अनजापन पार्षिका	री के हस्ताक्षर और स्टाम्प	r
	Date of Renewal	Date of Expiry			nsing authority and stamp	
1 2		Sea 73.0 575.00		Castlein a state for the	and the second	2
	17/02/2016	31/03/2021		Dy. Chief Controll	er of Explosives, Emakula	
				कृते छप मुख्य	विल्लोटक नियन्त्रक	
					Combronel of Explosives	CONTRACTOR OF
				REAL BUN Erna	kulany	



04 KOLLAM

EXPRESS NEWS SERVICE

THE MPS' O

NOTICE

Notice Convergence builds Proc. CREWING MIGHTER TO BAR Convergence Boards, Drd Franz, Kolakas - 202000 (Dirth Phage Canton Back Linhand) Notice is neetly griven that the following Share Centificates Nea Middle in the neetly griven that the following Share Centificates Nea Middle in the neetly griven that the following Share Centificates Nea Middle in the neetly griven that the following Share Centificates Nea Middle in the Centificates in Migdle Charol Res been made to me of displicate centificates in Migdle threoft have been made to have a for grippicate centificates in Migdle threoft have been made to have a for grippicate centificate in Migdle threoft have been made to

towing 5 Younus Kun Tala, have B. Quitori 491010. Kensila have los and m duplicate certificates in impost thereof have pays to shorn or to free Registrar Link Kohuna, any objector should be made from the date of this amouncement. They will proceed for issue of displate cert my will proceed for issue of duplicate cert and an analysis of matter with the standard beaming in matters with the standard beaming in the standard beaming in

Distinctive Nos.

134 11327 to 134 11376 134 11377 to 134 11376 134 11377 to 134 11428 134 11427 to 134 11428 134 11427 to 134 11426 134 11527 to 134 11526 134 11527 to 134 11526 134 11527 to 134 11526 134 11577 to 134 11526

No. of Shares

圓



the import of foreign traveleys in men. But the MPs said the state gard. A national level policy in Control assists the Kerak's coastal son and its government also should mount catching small fish is required. [rects under the network of the second because in disk are. The unversioned routed of the transmission of the second because in the second because in the second second because in the second because the second because in the second because in the second second because in the second because

Rice firm in the dock over diversion of FCI foodgrain

CORRIGENOUM ER for WET LEASE of one Brand New Twin Engine Helicopter

The branch with the second sec 12/2012: 1700 Her eting: 01/12/2017: 1700 Her Hant-Solcial Pachare Controllino, Near Golds (Davies, Rancha, 1) (New Hill) (Editor(DeuterLatock)

TOT LATORY 60001
 A hasoppidowski na kontrol fall and him lan CHI cutatoly for avoid a close of the other days of the company of the cutatoly for avoid and the later sports about the later sport about the later sport

GOVT. OF JHARKHAND GOVT. OF JHARKHAND TRANSFORT CON, ANALON CONSTRUCT BATE INNER, AND TO CONSTRUCT TELEFAIND, ONLI 2020EFF, 2020EFF Final, phtforaillipted core, convector preparation

(2016/2017 make)

HC orders to produce terms of reference of inquiry panel

The service of the se

examine key witness at his residence today TOBY ANTONY DRUCH

SIMI CAMP CASE

NIA to

THE National Investigation Agency (NIA) will examine the key witness in the sensation

cardin (rest) with the second second


Normanni in the and couples on "As part of witness examina-tion, NIA officiers, prosecutors, and defense counsel will visit Shajimon at its residence. The NIA Court had asked the Thodo-puths Chief Judicial Magistratic Court to assign a magistrate Court to assign a magistrate. record SI magistria has been procedure procedure the office far exami-case. This sous have es, the ex-arroand 9 "Later: probed to arroand 9 "Later: probed to arroand 9 "The tri hude they connectin Benealtor It where Though to see in the dol subh Billa - are back Meila - are

booh shot s the B

been tasked to complete the	
where. The evidence for pros-	
tion and defence counsel will	
resented before Shaimon."	
officer said The court has m	
examined 76 witnesses in the	
. Though more than 100 per-	
a have been listed as witness-	
the court will examine only	
and 30 persons.	
Later, the NIA officers who	
boil the case will also be ex-	
ned," the officier said.	
he trial of the case is being	
t through video-conferencies	
necting jails in Ahmestabad.	
galuru, Bhopal, and New Del-	
there the accused are lodged.	
ogh there are 38 arcsaed per-	
s in the case, two of them - Ab-	

ane the	
ational	
e at his	
zha an	
t of the	
un Sessim	
on SIMI	
ien par-	
I be ex-	
an NIA	
Waga-	
to a sa-	
by the	
off Stu-	

50



Notan Ned, 29 November 2017 NURSES spaper rewindianexpress.com//c/24092850



and Service Tool and the service of the service of

WAYANAD, KERALA

EXPRESSION OF INTEREST








由 A8039354 Chithara Grama Panchayat **NAILUNAX** Phone: ACKNOWLEDGEMENT (Not for Cash Transactions) GI M KREWS of Receipt of Applicant, poabs enterprises pvt ltd, kollavil envionment clearance survey no 259/1and ery Remarks : Secretary Counter No. & Staff :





Photograph showing the Details of the environmental clearance prominently displayed in a metallic board
















Photograph showing the overburden dumping area scientifically vegetated with suitable native species and foot walls



Photograph showing the Storm water pond

Air, water and Sound Analysis Reports



Authorized signatory

POLUCHEM LABORATORIES (P) LTD.

CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104 Phone : 0484-2544030, 8261982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

Page 01 of 01

ACCREDITED BY KSPCB AS "A" GRADE LABORATORY

TEST REPORT

Client Name & Address	Certificate No:	PL/AMB/RT/2114/2020
	Date of issue:	10/01/2020
	Date of monitoring	02/01/2020 10.00 Hrs to 03/01/2020 10.00 Hrs
	Date of sample received:	04/01/2020
	Date of analysis	04/01/2020
M/s Poabs Enterprises Pvt. Ltd Kottarakkara, Kollam	Monitoring Location	M/s. Poabs Enterprises Pvt Ltd. Survey Nos. 259/1, 256/4, 265/1, 272/1, 272/7, 272/6, 271/3, 271/6, 273/1, 270/1, 265/2, 271/2, 270/2, 269/2, 272/2-2, 273/3, 274/1-2, 268/9-2, 266/15, 266/24, 266/16-1, 266/16-2, 271/7-1, 271/7- 2, 271/7-3, 272/5, 267/5, 268/2-1, 268/2-2, 268/3-2- 1, 268/3-2-2, 268/5-2, 268/6, 268/7, 269/9-2, 268/3-2- 1, 268/3-2-2, 268/4, 268/4-2, 268/4-3, 271/4, 271/5 Village: Chithara Panchayath: Chithara Taluk:Kottarakara District :Kollam,Kerala
	Sample description	Ambient air -Near East side boundary
	Sample code given by client	Nil

SL NO	PARAMETERS	TEST METHOD	RESULTS	Limit as per NAAQS
01	Particulate Matter (PM10)	I S 5182 Part 23 2006RA2012	51.3 μg/m ³	100 μg/m ³
02	Particulate Matter (PM2.5)	CPCB	21.3 μg/m ³	60 μg/m ³
03	Sulphur dioxide	I S 5182 Part 2 2001 RA 2017	8.5 μg/m ³	80 μg/m ³
04	Nitrogen dioxide	IS 5182 Part 06 2006 RA2017	6.2 µg/m ³	80 μg/m ³

Note: NAAQS-National Ambient Air Quality Standards

* End of the Report*

The results are related only to the sample collected for	For and on behalf of POLUCHEM LABORATORIES (P) LTD.
analysis. This certificate shall not be reproduced except in full and without the written permission with authorized signatory	Guye2
	AUTHORIZED SIGNATORY

VLABORATORIES	ACCREDITED BY KSPCB AS	747400089, www.poluchem.com, poluchem@gmail.c "A" GRADE LABORATORY	
	TEST R	EPORT Page 01 of 01	
Client Name & Address	Certificate No:	PL/RT/SD/2115/2020	
	Date of issue:	10/01/2020	
	Date of monitoring	02/01/2020 10.00 Hrs to 03/01/2020 10) 00 Hee
M/s Poabs Enterprises Pvt. Ltd Kottarakkara Kollam	Monitoring Location	M/s. Poabs Enterprises Pvt Ltd. Survey Nos 256/4, 265/1, 272/1, 272/7, 272/6, 271/ 273/1, 270/1, 265/2, 271/2, 270/2, 269/ 2, 273/3, 274/1-2, 268/9-2, 268/15, 266 266/16-1, 266/16-2, 271/7-1, 271/7-2, 2 272/3, 267/5, 268/2-1, 268/2-2, 268/3-2 268/3-2-2, 268/5-2, 268/6, 268/7, 269/9 268/8-1, 268/8-2, 268/4, 268/4-2, 268/4-3, 271/4,271/5 Village: Chithara Panchayath: Chithara . Taluk:Kottarakara	
	Sample Description	District :Kollam,Kerala Ambient Sound Level (Leg)	
Monitoring Location	Time	Results	
	11.00 Hrs	52.4dB (A)	
	12.00 Hrs	53.4dB (A)	
	13.00 Hrs	54.6 dB (A)	
	14.00 Hrs	53.4 dB (A)	
	15.00 Hrs	50.2 dB (A)	
	16.00 Hrs 17.00 Hrs	49.8 dB (A)	_
	17.00 Hrs	49.2 dB (A) 48.7 dB (A)	
	19.00 Hrs	47.4 dB (A)	
	20.00 Hrs	44.2 dB (A)	
	21.00 Hrs	43.2 dB (A)	
Near Fost side houndamy	22.00 Hrs	42.1 dB (A)	
Near East side boundary	23.00 Hrs	40.1 dB (A)	
	00.00 Hrs 01.00 Hrs	39.4 dB (A)	
	01.00 Hrs 02.00 Hrs	- 38.4dB (A)	
	03.00 Hrs	35.2 dB (A)	
	04.00 Hrs	33.7 dB (A) 35.6 dB (A)	
	05.00 Hrs	40.4 dB (A)	
	06.00 Hrs	45.1 dB (A)	
	07.00 Hrs	48.3 dB (A)	
	08.00 Hrs	49.6 dB (A)	
	09.00 Hrs	50.2 dB (A)	-
	10.00 Hrs	51.3 dB (A)	
Leq (Day time)		53.6 dB (A)	
Leq (Night time)		36.1 dB (A)	