#### **COMPLIANCE REPORT**

TO

#### THE CONDITIONS OF

#### **ENVIRONMENTAL CLEARANCE ORDER**

NO: 1108/EC/SEIAA/KL/2017

**DT**. 20 – 11 – 2017

BY

# STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)

FOR

# **QUARRY PROJECT**

AT

Survey Nos. 259/1, 256/4, 265/1, 272/1, 272/7, 272/6, 271/3, 271/6, 273/1, 270/1, 265/2, 271/2, 270/2, 269/2, 272/2-2, 273/3, 274/1-2, 268/9-2, 266/15, 266/24, 266/16-1, 266/16-2, 271/7-1, 271/7-2, 271/7-3, 272/5, 267/5, 268/2-1, 268/2-2, 268/3-2-1, 268/3-2-2, 268/5-2, 268/6, 268/7, 269/9-2, 268/8-1, 268/8-2, 268/4, 268/4-2, 268/4-3, 271/4, 271/5

CHITHARA VILLAGE & PANCHAYAT, KOTTARAKKARA TALUK, KOLLAM DISTRICT, KERALA

 $\mathbf{BY}$ 

POABS ENTERPRISES PRIVATE LIMITED
KOLLAI P.O.CHITARA, KOLLAM, KERALA

(October 2018 - March, 2019)

#### INTRODUCTION

M/s Poabs Enterprises Pvt. Ltd. is a stone quarry situated at Sy. Nos. 259/1, 256/4, 265/1, 272/1, 272/7, 272/6, 271/3, 271/6, 273/1, 270/1, 265/2, 271/2, 270/2, 269/2, 272/2-2, 273/3, 274/1-2, 268/9-2, 266/15, 266/24, 266/16-1, 266/16-2, 271/7-1, 271/7-2, 271/7-3, 272/5, 267/5, 268/2-1, 268/2-2, 268/3-2-1, 268/3-2-2, 268/5-2, 268/6, 268/7, 269/9-2, 268/8-1, 268/8-2, 268/4, 268/4-2, 268/4-3, 271/4, 271/5, Chithara village, Kottarakkara Taluk, Kollayil P.O, Kollam District, Kerala. The quarry project was accorded with the environmental clearance by state Environmental Impact Assessment Authority on 20-11-2017. Six monthly compliance reports to the conditions of the environmental clearance are to be submitted as part of compliance. The compliance report to the specific and general conditions of the environmental clearance for the period of October 2018 - March, 2019 (Third Report) is being submitted.

# PART A - SPECIFIC CONDITIONS

#### Condition 1

Quarry needs to reorient its mining operation following top to bottom approach.

#### √ Compliance

We are carrying out mining operation in a top to bottom approach.

#### > Condition 2

If any plant species endemic to Western Ghats are noticed in the area, they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

#### √ Compliance

The project team properly protecting the plant species that are endemic to Western Ghats in situ or by transplanting to an appropriate location. We also plan to start a Nursery exclusively for endemic plant species.

#### PART B – GENERAL CONDITIONS

# > Condition 1

Rainwater harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR unless otherwise specified.

# √ Compliance

Company has provided rainwater harvesting system in connection with the project. Rainwater harvesting system consists of 3 concrete wells each having the capacity of 35350 liters and two harvesting tanks constructed with stone masonry wall having the capacity of 180000 liters each. Details of the rainwater harvesting system are as follows.

S1.	Type	Length	Width	Height	Diameter	Capacity
No.	-,,,	(m)	(m)	(m)	(m)	<b>(L)</b>
1	Tank constructed					
	with stone masonry	15	12	1	-	180000
	wall l					
2	Tank constructed					
	with stone masonry	15	8	1.5	_	180000
	wall 2					
3	Concrete well 1	-	-	5	3	35350
4	Concrete well 2	-	-	5	3	35350
5	Concrete well 3	-	-	5	3	35350

# Photograph of the rainwater harvesting system as enclosed at Annexure 1.

#### Condition 2

Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.

# √ Compliance

An environmental monitoring cell was formed with Mr. Thomas Jacob (Director of the Company) as head of the monitoring cell and made functional. Meeting of monitoring cell is arranging monthly and discus the status of the compliance of the specific and general conditions

stated in the Environmental clearance order. The details of the monitoring cell members are given below.

S1. No.	Post	Name
1	Head of the monitoring cell (Director of the Company)	Mr. Thomas Jacob
2	Head in charge (Environment)	Mr. Girish Menon
2	Senior Environmental Officer	Dr. Rinoy Varghese
3	Environmental Officer	Mr. Navin Xavier
4	Name of the environmental officer in charge at Site	Mr. K. Sambath Raj
5	Name of the officer of Environment, Health and safety at Site	Mr. Ramesh Iyyer
6	Name of the environmental consultant	M/s Environmental Engineers & Consultants Pvt. Ltd
7	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.

# > Condition 3

Suitable avenue trees should be planted along either side of the tarred road and, open parking areas if any, including approach road and internal roads.

# √ Compliance

Natural vegetation including trees, shrub and herbs present along the sides of tarred road and parking areas. We are planting the area with less vegetation with trees, shrubs etc. and a nursery is maintaining for further plantations. Photograph showing the same is provided at Annexure 2. Details of the tree species planted as follows.

Sl. No.	Scientific Name	Common Name	Family
1	Cassia fistula L.	Indian Laburnum/ Kanikkonna	Fabaceae
2	Mangifera indica L.	Mango tree/ Mavu	Anacardiacea e
3	Polyalthia longifolia (Sonn.) Thwaites	Arnanamaram	Annonaceae
4	Terminalia catappa L.	Badam	Combretacea e
5	Bauhinia tomentosa L.	Manjamandaram	Caesalpiniac eae

#### > Condition 4

Maximum possible solar energy generation and utilization shall done at the own cost of the project proponent.

# √ Compliance

In connection with current project, solar energy devices such as solar lights and solar water heater has installed in the project area. A biogas plant was also established in association with the project. Solar water heater and biogas plant are associated with canteen and are using for kitchen purposes. Solar lights were installed in different locations of the project area. Photograph showing the same is enclosed as Annexure 3.

#### Condition 5

Sprinklers shall be installed and used in the project site to contain dust emission.

# ✓ Compliance

The road system of the project site, approached road and other connected roads has been watering daily by sprinkler system installed in tipper lorry since the starting of the project. For the suppression of the dust generated during Crushing & Screening operation, Company has installed fixed water sprinkling systems and dust suckers in the

# Crushing units. Photograph showing the sprinkler system installed in tipper lorry is enclosed as Annexure 4

#### > Condition 6

Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.

#### √ Compliance

Eco-restoration including the mine closure plan will perform at our own cost. Following the closure of the mine, ten percent of the excavated area will be retained as water storage area. It is proposes to develop a green belt in the remaining area after reclaimed with stacked dumping and overburden. As part of the same, we have stored the top soil and overburden in a prefixed area and started planting.

#### Condition 7

At least 10 percent out of the total excavated pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.

#### √ Compliance

Ten percent of the excavated pit area will retain as water storage area following to the closure of the mine. It is proposes to develop a green belt in the remaining area with indigenous plant species after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will plant in the areas prone to erosion especially at the foot of the hill.

#### Condition 8

Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.

# √ Compliance

As part of the Corporate Social Responsibility, the amount proposed by the company has been spending for various social activities.

#### > Condition 9

The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.

# √ Compliance

Barbed metal wire fencing has installed around the mining area with a height of 4 ft to prevent falling of animals/human/belongings/dumping of garbage's etc. All the boundary indicators (boards, stores, markings, etc.) has protected. Photograph showing the metal wire fencing and indicators boards are enclosed as Annexure 5.

#### ➤ Condition 10

Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulation of Explosive Department.

# √ Compliance

The blasting time has fixed and is between 3.00pm and 4.30pm. A danger board indicating blasting time has installed in the project site. Warning alarm has installed in the project area and maintaining properly. Photograph showing the same is enclosed as Annexure 6.

#### Condition 11

Control measures on noise and vibration prescribed by KSPCB should be implemented.

#### √ Compliance

#### Noise pollution

#### Mitigation measures Implemented

The major noise generating source from the mining activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are undertaken to bring down the noise levels:-

- Proper maintenance of machinery, equipments and improvement of design of machines.
- > Personal protective devices i.e., earmuffs, ear plugs etc. are provided to workers working in high noise areas.
- > Maintain a wide green belt of dense foliage between mine areas and residential colonies.
- > The mining area is working only during day times.
- Noise quality is checking periodically. The sound levels are monitored through an NABL accredited laboratory during the quarry in operation and the monitored results are well within the permissible limits.

#### Blast vibrations and control measures

- Controlled blasting technique is adopted in this project in order to reduce blast vibrations.
- The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.
- Optimum delay sequence and stem to column ratio is maintaining to minimize the ground vibration intensity.
- > Condition 12

Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.

#### √ Compliance

Quarrying activities carrying out only during day time.

#### > Condition 13

Blasting should be in a controlled manner as specified by the regulations of Explosive department or any other concerned agency.

# √ Compliance

#### Blasting

- ❖ The controlled blasting is proposed by adopting all the safety measures as per "MMR 1961" and with the permission of DGMS.
- Blasting is carried out for the fragmentation of the granite within the project area. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32mm drill rod, Jack Hammer and air compressor of 100 cm capacity.
- ❖ It is estimated about 250g of explosives per hole is required. About 30-50 holes per blast are proposed. Therefore the requirement of explosive will be about 10kg/ blast.

#### Blasting safeguard

- \* Blasting in the open cast is done only during day time at designated hours.
- Only competent blasters are appointed to handle explosives.
- Explosives are stored in approved and licensed magazine as per explosive Act/ Rules.
- Explosives are brought from magazine to blasting site in licensed explosive van under the care of blaster.
- Sufficient warning signals are given before blasting the holes.
- Guards are posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during the blasting hour.
- Controlled blasting is practiced to control vibrations and flying fragments.
- Optimum charge is used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay is always being less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.
- > Condition 14

A licensed person should supervise/control the blasting operations.

# √ Compliance

Licensed person is supervising the blasting operations. Licensed person authorization letter from DGMS is attached as Annexure 7.

### > Condition 15

Access road to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.

# √ Compliance

Access road to the quarry has tarred and maintaining well to contain dust emissions that may arise during transportation of materials. The photographs showing the same is given in Annexure 8.

#### > Condition 16

Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/ specific condition.

# √ Compliance

Top soil and overburden has been storing in a prefixed location for the reclamation of mine pit as per mine closure plan/ specific condition. The photographs showing the same is given in Annexure 9.

#### > Condition 17

Height of the benches should not exceed 5m, and width should not be less than 5m, if there is no mention is the mining plan/specific condition.

# √ Compliance

Quarry operation is carrying out in the form of benches. The proposed height and width of the benches are maintaining. The photograph showing the bench type mining is enclosed as Annexure 10.

# > Condition 18

Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.

# √ Compliance

Various safety measures are setting down to prevent fly rocks cross the lease area. Blasting during unfavorable weather conditions has avoided. Maintain optimum delay sequence and stem to column ratio

to minimize the fly rock distance. Mats to prevent fly rock during blasting will arranged shortly.

# > Condition 19

Maximum depth of mining from general ground level at site shall not exceed 10 m.

# √ Compliance

In the present quarrying project, the exploitation of mineral is from 300-145 m MSL in conceptual phase. Mining depth will not exceed beyond 10m from general ground level.

#### Condition 20

No mining operation should be carried out at places having a slope greater than 45°.

# √ Compliance

Mining activities will not carry out at regions having a slope greater than 45°

#### > Condition 21

Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers, so that the noise level is kept within prescribed standards given by CPCB/KSPCB.

# √ Compliance

The whole project area has covered by thick green belt and this will reduce sound amplifications produced during mining activities. Crusher unit has also covered by thick green belt and provided metal sheet envelop also. Photograph showing the crusher unit covered by thick green belt and metal sheet covering is enclosed as Annexure 11. The noise level will be limited within the prescribed standards given by CPCB/KSPCB. Sound monitoring report is attached as Annexure 12.

#### Condition 22

The workers on the site should be provided with the required protective equipment such as ear muffs, helmets, etc.

# √ Compliance

Workers are provided with personal protective devices such as earmuffs, ear plugs, helmet etc. at the site. Blasting shelters are also arranged in the mining site and the photograph showing the same is attached as Annexure 13.

#### Condition 23

Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.

# √ Compliance

Garland drains with clarifiers has provided in the lower slopes around the core area to channelize storm water. The photograph showing the Garland drains with clarifiers is enclosed as Annexure 14.

#### > Condition 24

The transportation of minerals should be done in covered trucks to contain dust emissions.

# √ Compliance

After loading, trucks are covered with tarpaulin sheets to control dust emissions during transportation. Trucks are not overloading and the loads are maintained to the body level.

#### Condition 25

The proponent should plant at least 5 times of the loss that has been occurred while clearing the land for the project.

# √ Compliance

We have been planting trees 5 times of the loss that has been occurred while clearing the land for the project.

#### Condition 26

Disposal of spend oil from diesel engines should be as specified under relevant rules/regulations.

## √ Compliance

Presently we are storing the spent oil under secure conditions. Disposal of spent oil from diesel engines will carried out under relevant rules/regulations.

#### Condition 27

Explosive should be stored in magazines in isolated place specified and approved by the Explosive Department.

#### √ Compliance

Explosives are storing in magazines built in an isolated place specified and approved by the Explosives Department. Photograph showing the same is attached as Annexure 15

#### Condition 28

A minimum distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.

#### √ Compliance

Distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures has provided.

#### Condition 29

100 m buffer distance should be maintained from forest boundaries.

#### √ Compliance

# No forest boundary near to the project area

#### Condition 30

Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.

# √ Compliance

Consent from Kerala State Pollution Control Board under Water and Air Act(s) has obtained. Consent Order from Kerala State Pollution Control Board is attached as Annexure 16.

#### > Condition 31

All other statutory clearances should be obtained as applicable by project proponents from the respective competent authorities including that blasting and storage of explosives.

# √ Compliance

All statutory approvals required for the quarrying activity is obtained for the project. The details regarding the same along with the copy of the statutory approvals are enclosed as Annexure 17 and 18. Details of statutory approvals are given below.

S1. No.	Annexure	Statutory approvals
1	17	License from Panchayat
2	18	License to possess: (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7.

#### > Condition 32

In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts are assessed, based on which only the E.C. is issued, the project would require a fresh appraisal by this Authority for which the proponent shall apply and get the approval of this authority.

# √ Compliance

# Would be complied

#### Condition 33

The Authority reserves the right to add additional safeguard measures subsequently if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

# √ Compliance

# Would be complied

#### Condition 34

The stipulation by the statutory authorities under different acts and notifications should be complied with including the Water (Prevention and Control of Pollution) Act 1974, The Air (Prevention and Control of Pollution) Act, 1981, The Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 2006.

# √ Compliance

# Would be complied

#### Condition 35

The project Proponent should advertise in at least two local newspapers widely circulated in the region one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environmental Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at <a href="https://www.seiaa.kerala.org">www.seiaa.kerala.org</a>. The advertisement should be made within 10 days from the date of receipt of the clearance letter and the copy of the same signed in all pages should be forwarded to the office of the Authority as confirmation.

#### √ Compliance

Regarding the accordance of environmental clearance to the quarrying activity has advertised in two local newspapers and the copy of the

same was submitted to SEIAA Kerala. Details of the newspaper advertisements are given below.

S1.		Name of the Newspaper and	Dated
No.	Annexure	edition	
1	19	New Indian Express	29/11/2017
2	20	Mathrubhumi	29/11/2017

#### > Condition 36

A copy of the clearance letter shall be send by the proponent to concerned Grama panchayat/ District panchayat/ Muncipality/ Corporation/ Urban local body and also to the Local NGO if any, from whom suggestions/ representations if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.

# ✓ Compliance

A copy of the environmental clearance order was submitted to the Panchayat office. The acknowledgement received is provided at Annexure 21. There is no suggestion/representation received so far from anybody. The environmental clearance order is uploaded in the website of the company and can be seen in the website www.msand.in

#### > Condition 37

The proponent shall submit half yearly reports on the status of compliance of the stipulated E.C. conditions including results of monitored data (both in hard copies as well as by e- mail) and upload the status of compliance of the stipulated E.C. conditions, including result of monitored data on website and shall update the same periodically. It shall simultaneously be send to the respective Regional office, of MOEF, Govt. of India and also to the State Environmental Impact Assessment Authority (SEIAA) office.

# √ Compliance

Third compliance report is being submitted to SEIAA, Department of Environment and Climate change, Govt. of Kerala and Regional Office of MoEF, Govt. of India both in hard copy as well as soft copy (CD).

#### > Condition 38

The details of environmental clearance should be prominently displayed in a metallic board of 3ft x 3ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry visible to the public.

# √ Compliance

Details of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman fond has installed. Photograph showing the same is attached as Annexure 22.

#### Condition 39

The proponent should provide notarized affidavit (indicating the number and date of environmental clearance proceedings) that all the conditions stipulated in the E.C. shall be scrupulously followed.

# √ Compliance

An affidavit stating that all the conditions stipulated in the Environmental clearance will be scrupulously followed has submitted to SEIAA and the copy of the same is attached as Annexure 23.

#### Condition 40

No change in mining technology and scope of work should be made without prior approval of the SEIAA, No further expansion or modifications in the mines shall be carried out without prior approval of the SEIAA, as applicable.

# √ Compliance

We will not make any change in mining technology and scope of work without prior approval of the SEIAA and further expansion or

modifications in the mines will not be carried out without prior approval of the SEIAA.

#### > Condition 41

The project proponent shall ensure that no natural water course and/or water recourses shall be obstructed due to any mining operations. Necessary safe guard measures to protect the first order streams if any, originated from the mine lease shall be taken.

# √ Compliance

We ensure that no natural water course and/or water recourses has not obstructed due to any mining operations. There is no first order streams originated from the mine lease.

# Condition 42

Monitoring of Ambient Air Quality to be carried out based on the notification 2009, as amended from the time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points and transfer points to reduce fugitive emission.

#### √ Compliance

We are carrying out monitoring of Ambient Air Quality based on the notification 2009, as amended from the time to time by the Central Pollution Control Board. Water sprinkling has installed at places via loading and unloading points and transfer points to reduce fugitive emission. Ambient Air Quality monitoring Report is attached as Annexure 24.

#### Condition 43

The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the top soil shall be used for land reclamation and plantation. The overburden generated during the mining operation shall be stacked at earmarked dump site(s) only. The maximum height of the dump shall not exceed 8m and width 20m and overall slope of the dump shall be maintained to 45°. The O.B. dump should be scientifically vegetated with suitable native

species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for the stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated area should continue until the vegetation become self-sustaining.

#### √ Compliance

The area has earmarked for dumping the overburden generated during the mining operation. The maximum height of the dump will not exceed 8m and width 20m and overall slope of the dump will be maintained to 45°. The O.B. dump is scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, we will use geo textiles undertaken for the stabilization of the dump. The entire excavated area will be backfilled. We will monitor and manage the rehabilitated area until the vegetation become self-sustaining. Photograph showing the overburden dumping area scientifically vegetated with suitable native species is attached as Annexure 25

#### > Condition 44

Catch drains and siltation ponds of appropriate site shall be constructed around the mine working mineral and O.B. dumps to prevent runoff water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

#### √ Compliance

Catch drains and siltation ponds of appropriate site has constructed around the mine working, mineral and O.B. dumps to prevent runoff water and flow of sediments directly into the river and other water bodies. The water so collected are utilizing for watering the mine area, roads, green belt development etc. The drains are regularly desilting

particularly after monsoon and maintained properly. Photograph showing the Storm water pond is attached as Annexure 26.

#### Condition 45

Effective safe guard measures such as regular water sprinkling shall be carried out in critical areas porn to air pollution and having high levels of PM<sub>10</sub> and PM<sub>25</sub> such as haul road loading and uploading points and transfer points. It shall be ensure that the Ambient Air Quality Parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

# √ Compliance

Effective safe guard measures such as regular water sprinkling are carrying out in critical areas porn to air pollution and having high levels of  $PM_{10}$  and  $PM_{25}$  such as haul road loading and uploading points and transfer points. It will be ensuring that the Ambient Air Quality Parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

#### Condition 46

Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading at transfer points. Should be provided and properly maintained.

# √ Compliance

Fugitive dust emission from all the sources are controlling regularly. Water spraying arrangements on haul roads, loading and unloading at transfer points has arranged and properly maintained.

#### > Condition 47

Measures should be taken for the control of Noise level below 85 DBA in the work environment.

#### √ Compliance

Different measures are taking for the control of noise level below 85 DBA in the work environment. We will also check the Ambient Sound level periodically.

#### Condition 48

A separate Environment Management Cell with suitable qualified personal should be setup under the control of a senior executive who will directly report to the head of the organization.

#### √ Compliance

A separate Environment Management Cell with suitable qualified personal has formed under the control of a senior executive who will directly report to the head of the organization. Environment Management Cell are monitoring all Environment Management plan carried out in connection with the present project.

#### > Condition 49

The funds earmarked for the Environmental protection measures and CSR activities should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environmental Impact Assessment Authority (SEIAA) office.

# ✓ Compliance

The funds earmarked for the Environmental protection measures and CSR activities will not diverted for other purpose. We will reports year wise expenditure to the State Environmental Impact Assessment Authority (SEIAA) office.

#### Condition 50

The regional office of MOEF and CC located at Bangalore shall monitor compliance of the stipulated conditions. The project Authorities should extent full co-operation to the officer (s) of the regional office by furnishing the requisite data/information/monitoring reports.

#### √ Compliance

We will extent full co-operation to the MOEF officer (s) of the regional office by furnishing the requisite data/information/monitoring reports.

#### > Condition 51

Any appeal against the Environmental Clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.

#### √ Compliance

There is no appeal against this Environmental Clearance with the National Green Tribunal.

#### Condition 52

Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in the withdrawal of this clearance and attract action under the provision of Environmental Protection Act, 1986.

# √ Compliance

# We agreed

#### > Condition 53

The SEIAA may revoke, or suspend the order for non-implementation of any of the specific or this implementation of any of the conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further conditions or stipulate any further conditions in the interest of Environmental Protection.

# √ Compliance

# We agreed

#### ➤ Condition 54

The above conditions shall prevail not withstanding anything to the contrary in consistent or simplified, contained in any other permit, license on consent given by any other authority for any other project.

# √ Compliance

#### We agreed

#### Condition 55

The order is valid for a period of 5 years or the expiry date of mining lease period issued by the Government of Kerala, whichever is earlier.

# √ Compliance

# We agreed

#### > Condition 56

The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.

# √ Compliance

There is no pending litigation related to the land or project, in any court of law regarding this project.

#### > Condition 57

The mining operation shall restrict to above ground water table and it should not intersect ground water table.

#### √ Compliance

We will carried out mining activity above the ground water table only and it will not intersect ground water table.

#### Condition 58

All vehicles used for transportation and within the mine shall have 'PUC' certificate from authorized pollution taking center. Washing of all vehicles shall be in the lease area.

# √ Compliance

All vehicles using for the transportation within the mine have obtained 'PUC' certificate from authorized pollution taking center. All the vehicles will be washed within in the lease area only.

#### Condition 59

Project proponent should obtain necessary prior permission of the competent authorities for withdrawal of requisite quantity of surface water and ground water for the project.

# √ Compliance

We will obtain necessary prior permission of the competent authorities for withdrawal of requisite quantity of surface water and ground water for the project.

#### > Condition 60

Regular monitoring of flow rates and water quality upstream and down streams of the spring and perennial nallahs flowing in and around the mining lease area shall be carried out and reported in the six monthly reports to the SEIAA.

# ✓ Compliance

We will monitor the flow rates and water quality upstream and down streams of the spring and perennial nallahs flowing in and around the mining lease area and it will reported in the six monthly reports to the SELAA.

#### > Condition 61

Occupational Health surveillance programme of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures if needed.

#### √ Compliance

We are carrying out Occupational Health surveillance programme of our workers periodically to observe any contractions due to exposure to dust and take corrective measures in connection with Mines Vocational Training.





Photographs showing the rainwater harvesting system in the project area





Photographs showing tree planted around parking areas and road sides





Photograph showing the Solar Energy device installed within the project area



Photograph showing the Sprinkler system installed in tipper lorry







Photograph showing the metal wire fencing and indicators boards



Photograph showing the danger board indicating blasting time installed in the project site

BY REGISTERED POST



भारत संस्कार/ Govt. of India अम एवं रोजगर अंग्रहस्य/ Ministry of Labour & Employment श्रोच सुरक्षा महानिदेशासय/ Directorate General of Mines Safety सँगतुर क्षेत्र, तु.सं./Bangalore Region ,SZ.



E-Mati : <u>alle ban Şidqmisiqniv, in</u>

No.5, 17<sup>th</sup> Main, 100 ft Road, d<sup>th</sup> Block Koramaogala, Bangalore- 560034(Kamataka) Teh., 080-25535971-74 FAX: 080-25535972

#./S2/BGE/KRL/KDL/23/ALRh-34(5)/P-164/2017-18/ 2.73/E

बॅग्लूब, दिनक,

19/12/ 2017.

खान सुरदाः निदेशकः, बेगानुरु क्षेत्र, दं.अं.४

तेषा में, Sin Ramesh S, Agent: Chithara Stone Mine, M/s Poabs Enterprises Pvt Limited, Punnous Madom, Karunagappally, Kufleri Shagom Pest, Kollam, Kerala-690 546

বিধয়:- Authorization under Regulation 34(8) of MMR, 1961 in favour of 5ri K. Sampath Raj, holder of Second class Manager's Cardificate (Un-Restricted), to work as manager of Chithara Stone-Mine of M/s Poats Enterprises Pvt Limited., Kollayii Post Chithara, Kollam Dist, Kerala.

गहोदय,

Piease refer to your letter No.Nil dated 10.11.2016, on the above subject.

In view of what has been stated in your application, I, in exercise of the prevers conferred on the Chief Inspector of Mines under the Provisions of Regulation 34(6) of the Metalliferous Mines Regulations, 1951 and by Writte of the authorization granted to me by the Chief Inspector of Mines (also designated as Director General of Mines Safety): under Section 6(1) of the Mines Act, 1952, do hereby authorize S4 K.Sampeth Ref, holder of Second class Manager's (Un-Restricted) SMW/1592 dated 03.00.2002, to act as Manager of Chithara Stone Mine of M/s Posts Enterprises Pvt Limited., Kollayti Post Chithara, Kollem Dist, Kerafa, for a period up to 13.12.2018 subject to the following conditions:

- 1. Manager shall not take up any appointment in any capacity whatsoever in another mine.
- If required, deep hale deliling machinery risk exceeding 100 mm diameter may be deproyed with maximum two leading machines with tippers in the mine.
- 3. In case, deep hole blasting with hole (flamete: not exceeding 100mm has to be conducted, it shall be carried out under the personal supervision of the manager. Blasting parameters of each blast with a sketch showing the drilling pattern and the holes charged shall be maintained in register kept for the purpose for each blast.
- The average daily employment of persons at the mine shall not exceed 100 in qt, underground workings shall not be made and consumption of explosives per day shall not exceed 500Kgs.





Photograph showing the tarred Access road to the quarry






Photographs showing top soil storage area



Photograph showing the Bench Type Mining



Photograph showing the crusher unit covered by thick green belt and metal sheet envelop



POLUCHEM LABORATORIES (P) LTD. CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104 Phone : 0484-2544030, 8281982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

ACCREDITED BY KSPCB AS "A" GRADE LABORATORY

### TEST REPORT

Page 01 of 01

Client Name & Address	Certificate No:	PL/RT/SD/5122/2018
	Date of issue:	08/06/2018
	Date of monitoring	01/06/2018 11.00 Hrs to 02/06/2018 11.00 Hrs
M/s Poabs Enterprises Pvt. Ltd Kottarakkara Kollam	Monitoring Location	M/s. Poabs Enterprises Pvt Ltd. Sy.No.272/5,271/4,271/5,271/6,270/2,274/1-2, 273/3,273/1,272/7,272/2-2,270/1,271/3 & 272/1 Village: Chithara Panchayath: Chithara Taluk:Kottarakara District:Kollam,Kerala
	Sample Description	Ambient Sound Level (Leq)
Monitoring Location	Time	Results
	11.00 Hrs	50.3 dB (A)
	12.00 Hrs	51.2 dB (A)
	13.00 Hrs	49.8 dB (A)
	14.00 Hrs	50.2 dB (A)
	15.00 Hrs	49.4 dB (A)
	16.00 Hrs	50.1 dB (A)
	17.00 Hrs	51.3 dB (A)
	18.00 Hrs	48.3 dB (A)
	19.00 Hrs	46.7 dB (A)
	20.00 Hrs	45.1 dB (A)
	21.00 Hrs	41.3 dB (A)
N. P. C. L.	22.00 Hrs	40.3 dB (A)
Near East side boundary	23.00 Hrs	39.8 dB (A)
	00.00 Hrs	37.4 dB (A)
	01.00 Hrs	34.7dB (A)
	02.00 Hrs	33.8dB (A)
	03.00 Hrs	33.7 dB (A)
7 10 10 11 11 11 11	04.00 Hrs	39.8dB (A)
	05.00 Hrs	42.3 dB (A)
	06.00 Hrs	44.2 dB (A)
	07.00 Hrs	45.6 dB (A)
	08.00 Hrs	46.7 dB (A)
	09.00 Hrs	48.4 dB (A)
	10.00 Hrs	
eq (Day time)	10.00 1115	49.8 dB (A)
eq (Night time)		50.4 dB (A)
-1 (8		34.7 dB (A)


\*End of the Report \*

For Poluchem Laboratories (P) Ltd.

Authorized Signatory SREEJA RAMESH QUALITY M WAGER
POLUCHEM LABORATORIES (P) LTD.



Photograph showing Blasting Shelter installed in the project area





Photographs showing storm water channels with de-siltation trap (Check dam like)



Photograph showing the Explosives magazines built in an isolated area



## KERALA STATE POLLUTION CONTROL BOARD

FILE NO. : PCB/KO/CTO/G/280/2013

Date of issue: 28/04/2017

## INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No: PCB/KO/CTO/R2/281/2017

Ref: Consent No. PCB/KO/CTO/R1/281/2015 dated: 06.11.2015.

The 'Integrated Consent to Operate' issued as per reference above to M/s Poabs Entherprises(P) Ltd, Chakkamala, Kolayil P.O., Chithara, Kottarakkara, Kollam-691 541 is hereby renewed up to 31/03/2020 and issued to Poabs Entherprises (P) Ltd, Chakkamala, Kolayil P.O., Chithara, Kottarakkara, Kollam-691 541. The consent(s)/ variation order(s) cited under reference is integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

### I. GENERAL

S.No.	Items	Description
1	Validity	31.03.2020
2	Category	Red
3	Capital Investment (Rs. In lakhs)	₹ 94
4	Annual fee	₹ 15000/-
5	Fee remitted	₹ 52500/-
6	Activity/Product/day	Rock Quarrying @ 42000 Sq Mtr

### II. Stack Details

Stack No.	Source of	Emission	Stack Heig	ght above	Control
	Emission	Rate(Nm3/Hr)	Ground Level(In	Roof Level(In Meters)	Equipmen

Kerala State Pollution Control Board, District Office, Kollam



### III. CONDITIONS

- The consent is issued only with respect to the powers vested under the Water Act 1974, Air Act 1981 and Rules thereunder.
- 2. This Integrated Consent to Operate (Renewal), unless withdrawn earlier and subject to condition no.2.1 shall be valid up to 31.03.2020. For continuing to operate beyond the validity date application for the renewal has to be submitted through online (website: krocmms.nic.in) before 31.12.2019.
- A distance of 100m shall be maintained from the quarrying area to nearby residences/other buildings/ roads with public transport system/ river/ lake/ bridge.
- 4. This consent is issued based on the order no. 35/SEIAA/KL/6090/2012 dated 14.11.2012 of the State Environment Impact Assessment Authority of Kerala and is valid only when all other statutory/necessary clearances from other concerned authorities are valid. The Quarrying shall be done after obtaining clearance from all concerned authorities.

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.  $\hfill \bigcap$ 

DATE: 28/04/2017

SIGNATURE & SEAL OF ISSUING AUTHORITY

Bindhu Radhakrishnan Environmental Engineer

To

Sri. Joseph Jacob,
Managing Director
Poabs Entherprises (P) Ltd,
Chakkamala,
Chithara,
Kottarakkara,
Kollam-691 541.

Kerala State Pollution Control Board, District Office, Kollam

Charles and the recy of	
mmud \$2-1213 14	San unservanda uning
1994 ലെ കേരളാ പഞ്ചായത്ത്	മാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകൾ ത തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചുകൊടുത്ത ലൈസൻസ്
ലൈസൻസുടമസ്ഥന്റെ പേരും മേൽവിലാസവും	क्रमेश्वर क्षेत्रकार (ठाडवाडी) (करा एक) हिस्से क्षेत्रकार (ठाडवाडी) व्यक्तिकार (ठाडवाडी)
എന്താവശൃത്തിന് ലൈസൻസ് അനുവദിച്ചു എന്ന്	alia atama.
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡ് നമ്പരും	54:No: 266 15,74,164,16-2,271/5,74,722,7-3, 272/5,267/5,268/24,222,3-24,3-242,5-2,7,4-2,443, 2014 - 2019 268/61,268/9-2,268/8-1,268/8-268/8-1
ലൈസൻസിന്റെ കാലാവധി	2014 - 2019 268/61, 268/9-2, 268/8-1, 268/8
ലൈസൻസ് ഫീസ്	₹ 125000/- equ secure
റിമാർക്സ്	RH: No: 11301105248
01/10	odelego security secu
	KOLLAM DIST, ELTALA, INDIX Mob: 9048450 ) 10

്യാരപഞ്ചായത്ത് റജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകൾ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചകൊടുത്ത
ാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 മെന്ന് വകും കൾ
തുടർന്നുള്ള പടങ്ങളെ അനുസരി വാകാരുത്ത
ലൈസൻസ്
ELISTA PORTOS CHENSON (BYT LTD) 84966. I. B. BOSOLES  BYTHE BOSOLES
200. 00 10 200 113mg
SU: No: 297/2,314,270/2,269/2,272/2, 2014-2019 278/3,274/12
2014-2019 278/3,274/12
122.500/- อาม ออมกบ
Rt: No: #301105249
The state of the s
്രൂത്തയാണ്
SECRETARY (aquaso)
KOLLAM DIST, KERALA, INDIA

स्राद्ध सरकार | Government of India वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसी) | Petroleum & Explosives Safety Organisation (PESO) पूर्व नाम- विस्माद विस्मार | Fomerly- Department of Explosives केन्द्रीय शेवन, ब्लाक सी.2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor CSEZ पी.3fl.कक्सानाइ कोटपी | CSEZ PO Kakkanad Dist Ernakulam Ernakulam 682037 फोन (Phone)- 2427286 | फैनस (Fax)- 2427276 है-मेल Email: dyccoernakulam@explosives.gov.in

संख्या (Ng ): E/SC/KL/22/1537(E64133)

दिनाक (Date): 17/02/2016

सेवा में То,

Strt JOSEPH JACOB Managing Director,
Ms. POABS ENTERPRISES PYT LTD., Kuttoor Past Tiruvalla, TownVillage - Tiruvalla
District PATHANAMTHITTA, State-Kerala, Pincode - 689106

विषय

Survey No. 268/5/2 of Block No. 56, साम Chuhara(v), Kottarakkara-Taluk, जिला KOLLAM, राज्य Kerala में विस्पोटक के मेगजीन में उपयोग के तिए कबजा हेतु विस्फोटक नियम, 2008 के अतर्गत LE-3 में जारी अनुभन्ति सं E/SC/KL/22/1537(E64133) के नवीनीकरण संदर्भ में।

Subject

Possession for Use of of Explosives from magazine situated at Survey No. 268/5/2 of Block No. 56, Chitharn(v), Kottarakkarn-Taluk, Dist. KOLLAM, Kerala -Licence No. E/SC/KL/22/1537(E64133) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदग | Sic.

आपका उपयुक्त विषय पर पत्र संख्या mil दिलांक 22/01/2016 का संदर्भ यहण वर्तः। विस्फोटक नियम 2008 के अंतर्गत प्रस्प LE-3 में जारी अनुजन्ति दिलांक 31/3/2021 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है। Reference in your letter No inil dated: 22/01/2016, the subject licence duly renewed upto 31/3/2021 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded

Conditions:

1)LVALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENSEE FOR BLASTING OPERATIONS AND LOCAL STATE
GOVERNMENT AUTHORITIES APPROVALZENVIRONMENTAL CLEARANCE AS APPLICABLE AND RENEWED FROM TIME TO TIME
SHALL BE IN POSSESSION 2. IF ANY CHANGE OF QUARRY OR ADDITIONAL QUARRY IS INVOLVED, NECESSARY PRIOR
APPROVALZENDORSEMENT SHALL BE OBTAINED FROM THE LICENSING AUTHORITY 3. OPENING OF QUARRY SHALL BE INFORMED
TO THE DGMS AND BLASTING OPERATIONS SHALL BE CONDUCTED AS PER MINES ACT. 4, APPROVED BLASTER SHALL BE
APPOINTED IN THE QUARRY FOR BLASTING. 5. ALL RECORDS OF USE OF EXPLOSIVES IN RE-3, RE-3, RE-7, RE-13 SHALL BE
MAINTAINED 6.DAILY PASS FOR USE OF EXPLOSIVES (RE-13)SHALL BE GENERATED ONLINE.

अनुजन्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2021 से पहले **इस कार्यालय** को भेजे जाए For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2021.

- प्ररूप आरई-। में विधिवत पूर्ण एवं हस्साधारित आवेदन। Application in Form RE-! duly filled in and signed
- एक से पाँच वर्ष के अनुजयित शुल्क का बैंक झफ्ट। बैंक झफ्ट किसी भी राष्ट्रीयकृत बैंक के लाम आहरित संयुक्त मुख्य विस्फोटक नियंत्रक, घेल्लई के पक्ष में चेन्नई में देश हो ।

Licence fees for one to five years in the form of demand draft drawn on any Nationalized Bank in favour of Jr. Chief Controller of Explosives, Chennai payable at Chennal

- at Chennal. अनुमोदित प्यान के साथ मूल अनुमन्ति। Original licence with approved plan वृभया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें। In this connection, please also refer to Rule 112 of Explosives Rules, 2008
- विस्फोटकों के क्रय हेतु आरई-।। में मांगपन (इंडेंट) आपूर्तिकलों को दिया जाए और उसी की एक प्रति इस कार्यालय को क्रेजी जाएं (आतिशवाजी गोदाम के लिए लागू नहीं ) । Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office.(Not applicable for fireworks store
- कृषया विरफोटको की बैमासीक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं । विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख रों पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं ) । Please submit quarterly returns of explasives in RF-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter (Not applicable for fireworks store house)
- सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो। All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

आपके खाते में क्यण 500/- की राशि शेष हैं जो इस संदर्भ को उद्भत करते हुए अविषय के संख्यवहार में समायोजित की जा सकती हैं । An amount of **Rs.** 500/- balance is in your credit, which may be utilized for future transaction by quoting this reference.

अवदीय | Your's faithfully

(VH.VH. ARRANT | SM Kulkurni)

विस्पोदक नियंत्रक | Controller of Explosives कृते उप मुख्य विस्कृतिक नियं का the Dy. Chief Controller of Paplosives For Departy of Liberakulanies of Explosives

प्रतिनिधे पेषित | Copy Forwarded in: l. जिला मजिस्ट्रेट (District Magistrate), KOLLAM (Kerala)- स्पना के लिए (for information.)

कृते उप मुख्य विस्फोटक नियत्रक | For The Dy. Chief Controller of Explosives.

कोटची | Emakulam

### अनुजन्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।) (See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटन Licence to possess: (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुजन्ति सं. (Licence No.) : E/SC/KL/22/1537(E64133) वाष्ट्रिक फीस स्पर्ण (Annual Fee Rs): 3000/-

1. Licence is hereby granted to

Shri.JOSEPH JACOB, Managing Director, (afthirth / Occupier: Joseph Jacob, Managing Director, Posts Enterprises Pvt Ltd), M/s. POABS ENTERPRISES PVT LTD., Kuttoor Post, Tiruvalla, Town/Village - Krityalla. District-PATHANAMTHITTA, State-Kerala, Pincode - 689106

को अनुजप्ति अनुदत्त की जाती है।

2. अनुजिप्तिधारी की प्रास्थिति | Status of licensee : Company

अन्त्रप्ति निम्नतिखित प्रयोजनों के लिए विधिमान्य है। nce is valid only for the following purpose

 अनुजन्ति विस्फोटकों के निम्नितिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है। Licence is valid for the following kinds and quantity of explosives: -- (事) (a)

मात्रा किसी एक समय में क्र नाम और विवरण वर्ग और प्रभाग उप-प्रभाग Sr. No. Name and Description Class & Division Sub-division Quantity at any one time 300 Kg Nitrate Mixture 2.0 Safety Fuse Ordinary Detonator

4. Electric Detonators 6.3 0 10000 Nos. 20 times (ভ) নির্মা एक कर्लेंडर সাম স গুরীই जाने বাল বিরুদ্ধারক কী সাখা [अनुच्छेद ১(জ) और (ग) के এখান अनुসদ্দি के নিয় (b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] as above.

रेखाचित्र क. (Drawing No.) E/SC/KL/22/1537(E64133) दिलांक (Duted) 13/02/2013 <sup>5</sup> निम्नलिखित रेखाचित्र (रेखाचित्रा) से अनुजप्त परिसर की पुष्टि होती है। The licensed premises shall conform to the following drawing(s):

6. अनुजय्ति परिसर निम्नलिखित पर्ते पर स्थित हैं। The licensed premises are situated at following address: Survey No. 268/5/2 of Block No.56, 朝开 (Town/Village): Chitharn(v), Kottarakkura-Tuluk

राज्य (State) ई. मेल (E-Mail) जिला (District) KOLLAM द्रभाष (Phone)

04743294866 mail@poabs.com <sup>7</sup> अनुजप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

: Type A. magazine-Lobby,HE and Detonator rooms The licensed premises consist of following facilities. 8. अनुगरित समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंध, शर्तों और

अतिरिक्त शर्ती और निम्नतिखित उपाबच्दों के अधीन रहते हुए अनुदल की जाती है। The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

 उपयुंक्त कम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)। Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

 अनुज्ञप्ति पाधिकारी व्यारस हस्ता शरित इस अनुज्ञप्ति की शर्त और अतिरिक्ति शर्ते। Conditions and Additional Conditions of this licence signed by the licensing authority.
3. বুল সক্ষ DE-2 | Distance Form DE-2.

9. यह अनुजन्ति तारीख 31 मार्च 2016 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2016.

यह अनुजापित, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुजापित की शर्तों का अधिक्रमण करने या यदि अनुजप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या

प्रतिसद्भत की जा सकती है, जहां वह लागू है।
This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

पुलिस धाना (Police Station) : Kollam

691541

पिनकोड (Pincode)

लारीख | The Date - 13/02/2013

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives

### Amendments:

Amendment of Quantity of Explosives/Monthly Purchase Limit dated: 27/06/2013

नवीनीकरण के पृष्ठांकन के लिए स्थान Space for Endorsement of Renewal

अन्जापन पार्थिकारी के हस्ताक्षर और स्टाम्प नवीकरण की तारीख समाप्ति की तारीख gnature of licensing authority and stamp Date of Renewal Date of Expiry 31/03/2021 Dy. Chief Controller of Explosives, Emakulam 17/02/2016

> कते एप मुख्य विन्होतक नियन्त्रक For Deputy Chief Combined of Explosives TRAINEN Ernakulam









## MPs asked to take up state's rail projects with Centre



## Rice firm in the dock over diversion of FCI foodgrain

# HC orders to produce terms of

## reference of inquiry panel

THE Reral High Court on Tuesday directed the state government to produce
the terms of reference of the PS Aution
the terms of revernee of the PS Aution
the slower talk row involving forminister was calliged against the formaintain the period period of the terms of the plant to be
minister were Section 354(A) (outside, and bars among 34(D) (stalking) and 509
along the period of the plant to be period or a woman of IPC.

According to the petitionee, in view of
According to the petitio

### NIA to examine key witness at his residence

### today TOBY ANTONY @ Kochi

e - AUCTION SALE NOTICE

1. Mr. AHMMAD KABEER, 42/193 PUTHEN VILA VEEDU, PUNNALA P.O - 689696

Name of the Account	Branch	Description of the Vehicle	Outstanding as per S.13(2) Notice in Rs.	Reserve Price (in Lakh) EMD (in Lakh) BID Increase Amt (in lac)	Time of Sale
Mr. Ahmmad Kabeer,	Pathanapuram lu,	Model – EXTREME VD Reg No – KL-25-G-1493	Rs 9,50,758/-	Rs. 1.75 Lakh	04:30 pm 05:00 pm
42/193 Puthen Vila Veedu, Punnala P.O - 689696			(Rupees Nine Lakh Fifty Thousand Seven Hundred	Rs. 0.20 Lakh	
		Engine No - G1408514B07557 Chassis No - MCLSAG7DPRD008935	and Fifty Eight Only)	Rs. 0.10 Lakh	олог ра
M/s Arun Garments &	Kollam	Manuti EECO 5 SEATER A/C Model - Manuti	Rs 2,39,452/-	Rs. 1.90 Lakh	04:00 pm
Fancy, 18/750-opp BMS Office, Thamarakulam,		Reg No - KL 02 AP 7535	(Rupees Two Lakh Thirty Nine Thousand Four	Rs. 0.20 Lakh	04:30 pr

BOOK BASK OF ROLA, RUNLIES

STEEL A WEST OF THE ATTEMPT OF THE STEEL AND THE STEEL AND

Basis', Particulars of which are given	en below-				
Bonzwer(s) / Co-Bonower(s)/ Guarantor(s)	Demand Notice Date and Amount Is (7)	Description of the Immovable property	Reserve Price (RP) In (Y)	Earnest Money Deposit (EMD) (10% of RP)	Total Loan Outstanding (As on 29-11-2017) In (1)
(LC No: 2347) Kalesh M.K. (Borrower) Sarasamma M.P. (Co-Borrower)	24/11/2011 ₹ 2,93,912/-	R.S. 77/11/1 in Kulanada Village, Kalpuzha North, Kozhenchery Thaluk, Pathanamthitta - 689 503.	₹ 1,80,000- (Ose lakts eighty thousand only)	₹ 18,000i- (Eighteen thousand crity)	₹ 5,32,006 <sup>1</sup> . (Fixe lasts thely two thousand eight only)
(LC No: 2678) Staji R. (Borrower) Sandhya Resmi P. (Co-Borrower)	24/7/2013 ₹ 14,15,130-	R.S. 46/21, Mella Village, Kotlanskara Taluk, Kollam - 691 557.	7 6,00,000/- (Six lattle only)	7 60,000- (Stoy-frouend only)	# 20,26,022/- (Twenty takes twenty six thousand twenty two city)
(LC No: 3366) Shajahan Badarudheen (Borrower) Shanaras Badarudheen (Co-Borrower)	08/05/2015 ₹ 38,47,692/-	4.10 ares in R.S. 143/15, Near Devalapuram, Cherunniyur Village, Chitayinkii Taluk, Trivandrum - 695 144.	₹ 14,60,000/ (Fourteen lakts sixty thousand only)	₹ 1,45,000i- (One biltre forty six frounand only)	# 45,48,910/- (Forty Ties seiths forty eight thousand nine hundred ten only)
(LC No: 2082) Selvadas Gnanaprakash (Borrower) Sophindas Gnanaprakash (Co-Borrower)	26/6/2010 ₹ 28,28,880-	4.30 ares in Sy. No. 132/12, 132/20/1/1 with building in Maranaltoor Village, Neyyuttinkara Thaluk, Trivendrum.	₹ 13,20,000f- (Thirteen leiths twenty thousand only)	₹ 1,32,000- (One lates triety two flourand only)	7 28,30,883:- (Twenty sight lates theny thousand eight hundred eighty cety)

NDIAN Wed, 29 November 2017
EXPRESS epaper.newindianexpress.com//c/24092859



2000 (Salaron normal 29 and normal no റിലയൻസ് കമ്വൂണിക്കേഷൻസിൻെറ പേരിൽ ഇൻറർനെറ്റ് സമത്വം നിർദേശങ്ങൾ ട്രായ് സമർപ്പിച്ചു

# ചൈനാ ബാങ്കിൻെറ പാപ്പർ ഹർജി

പ്രദീപ് സിങ് ഖരോള എയർ ഇന്ത്യ സി.എം.ഡി.

<b>+വിനിമയനിര</b> ം	കുക	•60
	67166	extri
கோர்	64.11	63.40
പൗങ്ങ്	86.37	84.45
യുറോ	76.20	75.35
നാളിന്ത് പ്രവാത	65.23	64.30
കനേധിയൻ ഡോളർ	50.13	49.54
ഓസ്ട്രേലിയൻ ഡോളർ	48.76	48.06
സിംബപ്പൂർ ഡോളർ	47.55	47.01
සෞක්රවත් ජවගාන්		167,56
കുരവേത്തി ദിനാർ		200.65
කොහැ රැකුකේ		164.23
ගැපම රාකෘත්		16,89
කාංකුක, ශ්රීකාලං		17,30

കെ.എസ്.ഇ.യിൽ ഗോദ്റെജിന് കണ്ണ്

വാണിജ്യം



ആസ്ഥാനമായുള്ള കാലിത്തീറ്റ നിർമാണ കമ്പനിയാണ് കെ.എസ്.ഇ. ഗോദ്റെജ് ഗ്രൂപ്പിനു കീഴിലുള്ള ഗോദ്റെജ് അഗ്രാവെറ്റിന് ദക്ഷിണേന്ത്യയിലെ സാന്നിധ്വം ശക്തിപ്പെടുത്താനാണ് കെ.എസ്.ഇ.യെ ഏറ്റെടുക്കാൻ ശ്രമിക്കുന്നത്



രൂപയ്ക്ക് ഒമ്പത്

66 പിസ നേട്ടം പുംബോ: കറൻസി വിനിയേ തിൽ രൂപ ഡോളറിനെതിരേ മ്പത് പൈസയുമാ നേട്ടം കെവരിച്ചു. ഒരു ഡോളറിന് 4.41 രൂപ എന്ന നിലയിലാ

ുരുമുളക ക്വിൻറ	ലന 200 രൂപ കുറ
90% 21096 769.00 (18.90)	വിനാംബർ. 128 തനുവര് 129 ചെയ്യുവയി. 157 തൂർണ്ണം അവദി വില ന്റ്
ആർ.എസ്.എസ്. 612000 - 12400 ജട്ടുപാൽ	ംമ്ലാക്ക അവദി വില എംസിഎക്സ്

# വിമാനത്താവളത്തിൽ യാത്രക്കാരിയും ജീവനക്കാരിയും തമ്മിൽ കൈയാങ്കളി

### ന്യുനമർദം: തമിഴ്നാട്ടിൽ കനത്ത മഴയ്ക് സാധ്യത







## യു.പി.യിൽ ലഷ്ടർ ഭീകരൻ അറസ്റ്റിൽ

വൈദ്വൻ

നോട്ടീസ്

WAYANAD, KERALA

EXPRESSION OF INTEREST

### 'പദ്മാവതി': സംവിധായകന് പാർലമെൻററി കമ്മിറ്റി ക്ഷണം

## DISTRICT TOURISM PROMOTION COUNCIL

EXPRESSION OF INTEREST

നം.	പ്രവാതികൾ	തുക	ടെണ്ടർ ഫോഠത്തിന്റെ വില	സ്മേഷപ
1	കടയ്ക്കൽ പഞ്ചായത്തിലെ കലുങ്ക് ജംഗ്ഷൻ വടക്കേവയൽ ശങ്കർനഗർ റോഡ് കോൺക്രിറ്റിംഗ്	500000	1000+12% GST	12500
2	കടയ്ക്കൽ പഞ്ചായത്തിലെ ചെറുകുളം അരിക്കൽ ചാൽ റോഡ് കോൺക്രിറ്റിംഗ്	500000	1000+12% GST	12500
3	നിലാമൻ പഞ്ചായത്തിലെ മുക്കുത്തടം തോട്ട്വള്ളി റോഡ് കോൺക്രിറ്റിംഗ്	400000	800+12% GST	10000
4	നിലാമൻ പഞ്ചായത്തിലെ പാണംകോണം ഏലക്കാട് റോഡ് കോൺക്രിറ്റിംഗ്	400000	800+12% GST	10000
5	കുമ്പിൾ പഞ്ചായത്തിലെ അമ്പലംമുക്ക് പനച്ചക്കാര് റോഡ് കോൺക്രിറ്റിംഗ്	500000	1000+12% GST	12500
6	വെളിനല്ലൂർ പഞ്ചായത്തിലെ റോഡുവിള കാവടി വാതുക്കൽ റോഡ് കോൺക്രിറ്റിംഗ്	400000	800+12% GST	10000
7	ചടയമംതലം പഞ്ചായത്തിലെ എന്ന്.എച്ച്.അയ്യപ്പനിലുക്ക് റോഡ് കോൺക്രിറ്റിംഗ്	400000	800+12% GST	10000
8	ചടയമംഗലം പഞ്ചായത്തിലെ മുളയം ചിറ്റയം റോഡ് കോൺക്രി റ്റിംഗ്	400000	800+12% GST	10000
9	ചടയമംഗലം പഞ്ചായത്തിലെ യാൻസ്ഫോർടർ വെട്ടിനിരത്താൻ മുകൾ റോഡ് കോൺക്രിറ്റിംഗ്	400000	800+12% GST	10000
10	ഇട്ടിവ പഞ്ചായത്തിലെ ചാണപ്പാറ തേക്കിൻ റോഡ് കോൺക്രീറ്റിംഗ്	300000	600+12% GST	7500
11	ഇട്ടിവ പഞ്ചായത്തിലെ കാട്ടാമ്പള്ളി പെടുംകുളം എലാ റോഡ് കോൺക്രിറ്റിംഗ്	261500	825+12% GST	6540
12	വേളിനല്ലൂർ പഞ്ചായത്തിലെ വട്ടപ്പാറ പോക്കരുകോണം റോഡ് കോൺക്രിറ്റിംഗ്	200000	500+12% GST	5000
13	വേളിനല്ലൂർ പഞ്ചായത്തിലെ വട്ടപ്പാറ പൂല്ലാനിപ്പപ്പ കാക്കത്തോട് റോഡ് കോൺക്രിറ്റിംഗ്	200000	500+12% GST	5000
14	ഇളരാട് പഞ്ചായത്തിലെ ചാത്തോട് കിണവുമുക്ക് റോഡ് കോൺ ക്രീറ്റിംന്	200000	500+12% GST	5000
15	ചിതറ പഞ്ചായത്തിലെ ആനോട് കാവ് ബൗണ്ടർമുക്ക് റോഡ് കോൺക്രിറ്റിംഗ്	500000	1000+12% GST	12500
16	ചിതറ പഞ്ചായത്തിലെ കലയപുരം മുനിയിരുന്നകല റോഡ് കോൺക്രിറ്റിംഗ്	500000	1000+12% GST	12500
17	ഇളടോട് പഞ്ചായത്തിലെ പാഠമുകൾ മുരുക്ക് തോട് ഏലാ റോഡ് കോൺക്രിറ്റിംഗ്	300000	600+12% GST	7500
18	ഇളത് പഞ്ചായത്തിലെ പണിക്കപ്പാം കൊല്ലുക്കോണം റോഡ് കോൺക്ലിറ്റിംഗ്	400000	800+12% GST	10000
19	ഇളടെട് പഞ്ചായത്തിലെ അർക്കണൂർ വായനശാല നാൽപ്പൽ നമ്പർ അംഗൻവാടി റോഡ് കോൺക്കിറിംഗ്	100000	200+12% GST	2500

			٨٠	2014	0
		Grama Panchay	at A8	3039354 (GLM, KANJIKODE) 2014	U
		Phone: OWLEDGEMENT (Not for	Cash Transactions)	SLM, KAN	
	of Receipt 30/11	1/2017	2017	SEWS (G	
		s enterprises pvt ltd, ko	ollayil	- Y	
	envio	nment clearance surv	ey no 259/1and	realisation	
	ather	S		subject to	U
	of very			eques are	
	Remarks :			Secretary	
	Counter No. & Staff:	30/11/2017 10;38:26AN		Decretary	X
*					
	•				
				*	
			7		
			. 1		
			. ». 		
			. /		



Photograph showing the Details of the environmental clearance prominently displayed in a metallic board



കേരളo केरल KERALA

AR 844948

## **Affidavit**

I, Thomas Jacob, Kuttoor Village, Thiruvalla Taluk, Pathanamthitta District, Kerala state do hereby solemnly affirm and state as follows.

I am the Director of M/s Poabs Enterprises Pvt. Ltd. and empowered to swear this affidavit for and on behalf of the said company.

A.P.Gokujachendran
Area: Thiravalla
Municipality
Reg.Nol. 13/97/PTA
Explry Date:
19.95.2020

A.P. Gokula Chandran, B.A;LL,B. Advocate & Notary Roll No:K/86/71 Thiruvalla.

17.10.2017

andmaes zoosen engant wenstad.oz., www addonest Allam did p.o. asve





## കേരളo केरल KERALA

AR 844949


We have applied for environmental clearance certificate for conducting quarry operations at Survey Nos. 259/1, 256/4, 265/1, 272/1, 272/7, 272/6, 271/3, 271/6, 273/1, 270/1, 265/2, 271/2, 270/2, 269/2, 272/2-2, 273/3, 274/1-2, 268/9-2, 266/15, 266/24, 266/16-1, 266/16-2, 271/7-1, 271/7-2, 271/7-3, 272/5, 267/5, 268/2-1, 268/2-2, 268/3-2-1, 268/3-2-2, 268/5-2, 268/6, 268/7, 269/9-2, 268/8-1, 268/8-2, 268/4, 268/4-2, 268/4-3, 271/4, 271/5, Chithara Village, Kottarakkara Taluk, Kollam District, Kerala.

A.P.Gokuşachandran Area : Thiruvalla Municipality Reg.No§13/97/PTA Expiry Date

17.10-2017

Confinger Consum By Any on Consum and and some consum and and some and and some consum By Any on the consum By Any of the consum By Any

A.P. Gokula Chandran, B.A;LL.B. Advocate & Notary Roll No:K/86/71 Thiruvalla.





## കേരളo केरल KERALA

AR 844950

We will implement CSR Actives as explained in the proposal or as directed by the SEIAA.

3. All the general and specific conditions imposed by SEIAA will also be complied.

4. If any rare, endemic and threatened plant species are noticed, they shall be properly protected insitu or transplanted to a suitable site inside the lease area.



DEPONENT

A.P. Gokula Chandran, 8.A;EE.B. Advocate & Notary Roll No:K/86/71 Thiruvalla.



ONDERSON CONSTRUCTIONS - AND CONSTRUCT - C/1/2 CM. A & A P.O. (B) CV





കേരളo केरल KERALA

AR 844951

## **Verification:**

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

DEPONENT

Place: Kollam


Date: 17/10/2017

Solemnly affirmed and signed before me by the deponent who is personally known to me in my office at Thiruvalla on this the 172 day of Art 2020.





A.P. Gokula Chandran, 8.A;LL.B. Advocate & Notary Roll No:K/86/71 Thiruvalla.







# POLUCHEM LABORATORIES (P) LTD. CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY

CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104 Phone: 0484-2544030, 8281982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

ACCREDITED BY KSPCB AS "A" GRADE LABORATORY

### TEST REPORT

Page 01 of 01

Client Name & Address	Certificate No:	PL/AMB/RT/5119/2018
	Date of issue:	08/06/2018
	Date of monitoring	01/06/2018 11.00 Hrs to 02/06/2018 11.00 Hrs
M/s Poabs Enterprises Pvt. Ltd Kottarakkara, Kollam	Date of sample received:	02/06/2018
	Date of analysis	04/06/2018
	Monitoring Location	M/s. Poabs Enterprises Pvt Ltd. Sy.No.272/5,271/4,271/5,271/6,270/2,274/1-2, 273/3,273/1,272/7,272/2-2,270/1,271/3 & 272/1 Village: Chithara Panchayath: Chithara Taluk:Kottarakara District:Kollam,Kerala
	Sample description	Ambient air -Near East side boundary
	Sample code given by client	Nil

SL NO	PARAMETERS	TEST METHOD	RESULTS	Limit as per NAAQS
01	Particulate Matter (PM <sub>10</sub> )	I S 5182 Part 23 2006	49.6 μg/m <sup>3</sup>	100 μg/m <sup>3</sup>
02	Particulate Matter (PM <sub>2.5</sub> )	WI/AMB2.5/01	19.8 μg/m <sup>3</sup>	60 μg/m <sup>3</sup>
03	Sulphur dioxide	I S 5182 Part 2 2001	9.7 μg/m³	80 μg/m <sup>3</sup>
04	Nitrogen dioxide	IS 5182 Part 06 2006	8.3 μg/m <sup>3</sup>	80 μg/m <sup>3</sup>


Note: NAAQS-National Ambient Air Quality Standards

\* End of the Report\*

The results are related only to the sample collected for analysis. This certificate shall not be reproduced except in full and without the written permission with authorized signatory For and on behalf of POLUCHEM LABORATORIES (P) LTD.

AUTHORIZED SIGNATORY

QUALITY MANAGER
POLICHEM LABORATORIES (P) LTD.



Photograph showing the overburden dumping area scientifically vegetated with suitable native species and foot walls



Photograph showing the Storm water pond