

COMPLIANCE REPORT

то

THE CONDITIONS

OF

ENVIRONMENTAL CLEARANCE ORDER

NO: 960/EC4/4470/2015/SEIAA

DT. 17 - 03 - 2018

BY

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)

FOR THE QUARRY PROJECT

AT

SURVEY Nos. 3/5, 11/2, 11/4, 12/6, 12/3, 12/2, 12/5, 11/3, 3/6 pt., 3/8 pt., 10/3-1, 10/4, 10/2-1, 16/3, 17/8 & 18/1 pt., 11/7 THOTTAPUZHASSERY PANCHAYAT, THIRUVALLA TALUK, PATHANAMTHITTA DISTRICT, KERALA

BY

PANACHAYIL INDUSTRIES, WEST OTHERA PO, THIRUVALLA, PATHANAMTHITTA, KERALA

(October, 2020 - March, 2021)

Panachayil Industries

INTRODUCTION

M/s Panachayil Industries is a stone quarry located at Survey Nos. 3/5, 11/2, 11/4, 12/6, 12/3, 12/2, 12/5, 11/3, 3/6 pt., 3/8 pt., 10/3-1, 10/4, 10/2-1, 16/3, 17/8 & 18/1 pt., 11/7 Thottapuzhassery Panchayat, Thiruvalla Taluk, Pathanamthitta District, Kerala. The quarry project was accorded with the Environmental Clearance by state Environmental Impact Assessment Authority on 17-03-2018. Six month compliance reports to the conditions of the Environmental Clearance are to be submitted as part of compliance. The compliance report to the specific conditions and general conditions of the Environmental Clearance for the period of October, 2020 - March, 2021 (Sixth Report) is being submitted.

PART A – SPECIFIC CONDITIONS

Condition 1

At the base of the worked out pit with cliff like structure, at least 15 m buffer distance is to be provided as a no development zone as a measure of safety.

✓ Compliance

The project team have provided 30 m buffer distance at the base of the worked out pit with cliff like structure as a measure of safety.

Condition 2

If any plant species endemic to Western Ghats are noticed in the area, they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

✓ Compliance

We properly protecting the plant species that are endemic to Western Ghats in situ or by transplanting to an appropriate location. We also maintaining a plant Nursery exclusively for the endemic species that are reported from the project site.



PART B - GENERAL CONDITIONS

Condition 1

Rainwater harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR unless otherwise specified.

✓ Compliance

We have provided rainwater harvesting systems for the present quarry project. It includes 3 excavated pit (Pit 1, Pit 2 and Pit 3) each having the capacity of 640000, 480000 and 720000 liters respectively and one harvesting tanks constructed with stone masonry wall having the capacity of 160000 liter. Details of the rainwater harvesting system are as follows.

Sl. No.	Туре	Length (m)	Width (m)	Height (m)	Capacity (L)
		(111)	(11)	(,	
1	Excavated Pit 1	20	8	4	640000
2	Excavated Pit 2	16	6	5	480000
3	Excavated Pit 3	24	10	3	720000
4	Concrete Tank	8	5	4	160000

Photograph of the rainwater harvesting system as enclosed as Annexure 1.

> Condition 2

Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.

✓ Compliance

An Environmental Monitoring Cell has formed with Mr. Aby Mathew (Managing Partner of the Company) as head of the monitoring cell and made functional. Meeting of the monitoring cell has been arranging periodically and discus the status of the compliance of the specific and general conditions stated in the Environmental clearance order. The details of the monitoring cell members are given below.

Sl. No.	Post	Name		
1	Head of the monitoring cell (Managing Partner of the Company)	Mr. Aby Mathew		
2	Head in charge (Environment)	Mr. Girish Menon		
2	Senior Environmental Officer	Dr. Rinoy Varghese		
3	Environmental Officer	Mr. Navin Xavier		
4	Name of the environmental officers in charge at Site	Mr. P. Rajeev & Mr. Girish G.R		
5	Name of the officer of Environment, Health and safety at Site	Mr. Suneesh C.S		
6	Name of the Asst. officer of Environment, Health and safety at Site	Mr. Roy K.P		
7	Name of the environmental consultant	M/s Environmental Engineers & Consultants Pvt. Ltd		
8	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.		

> Condition 3

Suitable avenue trees should be planted along either side of the tarred road and, open parking areas if any, including approach road and internal roads.

✓ Compliance

Along the sides of the tarred road and open parking areas are almost covered by natural vegetation. We planted in the remaining area with

)

less vegetation using suitable tree saplings,. The photographs showing the same are attached as Annexure No.2.

Condition 4

Maximum possible solar energy generation and utilization shall done at the own cost of the project proponent.

✓ Compliance

For the present quarry project, we provided solar energy devices at the project site. Solar light systems has erected in mines, crusher and magazine area. A Biogas plant is also maintaining and it associates with canteen and is using for kitchen purposes. Photographs showing solar energy devices are given in Annexure 3.

> Condition 5

Sprinklers shall be installed and used in the project site to contain dust emission.

✓ Compliance

For the suppression of the dust generated during Crushing & Screening operation, Company has installed fixed water sprinkling systems in the Crushing units. The road system of the project site, approached road and other connected roads, loading and unloading areas has been watering daily by sprinkler system installed in tipper lorry since the starting of the project. Photographs showing sprinkler system installed in the crusher unit and tipper lorry is given in Annexure 4.

> Condition 6

Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.

✓ Compliance

Eco-restoration comprising the mine closure plan will execute at our own cost. Subsequent to the closure of the mine, 10% of the mined out

area will be retained as water storage area. In the remaining area, it is proposes to develop a green belt after reclaimed with stacked dumping and overburden. As part of the same, we have stored the top soil and overburden in a prefixed area.

> Condition 7

At least 10 percent out of the total excavated pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.

✓ Compliance

Ten percent of the excavated pit area will be retained as water storage area after the closure of the mine. It is plan to grow a green belt in the remaining area with indigenous plant species after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will plant in the areas prone to erosion especially at the foot of the hill.

> Condition 8

Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.

✓ Compliance

For the activities regarding the Corporate Social Responsibility, the amount agreed by the company has been spending for various social activities. The major CSR activities includes; Education support, Drinking water supply, Health support, Promotion of Sports and Cultural Activities, Material supply to poor for home construction etc.

> Condition 9

The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators

(boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.

✓ Compliance

Barbed metal wire fencing has installed around the mining area with a height of 4 ft to prevent falling of animals/human/belongings/dumping of garbage's etc. All the boundary indicators (boards, stores, markings, etc.) has protected. The photograph showing the same is attached as Annexure No.5

> Condition 10

Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulation of Explosive Department.

✓ Compliance

Warning alarm has installed in the project area and maintaining properly. The blasting time has fixed and is between 1.0pm and 2.0pm. A danger board indicating blasting time has installed in the project site.

> Condition 11

Control measures on noise and vibration prescribed by KSPCB should be implemented.

✓ Compliance

Noise pollution

Mitigation measures Implemented

The major noise generating source from the mining activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are undertaken to bring down the noise levels:-

- Proper maintenance of machinery, equipments and improvement of design of machines.
- Personal protective devices i.e., earmuffs, ear plugs etc. are provided to workers working in high noise areas.
- Maintain a wide green belt of dense foliage between mine areas and residential colonies.
- > The mining area is working only during day times.
- Noise quality is checking periodically. The sound levels are monitored through an NABL accredited laboratory during the quarry in operation and the monitored results are well within the permissible limits.

Blast vibrations and control measures

- Controlled blasting technique is adopted in this project in order to reduce blast vibrations.
- The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.
- Optimum delay sequence and stem to column ratio is maintaining to minimize the ground vibration intensity.
- > Condition 12

Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.

✓ Compliance

We are carrying out quarrying operations during day time only.

> Condition 13

Blasting should be in a controlled manner as specified by the regulations of Explosive department or any other concerned agency.

✓ Compliance

Blasting

- The controlled blasting is proposed by adopting all the safety measures as per "MMR 1961" and with the permission of DGMS. We using NONEL detonators for blasting activities.
- * Blasting is carried out for the fragmentation of the granite within the project area. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32mm drill rod, Jack Hammer and air compressor of 100 cm capacity.
- It is estimated about 250g of explosives per hole is required. About 30-50 holes per blast are proposed. Therefore the requirement of explosive will be about 10kg/ blast.

Blasting safeguard

- Slasting in the open cast is done only during day time at designated hours.
- Only competent blasters are appointed to handle explosives.
- Explosives are stored in approved and licensed magazine as per explosive Act/ Rules.
- Explosives are brought from magazine to blasting site in licensed explosive van under the care of blaster.
- Sufficient warning signals are given before blasting the holes.
- Guards are posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during the blasting hour.
- Controlled blasting is practiced to control vibrations and flying fragments.
- Optimum charge is used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay is always being less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.
- > Condition 14

A licensed person should supervise/ control the blasting operations.

✓ Compliance

Competent person is supervising the blasting operations. Copy of the competence certificate is attached as Annexure 6.

> Condition 15

Access road to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.

✓ Compliance

Entry road to the quarry has tarred and maintaining well to contain dust emissions that may arise during transportation of materials. The photographs showing the same is enclosed as Annexure 7.

> Condition 16

Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/ specific condition.

✓ Compliance

We have been storing top soil and overburden in a prefixed location within our property for the reclamation of mine pit as per mine closure plan/EC conditions. Photographs showing the top soil dump is attached as Annexure 8.

Condition 17

Height of the benches should not exceed 5m, and width should not be less than 5m, if there is no mention is the mining plan/ specific condition.

✓ Compliance

Quarrying operation is carrying out in the form of benches. The proposed height and width of the benches are maintaining. Photograph showing the bench type mining is enclosed as Annexure 9.

> Condition 18

Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.

✓ Compliance

Mats to prevent fly rock during blasting has provided. Several other safety measures are also practicing to prevent fly rocks cross the lease area. Blasting during unfavorable weather conditions has avoided. Maintain optimum delay sequence and stem to column ratio to minimize the fly rock distance.

Condition 19

Maximum depth of mining from general ground level at site shall not exceed 10 m.

✓ Compliance

In the current quarrying project, the exploitation of mineral is from 150-40m MSL in conceptual phase. Mining depth will not exceed beyond 10m from general ground level.

> Condition 20

No mining operation should be carried out at places having a slope greater than 45.

✓ Compliance

Quarrying operations is carrying out only at regions having a slope greater than 45°.

> Condition 21

Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers, so that the noise level is kept within prescribed standards given by CPCB/KSPCB.

✓ Compliance

Dense vegetation covers the entire project area and this can reduce sound amplifications produced during quarrying activities. Crusher unit has covered by thick Green belt and metal sheet covering is also fixed. Through all this, the noise level will be limited within the prescribed standards given by CPCB/KSPCB. Photograph showing the crusher unit covered by green belt and metal sheet covering is attached as Annexure 10.

> Condition 22

The workers on the site should be provided with the required protective equipment such as ear muffs, helmets, etc.

✓ Compliance

We are providing personal protective devices such as earmuffs, ear plugs, helmet etc. to the workers have at the site. Blasting shelters are also arranged in the mining site.

> Condition 23

Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.

✓ Compliance

For the current quarry project, an abandoned excavated pit is using as storm water pond. The storm water from the entire project area is channelizing in to it and stored the storm water in it. During this storage all the debris/slit in the storm water will be sedimented in to the bottom of the pit. Sediment from the storm water pond has removed periodically. Photograph showing storm water pond is attached as Annexure 11.

Condition 24

The transportation of minerals should be done in covered trucks to contain dust emissions.

✓ Compliance

All trucks are covered with tarpaulin sheets after loading to control dust emissions during transportation. Moreover trucks are not overloading and the loads are maintained to the body level.

Photograph showing the loaded trucks covered with tarpaulin sheets is attached as Annexure 12.

Condition 25

The proponent should plant at least 5 times of the loss that has been occurred while clearing the land for the project.

✓ Compliance

Project team planting trees 5 times of the loss that has been occurred while clearing the land for the project. Most of the land in the present EC area are already under mining. Thus the loss of plants are very negligible.

> Condition 26

Disposal of spent oil from diesel engines should be as specified under relevant rules/regulations.

✓ Compliance

Disposal of spent oil from diesel engines is carrying out under relevant rules/regulations.

> Condition 27

Explosive should be stored in magazines in isolated place specified and approved by the Explosive Department.

✓ Compliance

Explosives are storing in magazines built in an isolated place specified and approved by the Explosives Department. Photograph showing the Explosive magazines constructed in isolated place is attached as Annexure 13.

> Condition 28

A minimum distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.

✓ Compliance

Distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures has provided.

> Condition 29

100 m buffer distance should be maintained from forest boundaries.

✓ Compliance

There is no forest area near to the project area

> Condition 30

Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.

✓ Compliance

Consent from Kerala State Pollution Control Board under Water and Air Act(s) has obtained. Consent Order from Kerala State Pollution Control Board is attached as Annexure 14.

Condition 31

All other statutory clearances should be obtained as applicable by project proponents from the respective competent authorities including that blasting and storage of explosives.

✓ Compliance

All statutory approvals required for the quarrying activity is obtained for the project. The details regarding the same along with the copy of the statutory approvals are enclosed as Annexure 15 and 16. Details of statutory approvals are given below.

S1. No.	Annexure	Statutory approvals
1	15	License from Panchayat
2	16	License to possess: (c) for use, explosives of class1, 2, 3, 4, 5, 6 or 7.

> Condition 32

In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts are assessed, based on which only the E.C. is issued, the project would require a fresh appraisal by this Authority for which the proponent shall apply and get the approval of this authority.

✓ Compliance

Would be complied

> Condition 33

The Authority reserves the right to add additional safeguard measures subsequently if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

✓ Compliance

We agreed

> Condition 34

The stipulation by the statutory authorities under different acts and notifications should be complied with including the Water (Prevention and Control of Pollution) Act 1974, The Air (Prevention and Control of Pollution) Act, 1981, The Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 2006.

✓ Compliance

The stipulation by the statutory authorities under different acts and notifications are also complying.

Condition 35

The project Proponent should advertise in at least two local newspapers widely circulated in the region one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environmental Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at <u>www.seiaa.kerala.org</u>. The advertisement should be made within 10 days from the date of receipt of the clearance letter and the copy of the same signed in all pages should be forwarded to the office of the Authority as confirmation.

✓ Compliance

Accordance of environmental clearance to the quarrying activity has advertised in two local newspapers and the copy of the same was submitted to SEIAA Kerala. The copies of the advertisements are provided at Annexure 11 & 12. Details of the newspaper advertisements are given below.

S1.	Name of the Newspaper and edition		Dated
No.	Annexure		
1	17	New Indian Express	29/03/2018
2	18	Mathrubhumi	29/03/2018

> Condition 36

A copy of the clearance letter shall be send by the proponent to concerned Grama panchayat/ District panchayat/ Muncipality/ Corporation/ Urban local body and also to the Local NGO if any, from whom suggestions/ representations if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.

✓ Compliance

A copy of the environmental clearance order was submitted to the Panchayat office. The acknowledgement received is provided at Annexure 19. There is no suggestion/representation received so far from anybody. The environmental clearance order is uploaded in the website of the company and can be seen in the website www.msand.in

> Condition 37

The proponent shall submit half yearly reports on the status of compliance of the stipulated E.C. conditions including results of monitored data (both in hard copies as well as by e- mail) and upload the status of compliance of the stipulated E.C. conditions, including result of monitored data on website and shall update the same periodically. It shall simultaneously be send to the respective Regional office, of MOEF, Govt. of India and also to the State Environmental Impact Assessment Authority (SEIAA) office.

✓ Compliance

Sixthth compliance report for the period of October 2020 to March 2021 is being submitted to SEIAA, Department of Environment and Climate change, Govt. of Kerala and Regional Office of MoEF, Govt. of India.

> Condition 38

The details of environmental clearance should be prominently displayed in a metallic board of 3ft x 3ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry visible to the public.

✓ Compliance

Details of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman fond has installed. Photograph showing the same is attached as Annexure 20

Condition 39

The proponent should provide notarized affidavit (indicating the number and date of environmental clearance proceedings) that all the conditions stipulated in the E.C. shall be scrupulously followed.

✓ Compliance

An affidavit stating that all the conditions stipulated in the Environmental clearance will be scrupulously followed has submitted to Department of Environment and climate change and the copy of the same is attached at Annexure 21.

Condition 40

No change in mining technology and scope of work should be made without prior approval of the SEIAA, No further expansion or modifications in the mines shall be carried out without prior approval of the SEIAA, as applicable.

✓ Compliance

We will not make any change in mining technology and scope of work without prior approval of the SEIAA and further expansion or modifications in the mines will not be carried out without prior approval of the SEIAA.

Condition 41

The project proponent shall ensure that no natural water course and/or water recourses shall be obstructed due to any mining operations. Necessary safe guard measures to protect the first order streams if any, originated from the mine lease shall be taken.

✓ Compliance

We ensure that no natural water course and/or water recourses has not obstructed due to any mining operations. There is no first order streams originated from the mine lease.

> Condition 42

Monitoring of Ambient Air Quality to be carried out based on the notification 2009, as amended from the time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points and transfer points to reduce fugitive emission.

✓ Compliance

We are monitoring the Ambient Air Quality based on the notification 2009, as amended from the time to time by the Central Pollution Control Board. Water sprinklers has installed at places such as loading and unloading points and transfer points to reduce fugitive emission.

Condition 43

The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the top soil shall be used for land reclamation and plantation. The overburden generated during the mining operation shall be stacked at earmarked dump site(s) only. The maximum height of the dump shall not exceed 8m and width 20m and overall slope of the dump shall be maintained to 45°. The O.B. dump should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for the stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated area should continue until the vegetation become self-sustaining.

✓ Compliance

The project team has earmarked the area for dumping the overburden generated during the mining operation. The maximum height of the dump are maintaining below 8m and width 20m and overall slope of the dump are maintaining to 45°. The O.B. dump are scientifically vegetating with suitable native species to prevent erosion and surface run off. In critical areas, we will use geo textiles undertaken for the stabilization of the dump. The entire excavated area will be backfilled. We are also monitoring and managing the rehabilitated area until the vegetation become self-sustaining.

> Condition 44

Catch drains and siltation ponds of appropriate site shall be constructed around the mine working mineral and O.B. dumps to prevent runoff water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

✓ Compliance

Catch drains and siltation ponds of appropriate site has constructed around the mine working, mineral and O.B. dumps to prevent runoff water and flow of sediments directly into the river and other water bodies. The water so collected are using for watering the mine area, roads, green belt development etc. The drains are regularly desilting particularly after monsoon and maintained properly.

> Condition 45

Effective safe guard measures such as regular water sprinkling shall be carried out in critical areas porn to air pollution and having high levels of PM_{10} and PM_{25} such as haul road loading and uploading points and transfer points. It shall be ensure that the Ambient Air Quality Parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

✓ Compliance

Operative safe guard measures such as regular water sprinkling are carrying out in critical areas porn to air pollution and having high levels of PM_{10} and PM_{25} such as haul road loading and uploading

points and transfer points. It is ensuring that the Ambient Air Quality Parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

> Condition 46

Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading at transfer points. Should be provided and properly maintained.

✓ Compliance

Fugitive dust emission from all the sources are controlling regularly. Water spraying arrangements on haul roads, loading and unloading at transfer points has arranged and properly maintained.

Condition 47

Measures should be taken for the control of Noise level below 85 DBA in the work environment.

✓ Compliance

Diverse measures are taking for the control of noise level below 85 DBA in the work environment. We are also checking the Ambient Sound level periodically.

> Condition 48

A separate Environment Management Cell with suitable qualified personal should be setup under the control of a senior executive who will directly report to the head of the organization.

✓ Compliance

A separate Environment Management Cell with suitable qualified personal has formed under the control of a senior executive who are directly reporting to the head of the organization. All the environment management plans are monitored by this cell.

Condition 49

The funds earmarked for the Environmental protection measures and CSR activities should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environmental Impact Assessment Authority (SEIAA) office.

✓ Compliance

The funds earmarked for the Environmental protection measures and CSR activities are not diverting for other purposes. We will reports year wise expenditure of CSR and Environmental protection measures to the State Environmental Impact Assessment Authority (SEIAA) office.

> Condition 50

The regional office of MOEF and CC located at Bangalore shall monitor compliance of the stipulated conditions. The project Authorities should extent full co-operation to the officer (s) of the regional office by furnishing the requisite data/information/monitoring reports.

✓ Compliance

We will extent full co-operation to the MOEF officer (s) of the regional office by furnishing the requisite data/information/monitoring reports.

> Condition 51

Any appeal against the Environmental Clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.

✓ Compliance

There is no appeal against this Environmental Clearance with the National Green Tribunal.

Condition 52

Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in

the withdrawal of this clearance and attract action under the provision of Environmental Protection Act, 1986.

✓ Compliance

We agreed

> Condition 53

The SEIAA may revoke, or suspend the order for non-implementation of any of the specific or this implementation of any of the conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further conditions or stipulate any further conditions in the interest of Environmental Protection.

✓ Compliance

We agreed

> Condition 54

The above conditions shall prevail not withstanding anything to the contrary in consistent or simplified, contained in any other permit, license on consent given by any other authority for any other project.

✓ Compliance

We agreed

> Condition 55

The order is valid for a period of 5 years or the expiry date of mining lease period issued by the Government of Kerala, whichever is earlier.

✓ Compliance

We agreed

> Condition 56

The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.

✓ Compliance

There is no pending litigation related to the land or project, in any court of law regarding this project.

> Condition 57

The mining operation shall restrict to above ground water table and it should not intersect ground water table.

✓ Compliance

We are carrying out mining activity above the ground water table only and it will not intersect ground water table.

> Condition 58

All vehicles used for transportation and within the mine shall have 'PUC' certificate from authorized pollution taking center. Washing of all vehicles shall be in the lease area.

✓ Compliance

All vehicles using for the transportation within the mine have obtained 'PUC' certificate from authorized pollution taking center and all the vehicles are washing within in the lease area only.

> Condition 59

Project proponent should obtain necessary prior permission of the competent authorities for withdrawal of requisite quantity of surface water and ground water for the project.

✓ Compliance

Presently we are using harvested rainwater for the entire water need of the project. We will obtain necessary prior permission of the competent authorities for withdrawal of requisite quantity of surface water and ground water if needed.

> Condition 60

Regular monitoring of flow rates and water quality upstream and down streams of the spring and perennial nallahs flowing in and around the mining lease area shall be carried out and reported in the six monthly reports to the SEIAA.

✓ Compliance

There is no spring and perennial nallahs flowing in and around the mining lease area.

> Condition 61

Occupational Health surveillance programme of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures if needed.

✓ Compliance

We are carrying out the Occupational Health surveillance programme of our workers periodically to observe any contractions due to exposure to dust and take corrective measures if needed in connection with Mines Vocational Training.





Photograph showing the excavated pit and concrete tank using as rainwater harvesting system



Photograph showing the tree planted along the road sides



Photographs showing solar light installed in connection with the present Project

ANNEXURE 4



Photographs showing sprinkler system installed in the crusher unit and tipper lorry

ANNEXURE 5



Photograph showing the barbed metal wire fencing erected around the mining area

ANNEXURE 6

非醫 御 調 1 श्री गिरटीश जी. आरट. सुपुत्र स्वः के. राजगोवालन नायर् १ १६.०५. १९८० है. को विहित अर्हताऐं एवं अनुभव प्राप्त करने प्रमाण प्रस्तुत करने पर एतदद्वारा केवल ओपनकास्ट धात्विकीय खानों के प्रबंध हेतु प्रबंधक सक्षमता प्रमाण-पत्र प्रदान किया जाता है। यह प्रमाण-पत्र दिनांक 30.12.2008 Ly. R. son of Late SC. Skajoigopuum statisfactory evidence of possessing skay, 1980 having given satisfactory evidence of possessing interview granted SECOND CLASS MANAGER'S the prescribed qualifications and experience is hereby granted SECOND CLASS MANAGER'S CERTIFICATE OF COMPETENCY to manage the metalliferous mines having opencast workings only. This certificate is effective from 30. 12. 2008 परीक्ष बो 8

ANNEXURE 7



Photograph showing access road constructed with concrete bricks



Photographs showing the top soil storage area



Photographs showing the bench type mining



Photograph showing crusher unit encircled with green belt and metal sheet enclosure



Photograph showing the storm water pond

ANNEXURE 12

Panachayil Industries


Photographs showing the trucks covered with tarpaulin sheets after loading





Photograph showing the Explosive magazines constructed in isolated place



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PTA/ICO/QR/201/2015 Date of issue :09/04/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : QCO/PTA/195/R1/2018

Ref : 1.CONSENT NO:QCO/PTA/195/2015,DATE OF ISSUE:17/07/2015,VALID UP TO:30/06/2018 2.APPLICATION NO:6960452,SUBMITTED ON:26/02/2018

The 'Integrated Consent to Operate' issued as per reference above to M/s PANACHAYIL INDUSTRIES, KOLABHAGOM P O, THADIYOOR, PATHANAMTHITTA is hereby renewed up to 03/01/2021 and issued to M/s PANACHAYIL INDUSTRIES, KOLABHAGOM P O, THADIYOOR, PATHANAMTHITTA The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No. Items		Description		
1	1.1. Validity	03/01/2021		
2	1.1.a. Month & Year of Renewal	03/10/2021		
3 1.5.Survey number		16/2,16/4-1,16/4 (Area in hectares - 0.7504		
4 1.12.Annual fee/Fee remitted		Rs.22000/- Rs.123087/- (Rs. 110000 + Rs.13087)		
5	1.13. Capital Investment	75.04 Lakhs		
5 Nos Tractor Compressor-2 r		Compressor-62HP each 2 Nos,Jack hammer - 5 Nos,Tractor Compressor-2 nos ,Breaker-125 Hp -1No,Excavator-135hp-3nos,,DG set-180 KVA		
7	Sy.no and Village	16/2,16/4-1,16/4 of Thottapuzhassery Village.		

II. Stack Details

	Stack Height above	
Emission Rate(Nm3/Hr) Ground Level(In Meters)	Roof Level(In Meters)	Equipment

		A ser the terms of the 2	
	Lange and	and a series to be the first	
ലൈസൻസ് നമ്പർ : സി9		തീയതി: 17.03.2020	
	പ്പുഴശ്ശേരി ഗ്രാമപഞ്ചായത്തിൽ <u>ന</u>	a second and a second a	
വകുപ്പുകള	ച്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) ദും_അതെ തുടർന്നുള്ള ചട്ടങ്ങളും	232,233,234,254 എന്നി അനുസരിച്ച്	6
ഫാക്ടറികൾ, വ്യാപാര	ങ്ങൾ, സംരംഭങ്ങൾ, മറ്റു സേവന	നങ്ങൾ എന്നിവയ്ക്കായി	and.
നൽകുന്ന	Section of the section of the section		
	<u>ലൈസൻസ്</u>	a per a free autorite a resident	
ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	ശ്രീ.എബി മാത്യു.മാനേജിംഗ് പാർട്ണർ, പനച്ചയിൽ ഇൻഡസ്ട്രീസ്,കോളഭാഗം.പി.റ്		
സ്ഥാപനത്തിന്റെ പേരും സ്ഥാലനാമവും	പനച്ചയിൽ ഇൻഡസ്ട്രീസ്, കോളഭാഗം.പി.	9	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	പാറ ഖനനം നടത്തുന്നതിന് SURVEY NO 3. 12/2,12/3,12/5,12/6,16/2,16/4,16/4-1,16/3,17/8,18/1	/5pt,11/2, 11/4,	
ലൈസൻസ് കാലയളവ്	01.04.2020 മുതൽ 03.01.2021 വരെ		
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	Rs 10000/- license,Rs 6540/-machinary,	119020101361 dtd 03.03.2020	
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപപത്രങ്ങളുടെ വിശദാംശങ്ങൾ ന്ന്രവർ,തീയതി,കാലയളവ്,നൽകിയ അധികാരസ്ഥാനം	๑๓๖ษรให้สอดจะ 2500/ญะ 1.ณณ1สิมคระท กาไพยุเพลาะ ระบวดังปาสะ การเราะ ระบาดังปาสะ การเราะ ระบาด์ ระบาด	D UP TO 20.01.2021. ID UP TO 33.01.2021 .ID UP TO 25.08.2022. TO 31.03.2023. 31.03.2025 തെളിയിക്കുന്ന സർട്ടിഫിക്കറ്റ്. 20.01.2021 01.03.2021.	
	5.PROCEEDINGS OF DIRECTOR OF MINING & a)561/2008-09/10672/M3/2008 dated 18.12.2008 b)713/2008-09/1052/M3/2009 dated 17.02.2009 c)142/2010-11/4223/M3/2010 dated 10.06.2010 6.STATE ENVIRONMENTAL IMPACT ASSESSMEN a) ENVIRONMENTAL CLEARANCE NO 122/16 b)) ENVIRONMENTAL CLEARANCE NO 34/18	GEOLOGY 8 survey.no. 11/2,11/4,12/2,12/3,12/5,12/6,3/5pt survey.no. 16/2,16/4,16/4-1. Survey.no. 16/3,17/8,18/1 IT AUTHORITY CLEARANCE. UP TO 03.01.2021.	
		010	
ເລວາຟາຫາ ສາຍ	h 1211 and the	AND SCRETARY	
A Homen RO SI	Ke	amon P.O., Pathanamthitta (Dist) Irala State, India-Pin - 689 549 : 0468 2214387, 9496042633	

	ക്കുന്നേരിക്കേസ്ഗര് കണ്ട് പന്മൂന്ന വ്യവസ്ഗകൾ മാനുദ്ധരിക്കേണ്ടതാകുന്നു.
	പഞ്ഞാര് 5 വർ ആക്ടും അതേ തുടർന്നുള്ള ആങ്ങളും സതുസരിച്ചു പ്രശാരത്തിശേഖനോകുണു.
,	
	തൊങ്കി സ്ഥലവും പരിദ്ധരങ്ങളും ചെടിച്ചാവും സ്വത്തിയാവും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തറർധന്മാിലും പൊതുയ«താപ്യവേദ്ധകരങ്ങ വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള കേരണപ്രദാർത്ഥങ്ങൾ ഈപ്പ, അണുക്കൾ, പൊടി മും പ്രാസവയുടെ ശല്യം ഉണ്ടാകാരത നിധത്തിലും സുക്ഷിക്കേണ്ടതാണ്.
3	മൊഴിൽ –പ്രവവും അതിലുള്ള സാധനസാഭഗികളും പങ്ങായത്തെങ്കികാരികൾക്കോ/ത്തെകട്ടറി അധികാരപ്പെടുത്തുന്നതറ്റ ഉദ്യോഗരട്ഥർക്കോ പതിശോധിക്കുന്നതിന്ന് മൈലസൾസുടമസ്കാരികൾക്കോ/ത്തെകട്ടറി അധികാരപ്പെടുത്തുന്നതറ്റ് ആവഭ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുണ്ടു.
4,	പഞ്ഞായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമല്ലാതെ ഒരാഴിൽ സ്ഥരം മാറ്റാസുന്തതല്ലാങ്തതും തൊഴിൽ. നിർത്തുന്ന പക്ഷം വി ദരം മുൽകൂട്ടി പഞ്ഞാതത്തിൽ അറിയിക്കേണ്ടതുരോകുന്നു.
s	എത്താരു പവര്ത്തി ർവസത്തിന്റെയും മടുവിൽ സ്ഥന്ദം വൃത്തിയാക്കേണ്ടതാണ്.
6.	ആ സ്ഥ്ര മങ്ങിക്ക്റെയോ. പുരയിടങ്ങിന്റെയോ, എങ്ങെങ്കിലും ഭാഗത്ത് നിഴുകയോ തിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുത ക്ല്ലൂപ്പുതനോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൂപ്തികരമായ രീതിമിൽ നിക്കം ഹെയ്യിക്കേണ്ടതാണ്.
7.	ട്ടിങ്ങൾൻന്റുകാരൻ എത്തൊരു് കെട്ടിടഞ്ഞികർറയും ചുര്വേഷ് ഇരെ അകവശങ്ങിൻെ എതൊരു ഭാഗവും അർപറങ്ങ പൂയോട്ടങ്ങില്ലെക്കും തായും അടപ്പാതയും അവിടെ തെറിച്ചുവിഴാനിടയുള്ള ഏറ്റെങ്ങിലും ദ്രാസ്മകരോ, മാന്ദിന്വങ്ങേ ചുറ്റുപവണാ, അസഹ്യങ്ങേ, ഇപ്പോപതായ എങ്ങെടുല്ലും പ്രാര്ത്ഥതോ അവിടെ ലയിക്കുന്നത് തടത്തോക്കവിയം എപ്പോഴും നന്നായും കേരുപാട് തീരത്തും വയപിക്കേണ്ടതാണ്.
	മൈസേർഡുകാരൽ മാൽപ്പറഞ്ഞ പുരയിടങ്ങിന്റോ, അതോടു ചേർന്നോ 2288 എതൊരു ഓസുപാലും, അഴുക്കുമ്പം. കളയുന്നത്തുള്ള ഉപ്കരണവും എറ്റ്പോഴും നസായും കേടുപാടുംനിക്കോം വയ്പിക്കേണ്ടതാണ്.
9. ,	ംളത്തെളിലും അതെതിലുള്ള താക്ക് രോഗമോ കുഷ്ഠാ തുമായും പ്രവണമോ ഉള്ള യാതൊരാളും കച്ചവടം നാത്തുന്നതിന് ഉപയോഗ്ക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തില്ലെവാൻ പാടില്ലാത്തതാകുന്നു.
10.	എത് സ്ഥലങ്ങിന്റെ കാര്യങ്ങിടെ വൈസർസ് നൽകിങ്ങിരിക്കുന്നുവോ ആ സ്ഥലങ്ങ് എണ്ണവരും കാണങ്ങക്കാമ്ഥ ത്തിലുള്ള ഒരു ഭാഗത്ത് ക്ലെസൻസുകാരർ തൻെ പേരും തലെസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന പ്പെ അഞ്ഞാളുപ്പക വച്ചിരിഞ്ഞത്താണ്.
	analams analanjan asaagas anavan ogaangaanan
	മുകളിൽ കാണിപ്പിൽക്കുന്ന വ്യവസ്ഥകളിൽ എന്നെങ്കില്ലം അഘിക്കുന്ന പക്ഷം ഈ മണ്ടെൻസ് ന്റ്റ് ചെയ്യുന്നതാണ്. സസ്കോബിപ്പിൽക്കുന്ന വ്യവസ്ഥകളിൽ എന്നെങ്കില്ലം അഘിക്കുന്ന പക്ഷം ഈ മണ്ടെൻസ് ന്റ്റ് ചെയ്യുന്നതാണ്.
	Carl and a second
	s(Given)i
	RECENTARY BURNEL
	TATTAPPHIMASSE IT HAAMA PARCHAVAS
	and the second
	•
	•

भारत सरकार | Government of India वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO) पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives केन्द्रीय भेवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor CSEZ पी.ओ.कक्कालाइ कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Frankulam 682037 फोन (Phone): - 2427286 फिक्स (Fax): - 2427276 फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276 ई-मेल Email: dycceernakulam@explosives.gov.in दिनांक (Date): 02/03/2020 संख्या (No.): E/SC/K1/22/150(E11315) सेवा में | To. M/s.PANACHAYIL INDUSTRIES, WEST OTHERA Post, TIRUVALLA, Town/Village - WEST OTHERA District-PATHANAMTHITTA, State-Kerala, Pincode - 689551 Survey No(s).163/1A3, ग्राम Thottapuzhacherry, Thiruvalla taluk, जिला PATHANAMTHITTA, राज्य Kerala में विस्फोटक के मैगजीन विषय · में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुजन्ति सं E/SC/KL/22/150(E11315) के नवीनीकरण संदर्भ में। Possession for Use of of Explosives from magazine situated at Survey No(s):163/1A3, Thottapuzhacherry, Thiruvalla taluk, Dist. PATHANAMTHITTA, Kerala -Licence No.: E/SC/KL/22/150(E11315) granted in Form LE-3 of Explosives Rules, 2008 - Renewal Subject: regarding महोदय | Sir. आपका उपर्युक्त विषय पर पत्र संख्या 24986 दिनांक 20/02/2020 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुजप्ति दिनांक 31/3/2023 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है। Reference to your letter No.: 24986 dated: 20/02/2020, the subject licence duly renewed upto 31/3/2023 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith. अनुजप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/ 2023 से पहले **इस कार्यालय** को भेजे जाएं. For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2023. • प्ररूप आरई-। में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन। Application in Form RE-1 duly filled in and signed. • एक से पाँच वर्ष के अनुजप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है। Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008. अनुमोदित प्लान के साथ मूल अनुज्ञप्ति। Original licence with approved plan. कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें। In this connection, please also refer to Rule 112 of Explosives Rules, 2008. विस्फोटकों के क्रय हेतु आरई-।। में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाएं (आतिशबाजी गोदाम के लिए लागू नहीं)। Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house) • कृपया विस्फोटकों की त्रैमासीक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं । विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशवाजी गोदाम के लिए लागू नहीं) | Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house) सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो। All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act. भवदीय | Your's faithfully 2 (आर.वेणगोपाल | Dr. R.Venugopal) उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives उप गुण्कोच्ची प Emakulam Deputy Chief Controller of Explosives प्रतिलिपि प्रेषित | Copy Forwarded to: 1. ज़िला मजिस्ट्रेट (District Magistrate), PATHANAMTHITTA (Kerala)- सूचना के लिए (for information.) उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives कोच्ची | Ernakulam

अन्जप्ति प्ररुप एल. ई3 LICENCE FORM LE-3
(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।) (See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)
(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के
लिए अनुजम्ति Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine
ानूजप्ति सं. (Licence No.) : E/SC/KL/22/150(E11315)
ार्षिक फीस रुपए (Annual Fee Rs): 2400/-
. Licence is hereby granted to
M/s.PANACHAYIL INDUSTRIES (अधिभोगी / Occupier : BINU. K MATHEW), WEST OTHERA Post, TIRUVALLA, Town/Village - WEST OTHERA, District-PATHANAMTHITTA, State-Kerala, Pincode - 689551
को अनुज्ञप्ति अनुदत्त की जाती है।
. अन्जण्तिधारी की प्रास्थिति Status of licensee : Partnership Firm
अनुजण्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है। possess for use of Nitrate Mixture, Safety Fuse, Electric
Licence is valid only for the following purpose.
अन्जप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।
Licence is valid for the following kinds and quantity of explosives: (क) (a)
क्र नाम और विवरण वर्ग और प्रभाग उप-प्रभाग मात्रा किसी एक समय में
Sr. No. Name and Description Class & Division Sub-division Quantity at any one time
1. Nitrate Mixture 2,0 0 250 Kg. 2. Safety Fuse 6,1 0 5000 Mtrs
3. Electric and/or Ordinary Detonators 6,3 0 5000 Nos.
(ख) किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन 20_times अनुज्ञपित के लिए] (b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and 20_times (c)] : (c) (c) (c)
· निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज़प्त परिसर की पुष्टि होती है। The line of the sector to the following demoised on the following demoised on the following demoised on the sector to the following demoised on the fol
The licensed premises shall conform to the following drawing(s): .
· अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:
Survey No(s). 163/1A3 , ग्राम (Town/Village) : Thottapuzhacherry, Taina and the line Station) : PATHANAMTHTTA जिला (District) PATHANAMTHITTA राज्य (State) Kerala पिनकोड (Pincode) द्रभाष (Phone) ई. मेल (E-Mail) फैक्स (Fax)
. अनुजण्ति परिसर में निम्नलिखित स्विधाएं अंतर्विष्ट हैं।
: PORTABLE MAGAZINES B & S TYPE
The licensed premises consist of following facilities.
अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के
उपबंधो, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबध्दों के अधीन रहते हुए अनुदत्त की जाती है। The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.
 उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
2. अनुजप्ति प्राधिकारी व्दाररा हस्ता.क्षरित इस अनुजप्ति की शर्तें और अतिरिक्ति शर्तें।
Conditions and Additional Conditions of this licence signed by the licensing authority. 3. বুरী সকল DE-2 Distance Form DE-2.
이 수가 집에 가지 않는 것 같아요. 이는 것 같아요. 이는 것은 것은 것 같아요. 이는 것 같아요. 같아요. 이는 것 같아요.

0			1 614 L 1004
		This licence shall remain valid till 31s	
		मों या अनुसूची V के भाग 4 के प्रति निर्दि 1 यदि अनुजप्त परिसर योजना या उससे	
		हत की जा सकती है, जहां वह लागू हो।	and the second second second
This licence is liable to b this licence as set forth u	e suspended or revoked for any v inder Set VIII, wherever applicab	violation of the Act or Rules framed there le, referred to in Part 4 of Schedule V or it is and Annexure attached hereto.	the licensed premises are
तारीख The Date - 17/1	2/1992 संयुक्त	ा मुख्य विस्फोटक नियंत्रक Joint Chief	Sd/- Controller of Explosives
Amendments :		politulina de resignito enta la	South Circle, Chennai
 Amendment of Quantity Amendment of Quantity Amendment of Quantity Transfers : 		Limit dated : 01/08/2011 Limit dated : 04/10/2012 Limit dated : 03/09/2018	A
नवीकरण की तारीख	समाप्ति की तारीख	अन्ज्ञापन प्राधिकारी के हस्ताक्ष	र और स्टास्प
Date of Renewal	Date of Expiry	Signature of licensing authori	
02/03/2020	31/03/2023	Dy. Chief Controller of Explosiv	es, Ernakulam
and showing the first		उप मुख्य पिस्फोटक नियंत्रक Deputy Chief Controller of Exp	losives
		या उनका दुरूपयोग विधि के अधीन गंभीर losives shall constitute serious criminal o	
		(n) Summerican methodem of the and inter-language of the angle of the second s second second sec	
		int i Scientification division of table March Installies Weiters and the state	
		ini Xanadari na Katana a tata Marina katala Patrika antika da Marina Katala Katala Katala Marina Katala Katala Katala Katala	



O www.mathrubhumi.com

ത്ധനവ് സെപ്രവർം റ്റോരു കുറിപ്പ്താന നത്തുത് താരംഞ്ഞി കുറവും ന്റെത്താന തിത്തുംസം തിത്തുംസം

ർജ്യാർ ത്യാർടാ 20ുന്നു. തൃണ്ടം നായാർ തീ നിന പകേർ എന്നാല് നി കെ ലംഗ്ലാന്

aagaggi a and nooni aggi moony ii altunaase രേഷം ലിണ്ടാരവെടുള്ള ഉപയ്യ തോട്ട്കൊട്ടം പ സ്പം ബാറ്റ് 28-നം സ്വം ജെല്ലം ദേശ്യംക പ്വന്ന ജെല്ലം ദേശ്യംക പക്ഷ പങ്കില്പാടെയ്യാന

CAREER NOTIFICATION

and a front Quarters Region or Mar Gootherter & datafies or adaptered and equilation prices

the paint of State Prage Maturi Marat Reconstruint Throney

National Arrowshipson Score Programmed American Large Arrowshipson Bill Band, Press and Arrowshipson Arrowshipson Process (9/11) (2001)

turine foreast/ Inpational 14

permittion in 18.84,800

ശിശു സംരക്ഷണ സ്ഥാപനങ്ങളുടെ രജിസ്ട്രേഷൻ

അവസാന തീയതി : 31/03/2018

0,01404 0,01404 0,4-02

ஹாற் Special

അറിയേണ്ടതെല്ലാമുണ്ട് ഈ <mark>അദ്ഭുത്രച്ചെപ്പിൽ!</mark>

കളികൾ കരിജക

മിന്നാമിന്നി andiated • alia 72

ഇപ്പോൾ വിപണിയിൽ।

alo holon

36

27/03/2018

REE

സർക്കാർ ഡ്രൈവർമാർക്ക് ഇനി വെള്ളഷർട്ടും കറുത്തപാന്റ്സും പട്ടികജാതിക്കാർക്ക് വീടിനു All the second s നൽകിയ ഭൂമിയിൽ ഹോംസ്റ്റേ

മൂന്നാറിൽ ന സ്ഥാപനങ്ങൾക്ക് നോട്ടീസ്



O mg-gri -tegino

1 Kerala Social Security Mission





ande ande Miller Miller Miller

അറിയിപ്പ

ക്ട്രേ ഗ്രാസത്തിനം കടുംബന്ന് ആറാണ് അങ്കണവാടികൾക്കുള്ള ഫണ്ട് വെട്ടിക്കുറച്ച നടപടി പിൻവലിക്കണം -കെ. കെ. ശൈലജ നാളെ ആറാട്ട്

an agreen to the provided and the second and the

NATIONAL AYUSH MISSION നിർത്തിയിട്ടിരുന്ന കാറിന് തീപിടിച്ച് ഉടമ മരിച്ചു







2018 කාර්ත් 25 • ශාලාවන්ත කාලාවක් വാർത്തകൾ 05

ചക്രക്കസേരയിലെ



Maramon	P.O., Phone:04682214386822	
ACKNO	WLEDGEMENT (Not for Cash Transactions)	A, KANJ
Inward No	1937 Year 2018	(GLA
Date of Receipt	03/04/2018	KREWS
Name of Applican	ABY MATHEW MANAGING PARTNER,	×
Subject	PANACHAYIL INDUSTRIES, WEST OTHE ENVIRONMENTAL GLEARANCE CERTIFICATE-NO	1 to realisation
	960/EC4/4470/2015/SEIAA	subjec
Date of Delivery		dues are
	00	Che





Panachayil Industries

49



आहल INDIA DIA NONJUDI കേരളം केरल KERALA AR 839707 3. That, we hereby commit that to set apart an amount of Rs. 31 Lakhs (nonrecurring) and Rs.33 Lakhs per annum (recurring) for CSR activities in consultation with the local panchayat for the welfare of the local community. 8 4. That, the general and specific conditions in the environmental clearance order will be followed. DEPÓNENT P. Gokula Chandran, Advocate & Neta No:K/86/71 Thi 7501- Aby Mathew Mg: Porther Parachagil Indostries KRISPHAN KUTTY NAM West Obera P.D THOMMAN KUTTY NAM 20.9 -18. 21.

51



Air, water and Sound Analysis Reports





POLUCHEM LABORATORIES (P) LTD. CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY

PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104 8281982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

DITED BY KSPCB AS "A" GRADE LABORATORY

Client Name & Address	Certificate No:	PL/RT/SD/351/2020	
	Date of issue:	21/01/2020	
	Date of monitoring	14/01/2020 10.00 Hrs to 14/01/2020 10.00 Hrs	
M/s. Panachayil Industries Thottapuzhassery Thiruvalla Kerala	Monitoring Location	M/s. Panachayil Industries, Survey Nos.: 23/5-1, 21/4, 21/6,20/1 & othe Village -Thottapuzhassery, Panchayath- Thottapuzhassery, Taluk- Thiruvalla Pathanamthitta District ,Kerala	
	Sample Description Ambient Sc		i Level (Leq)
Monitoring Location	Time		Results
	10.00 Hr	S	54.6 dB (A)
	11.00 Hr	s	54.8 dB (A)
	12.00 Hr	S	53.4 dB (A)
	13.00 Hrs		54.2 dB (A)
	14.00 Hrs		56.3 dB (A)
	15.00 Hrs		51.4 dB (A)
	16.00 Hrs		50.2 dB (A)
	17.00 Hrs		51.3 dB (A)
	18.00 Hrs		49.8 dB (A)
	19.00 Hrs		42.3 dB (A)
	20.00 Hrs		39.5 dB (A)
	21.00 Hrs 22.00 Hrs		38.4 dB (A)
East side boundary	22.00 Hrs		35.2 dB (A)
	the second s		36.3 dB (A)
	00.00 Hrs		35.7 dB (A)
	01.00 Hrs		37.4 dB (A)
	02.00 Hrs		38.9 dB (A)
	03.00 Hrs		39.6 dB (A)
	04.00 Hrs		41.2 dB (A)
	05.00 Hrs		42.3 dB (A)
	06.00 Hrs	S	43.6 dB (A)
	07.00 Hrs	S	46.5 dB (A)
	08.00 Hrs	5	47.6 dB (A)
	09.00 Hrs		48.2 dB (A)
Leq (Day time)			54.7 dB (A)
Leq (Night time)			36.3 dB (A)
	*End of the		or Poluchem Laboratories (P) Ltd. Authorized Signatory SREELA RATES Quality Manufer Enduchem Laboratories (P)

TEST REPORT



CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY

PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104 Phone : 0484-2544030, 8281982322, 9747400085, 9747400089, www.poluchem.com, polucherm@gmail.com

ACCREDITED BY KSPCB AS "A" GRADE LABORATORY

Ref.No, PL/RT/OW/352/2020	Page 01 of 0 Date of Issue: 21/01/2020		
Name & address of customer	: M/s. Panachayil]	ndustries .	
	Thottapuzhassery	industries	
	Thiruvalla, Kerala		
Project Site	: M/s. Panachayil II		
	Survey Nos.: 15/7	1.15/15.16/5.16/2.20/	1.19/1
	15/9part,21/5,21/6	part, 16/4-1 & 16/4	- , - , - , - ,
	Village - Thottapu:	zhassery,	
	Panchayath- Thott	apuzhassery,	
	Taluk- Thiruvalla		
Sample drawn by	Dist-Pathanamthi	tta ,Kerala	
Sample description	: Poluchem Labora	tory Sample Collecto	or
ocation of sampling	: DrinkingWater : Open Well water-	N. 4. 611	
Date of sample collected	: 15/01/2020	North Side	
Date of analysis started	: 16/01/2020		
Date of completion of analysis	: 20/01/2020		
			Acceptable
Parameters tested	Test method	Results	Limit As Per IS
		ACCOUNTS	10500-2012
Color	IS 3025 (P) 04 – 1983 RA2017	4 Hazen Unit	5 Hazen Unit
Odour	IS 3025 (P) 05 - 1983 RA2017	Agreeable	Agreeable
Turbidity	IS 3025 (P) 10-1984 RA2017	BDL	1 NTU
pН	IS 3025 (P) 11 – 1983 RA 2017	5.69	6.5 - 8.5
Total Dissolved Solids	IS 3025 (P) 16-1984 RA2017	51 mg/l	500 mg/l
Total Hardness as CaCO ₃	IS 3025 (P) 21-1983 RA2014	19.7 mg/l	200 mg/1
Total Alkalinity as CaCO3	IS 3025 (P) 23 - 1986 RA2014	8.4 mg/l	200 mg/l
Residual Chlorine	IS 3025 (P) 26 – 1986 RA2014	BDL	0.2 mg/l
Chloride as Cl	IS 3025 (P) 32 - 1988 RA2014	18.4 mg/l	250 mg/l
Calcium as Ca	IS 3025 (P) 40 – 1991 RA2014	4.16 mg/l	75 mg/l
Magnesium as Mg	IS 3025 (P) 46 - 1994 RA2014	1.87 mg/l	30 mg/l
Fotal Iron as Fe	IS 3025 (P) 53 - 2003 RA2014	0.17 mg/l	0.3 mg/l
Sulphate as SO4	IS 3025 (P) 24 - 1986 RA2009	4.6 mg/l	200 mg/l
Fluoride as F	IS 3025 (P) 60 -2008 RA 2013	BDL	1.0 mg/l
ote : BDL - Below Detection I	Level		14 Martin 14
		For Poluchen	Laboratories (P) Ltd.
			Chur D
			Authorization
	SREEJA Manager Quality Manager		



CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY

PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104 Phone : 0484-2544030, 8281982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

ACCREDITED BY KSPCB AS "A" GRADE LABORATO

TEST REPORT Page 01 of 02 Ref.No. PL/RT/OW/353/2020 Date of Issue: 21/01/2020 Name & address of customer : M/s. Panachayil Industries Thottapuzhassery Thiruvalla, Kerala Project Site : M/s. Panachayil Industries, Survey Nos.: 15/7,15/15,16/5,16/2,20/1,19/1, 15/9part,21/5,21/6part,16/4-1 & 16/4 Village - Thottapuzhassery, Panchayath- Thottapuzhassery, Taluk- Thiruvalla Dist- Pathanamthitta ,Kerala Sample drawn by : Poluchem Laboratory Sample Collector Sample description : Water Sample Location of sampling : Surface Water Date of sample collected : 15/01/2020 Date of analysis started : 16/01/2020 Date of completion of analysis : 20/01/2020 Acceptable Parameters tested Test method Results Limit As Per IS 10500-2012 Color IS 3025 (P) 04-1983 RA2017 8 Hazen Unit 5 Hazen Unit Odour IS 3025 (P) 05-1983 RA2017 Agreeable Agreeable Turbidity IS 3025 (P) 10-1984 RA2017 1 NTU 1 NTU pH IS 3025 (P) 11 - 1983 RA 2017 6.32 6.5 - 8.5 Total Dissolved Solids IS 3025 (P) 16-1984 RA2017 62.3 mg/l 500 mg/l Total Hardness as CaCO3 IS 3025 (P) 21-1983 RA2014 18.4 mg/l 200 mg/l Total Alkalinity as CaCO3 IS 3025 (P) 23-1986 RA2014 10.6 mg/l 200 mg/l Residual Chlorine IS 3025 (P) 26-1986 RA2014 0.2 mg/l BDL, Chloride as Cl IS 3025 (P) 32-1988 RA2014 16.3 mg/l 250 mg/l Calcium as Ca IS 3025 (P) 40-1991 RA2014 3.61 mg/l 75 mg/l Magnesium as Mg IS 3025 (P) 46-1994 RA2014 1.24 mg/l 30 mg/l IS 3025 (P) 53 - 2003 RA2014 Total Iron as Fe 0.39 mg/l 0.3 mg/l Sulphate as SO4 IS 3025 (P) 24-1986 RA2009 200 mg/l 6.2 mg/l Fluoride as F IS 3025 (P) 60 -2008 RA 2013 BDL 1.0 mg/l

Note : BDL - Below Detection Level

For Poluchem Laboratories (P) Ltd.

sur? SREEJA Anthon zed signatory Quality Manager Poluchem Laboratories (P) Ltd.