

**COMPLIANCE REPORT
TO
THE CONDITIONS
OF
ENVIRONMENTAL CLEARANCE ORDER
NO: 960/EC4/4470/2015/SEIAA
DT. 17 – 03 – 2018
BY
STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)**

FOR THE QUARRY PROJECT

AT

**SURVEY Nos. 3/5, 11/2, 11/4, 12/6, 12/3, 12/2, 12/5, 11/3, 3/6 pt., 3/8
pt., 10/3-1, 10/4, 10/2-1, 16/3, 17/8 & 18/1 pt., 11/7
THOTTAPUZHASSERY PANCHAYAT, THIRUVALLA TALUK,
PATHANAMTHITTA DISTRICT, KERALA**

BY

**PANACHAYIL INDUSTRIES, WEST OTHERA PO, THIRUVALLA,
PATHANAMTHITTA, KERALA**

(October, 2019 - March, 2020)

INTRODUCTION

M/s Panachayil Industries is a stone quarry located at Survey Nos. 3/5, 11/2, 11/4, 12/6, 12/3, 12/2, 12/5, 11/3, 3/6 pt., 3/8 pt., 10/3-1, 10/4, 10/2-1, 16/3, 17/8 & 18/1 pt., 11/7 Thottapuzhassery Panchayat, Thiruvalla Taluk, Pathanamthitta District, Kerala. The quarry project was accorded with the Environmental Clearance by state Environmental Impact Assessment Authority on 17-03-2018. Six month compliance reports to the conditions of the Environmental Clearance are to be submitted as part of compliance. The compliance report to the specific conditions and general conditions of the Environmental Clearance for the period of October, 2019 - March, 2020 (Fourth Report) is being submitted.

PART A – SPECIFIC CONDITIONS

➤ **Condition 1**

At the base of the worked out pit with cliff like structure, at least 15 m buffer distance is to be provided as a no development zone as a measure of safety.

✓ **Compliance**

We have provided 30 m buffer distance at the base of the worked out pit with cliff like structure as a measure of safety.

➤ **Condition 2**

If any plant species endemic to Western Ghats are noticed in the area, they shall be properly protected in situ or by transplanting to an appropriate location inside the lease area.

✓ **Compliance**

The project team properly protecting the plant species that are endemic to Western Ghats in situ or by transplanting to an appropriate location. We also maintaining a plant Nursery exclusively for the endemic species that are reported from the project site.

PART B – GENERAL CONDITIONS

➤ Condition 1

Rainwater harvesting facility should be installed as per the prevailing provisions of KMBR/KPBR unless otherwise specified.

✓ Compliance

We have provided rainwater harvesting systems in connection with the present quarry project. It comprises 3 excavated pit (Pit 1, Pit 2 and Pit 3) each having the capacity of 640000, 480000 and 720000 liters respectively and one harvesting tanks constructed with stone masonry wall having the capacity of 160000 liter. Details of the rainwater harvesting system are as follows.

Sl. No.	Type	Length (m)	Width (m)	Height (m)	Capacity (L)
1	Excavated Pit 1	20	8	4	640000
2	Excavated Pit 2	16	6	5	480000
3	Excavated Pit 3	24	10	3	720000
4	Concrete Tank	8	5	4	160000

Photograph of the rainwater harvesting system as enclosed as Annexure 1.

➤ Condition 2

Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.

✓ Compliance

An Environmental Monitoring Cell has formed with Mr. Aby Mathew (Managing Partner of the Company) as head of the monitoring cell and made functional. Meeting of the monitoring cell has been arranging periodically and discuss the status of the compliance of the specific and

general conditions stated in the Environmental clearance order. The details of the monitoring cell members are given below.

Sl. No.	Post	Name
1	Head of the monitoring cell (Managing Partner of the Company)	Mr. Aby Mathew
2	Head in charge (Environment)	Mr. Girish Menon
2	Senior Environmental Officer	Dr. Rinoy Varghese
3	Environmental Officer	Mr. Navin Xavier
4	Name of the environmental officers in charge at Site	Mr. P. Rajeev & Mr. Girish G.R
5	Name of the officer of Environment, Health and safety at Site	Mr. Suneesh C.S
6	Name of the Asst. officer of Environment, Health and safety at Site	Mr. Roy K.P
7	Name of the environmental consultant	M/s Environmental Engineers & Consultants Pvt. Ltd
8	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.

➤ **Condition 3**

Suitable avenue trees should be planted along either side of the tarred road and, open parking areas if any, including approach road and internal roads.

✓ **Compliance**

Sides of the tarred road and open parking areas are almost covered by natural vegetation, the remaining areas including the sides of approach road and other places near to the project area is planted with tree

saplings. The photographs showing the same are attached as Annexure No.2.

➤ **Condition 4**

Maximum possible solar energy generation and utilization shall done at the own cost of the project proponent.

✓ **Compliance**

In connection with the present project, we provided solar energy devices at the project site. Solar light systems has erected in mines, crusher and magazine area. A Biogas plant is also maintaining and it associates with canteen and is using for kitchen purposes. Photographs showing solar energy devices are given in Annexure 3.

➤ **Condition 5**

Sprinklers shall be installed and used in the project site to contain dust emission.

✓ **Compliance**

The road system of the project site, approached road and other connected roads has been watering daily by sprinkler system installed in tipper lorry since the starting of the project. For the suppression of the dust generated during Crushing & Screening operation, Company has installed fixed water sprinkling systems in the Crushing units. Photographs showing sprinkler system installed in the crusher unit and tipper lorry is given in Annexure 4.

➤ **Condition 6**

Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.

✓ **Compliance**

Eco-restoration including the mine closure plan will perform at our own cost. Following to the closure of the mine, ten percent of the excavated area will be retained as water storage area. It is proposes to develop a green belt in the remaining area after reclaimed with stacked dumping

and overburden. As part of the same, we have stored the top soil and overburden in a prefixed area and started planting.

➤ **Condition 7**

At least 10 percent out of the total excavated pit area should be retained as water storage area and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly, if no other specific condition on reclamation of pit is stipulated in the E.C.

✓ **Compliance**

Ten percent of the excavated pit area will be retained as water storage area after the closure of the mine. It is proposes to develop a green belt in the remaining area with indigenous plant species after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will plant in the areas prone to erosion especially at the foot of the hill.

➤ **Condition 8**

Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented.

✓ **Compliance**

As part of the Corporate Social Responsibility, the amount agreed by the company has been spending for various social activities. The major CSR activities includes; Education support, Drinking water supply, Health support, Promotion of Sports and Cultural Activities, Material supply to poor for home construction etc.

➤ **Condition 9**

The lease area shall be fenced off with barbed wires to a minimum height of 4ft around, before starting of mining. All the boundary indicators (boards, stores, markings, etc.) shall be protected at all times and shall be conspicuous.

✓ **Compliance**

Barbed metal wire fencing has installed around the mining area with a height of 4 ft to prevent falling of animals/human/belongings/dumping of garbage's etc. All the boundary indicators (boards, stores, markings, etc.) has protected. The photograph showing the same is attached as Annexure No.5

➤ **Condition 10**

Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulation of Explosive Department.

✓ **Compliance**

Warning alarm has installed in the project area and maintaining properly. The blasting time has fixed and is between 1.0pm and 2.0pm. A danger board indicating blasting time has installed in the project site.

➤ **Condition 11**

Control measures on noise and vibration prescribed by KSPCB should be implemented.

✓ **Compliance**

Noise pollution

Mitigation measures Implemented

The major noise generating source from the mining activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are undertaken to bring down the noise levels:-

- **Proper maintenance of machinery, equipments and improvement of design of machines.**
- **Personal protective devices i.e., earmuffs, ear plugs etc. are provided to workers working in high noise areas.**
- **Maintain a wide green belt of dense foliage between mine areas and residential colonies.**
- **The mining area is working only during day times.**

- **Noise quality is checked periodically. The sound levels are monitored through an NABL accredited laboratory during the quarry in operation and the monitored results are well within the permissible limits.**

Blast vibrations and control measures

- ❖ **Controlled blasting technique is adopted in this project in order to reduce blast vibrations.**
- ❖ **The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.**
- ❖ **Optimum delay sequence and stem to column ratio is maintained to minimize the ground vibration intensity.**

➤ **Condition 12**

Quarrying activities should be limited to day time as per KSPCB guidelines/specific conditions.

- ✓ **Compliance**

We are carrying out quarrying activities only during day time.

➤ **Condition 13**

Blasting should be in a controlled manner as specified by the regulations of Explosive department or any other concerned agency.

- ✓ **Compliance**

Blasting

- ❖ **The controlled blasting is proposed by adopting all the safety measures as per “MMR 1961” and with the permission of DGMS. We are using NONEL method for blasting activities.**
- ❖ **Blasting is carried out for the fragmentation of the granite within the project area. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32mm drill rod, Jack Hammer and air compressor of 100 cm capacity.**

- ❖ **It is estimated about 250g of explosives per hole is required. About 30-50 holes per blast are proposed. Therefore the requirement of explosive will be about 10kg/ blast.**

Blasting safeguard

- ❖ **Blasting in the open cast is done only during day time at designated hours.**
- ❖ **Only competent blasters are appointed to handle explosives.**
- ❖ **Explosives are stored in approved and licensed magazine as per explosive Act/ Rules.**
- ❖ **Explosives are brought from magazine to blasting site in licensed explosive van under the care of blaster.**
- ❖ **Sufficient warning signals are given before blasting the holes.**
- ❖ **Guards are posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during the blasting hour.**
- ❖ **Controlled blasting is practiced to control vibrations and flying fragments.**
- ❖ **Optimum charge is used, while blasting near office complex/ infrastructure site.**
- ❖ **Maximum charge per delay is always being less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.**

➤ Condition 14

A licensed person should supervise/ control the blasting operations.

✓ Compliance

Licensed person is supervising the blasting operations. Copy of the License is attached as Annexure 6.

➤ Condition 15

Access road to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.

✓ **Compliance**

Approach road to the quarry has tarred and maintaining well to contain dust emissions that may arise during transportation of materials. The photographs showing the same is enclosed as Annexure 7.

➤ **Condition 16**

Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan/ specific condition.

✓ **Compliance**

We have been storing top soil and overburden in a prefixed location for the reclamation of mine pit as per mine closure plan/EC conditions. Photographs showing the top soil dump is attached as Annexure 8.

➤ **Condition 17**

Height of the benches should not exceed 5m, and width should not be less than 5m, if there is no mention in the mining plan/ specific condition.

✓ **Compliance**

Mining operation is carrying out in the system of benches. The proposed height and width of the benches are maintaining. The photograph showing the bench type mining is enclosed as Annexure 9.

➤ **Condition 18**

Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.

✓ **Compliance**

Mats to prevent fly rock during blasting has provided. Several other safety measures are also practicing to prevent fly rocks cross the lease area. Blasting during unfavorable weather conditions has avoided. Maintain optimum delay sequence and stem to column ratio to minimize the fly rock distance.

➤ **Condition 19**

Maximum depth of mining from general ground level at site shall not exceed 10 m.

✓ **Compliance**

In the present mining project, the exploitation of mineral is from 150-40m MSL in conceptual phase. Mining depth will not exceed beyond 10m from general ground level.

➤ **Condition 20**

No mining operation should be carried out at places having a slope greater than 45°.

✓ **Compliance**

Quarrying operations is carrying out only at regions having a slope greater than 45°.

➤ **Condition 21**

Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers, so that the noise level is kept within prescribed standards given by CPCB/KSPCB.

✓ **Compliance**

Thick green belt is covers the entire project area this can reduce sound amplifications produced during mining activities. Crusher unit has covered by thick Green belt and metal sheet covering is also fixed. Through all this, the noise level will be limited within the prescribed standards given by CPCB/KSPCB. Photograph showing the crusher unit covered by green belt and metal sheet covering is attached as Annexure 10.

➤ **Condition 22**

The workers on the site should be provided with the required protective equipment such as ear muffs, helmets, etc.

✓ **Compliance**

The Company has provided personal protective devices such as earmuffs, ear plugs, helmet etc. to the workers have at the site. Blasting shelters are also arranged in the mining site.

➤ **Condition 23**

Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.

✓ **Compliance**

In the present project an abandoned quarry pit is using as storm water pond. The storm water from the entire project area is channelizing in to it and stored the storm water in it. During this storage all the debris/slit in the storm water will be sedimented in to the bottom of the pit. Sediment from the storm water pond has removed periodically. Photograph showing storm water pond is attached as Annexure 11.

➤ **Condition 24**

The transportation of minerals should be done in covered trucks to contain dust emissions.

✓ **Compliance**

All trucks are covered with tarpaulin sheets after loading to control dust emissions during transportation. Moreover trucks are not overloading and the loads are maintained to the body level. Photograph showing the loaded trucks covered with tarpaulin sheets is attached as Annexure 12.

➤ **Condition 25**

The proponent should plant at least 5 times of the loss that has been occurred while clearing the land for the project.

✓ **Compliance**

We are planting trees 5 times of the loss that has been occurred while clearing the land for the project. Most of the land in the present EC area are already under mining. Thus the loss of plants are very negligible.

➤ **Condition 26**

Disposal of spent oil from diesel engines should be as specified under relevant rules/regulations.

✓ **Compliance**

Disposal of spent oil from diesel engines is carrying out under relevant rules/regulations.

➤ **Condition 27**

Explosive should be stored in magazines in isolated place specified and approved by the Explosive Department.

✓ **Compliance**

Explosives are storing in magazines built in an isolated place specified and approved by the Explosives Department. Photograph showing the Explosive magazines constructed in isolated place is attached as Annexure 13.

➤ **Condition 28**

A minimum distance of 100 m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.

✓ **Compliance**

Distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures has provided.

➤ **Condition 29**

100 m buffer distance should be maintained from forest boundaries.

✓ **Compliance**

There is no forest area near to the project area

➤ **Condition 30**

Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.

✓ **Compliance**

Consent from Kerala State Pollution Control Board under Water and Air Act(s) has obtained. Consent Order from Kerala State Pollution Control Board is attached as Annexure 14.

➤ **Condition 31**

All other statutory clearances should be obtained as applicable by project proponents from the respective competent authorities including that blasting and storage of explosives.

✓ **Compliance**

All statutory approvals required for the quarrying activity is obtained for the project. The details regarding the same along with the copy of the statutory approvals are enclosed as Annexure 15 and 16. Details of statutory approvals are given below.

Sl. No.	Annexure	Statutory approvals
1	15	License from Panchayat
2	16	License to possess: (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7.

➤ **Condition 32**

In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts are assessed, based on which only the E.C. is issued, the project would require a fresh appraisal by this Authority for which the proponent shall apply and get the approval of this authority.

✓ **Compliance**

Would be complied

➤ **Condition 33**

The Authority reserves the right to add additional safeguard measures subsequently if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environmental

(Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

✓ **Compliance**

Would be complied

➤ **Condition 34**

The stipulation by the statutory authorities under different acts and notifications should be complied with including the Water (Prevention and Control of Pollution) Act 1974, The Air (Prevention and Control of Pollution) Act, 1981, The Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 2006.

✓ **Compliance**

The stipulation by the statutory authorities under different acts and notifications are also complying.

➤ **Condition 35**

The project Proponent should advertise in at least two local newspapers widely circulated in the region one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environmental Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at www.seiaa.kerala.org. The advertisement should be made within 10 days from the date of receipt of the clearance letter and the copy of the same signed in all pages should be forwarded to the office of the Authority as confirmation.

✓ **Compliance**

Regarding the accordance of environmental clearance to the quarrying activity has advertised in two local newspapers and the copy of the same was submitted to SEIAA Kerala. The copies of the advertisements are provided at Annexure 11 & 12. Details of the newspaper advertisements are given below.

Sl. No.	Annexure	Name of the Newspaper and edition	Dated
1	17	New Indian Express	29/03/2018
2	18	Mathrubhumi	29/03/2018

➤ **Condition 36**

A copy of the clearance letter shall be send by the proponent to concerned Grama panchayat/ District panchayat/ Municipality/ Corporation/ Urban local body and also to the Local NGO if any, from whom suggestions/ representations if any, were received while processing the proposal. The Environmental Clearance shall also be put on the website of the company by the proponent.

✓ **Compliance**

A copy of the environmental clearance order was submitted to the Panchayat office. The acknowledgement received is provided at Annexure 19. There is no suggestion/representation received so far from anybody. The environmental clearance order is uploaded in the website of the company and can be seen in the website www.msand.in

➤ **Condition 37**

The proponent shall submit half yearly reports on the status of compliance of the stipulated E.C. conditions including results of monitored data (both in hard copies as well as by e- mail) and upload the status of compliance of the stipulated E.C. conditions, including result of monitored data on website and shall update the same periodically. It shall simultaneously be send to the respective Regional office, of MOEF, Govt. of India and also to the State Environmental Impact Assessment Authority (SEIAA) office.

✓ **Compliance**

Fourth compliance report is being submitted to SEIAA, Department of Environment and Climate change, Govt. of Kerala and Regional Office of MoEF, Govt. of India.

➤ **Condition 38**

The details of environmental clearance should be prominently displayed in a metallic board of 3ft x 3ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry visible to the public.

✓ **Compliance**

Details of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman fond has installed. Photograph showing the same is attached as Annexure 20

➤ **Condition 39**

The proponent should provide notarized affidavit (indicating the number and date of environmental clearance proceedings) that all the conditions stipulated in the E.C. shall be scrupulously followed.

✓ **Compliance**

An affidavit stating that all the conditions stipulated in the Environmental clearance will be scrupulously followed has submitted to Department of Environment and climate change and the copy of the same is attached at Annexure 21.

➤ **Condition 40**

No change in mining technology and scope of work should be made without prior approval of the SEIAA, No further expansion or modifications in the mines shall be carried out without prior approval of the SEIAA, as applicable.

✓ **Compliance**

We will not make any change in mining technology and scope of work without prior approval of the SEIAA and further expansion or modifications in the mines will not be carried out without prior approval of the SEIAA.

➤ **Condition 41**

The project proponent shall ensure that no natural water course and/or water recourses shall be obstructed due to any mining operations. Necessary safe guard measures to protect the first order streams if any, originated from the mine lease shall be taken.

✓ **Compliance**

We ensure that no natural water course and/or water recourses has not obstructed due to any mining operations. There is no first order streams originated from the mine lease.

➤ **Condition 42**

Monitoring of Ambient Air Quality to be carried out based on the notification 2009, as amended from the time to time by the Central Pollution Control Board. Water sprinkling should be increased at places loading and unloading points and transfer points to reduce fugitive emission.

✓ **Compliance**

The project team monitoring the Ambient Air Quality based on the notification 2009, as amended from the time to time by the Central Pollution Control Board. Water sprinklers has installed at places such as loading and unloading points and transfer points to reduce fugitive emission.

➤ **Condition 43**

The top soil, if any, shall be temporarily be stored at earmarked site(s) only for the top soil shall be used for land reclamation and plantation. The overburden generated during the mining operation shall be stacked at earmarked dump site(s) only. The maximum height of the dump shall not

exceed 8m and width 20m and overall slope of the dump shall be maintained to 45°. The O.B. dump should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for the stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated area should continue until the vegetation become self-sustaining.

✓ **Compliance**

We have earmarked the area for dumping the overburden generated during the mining operation. The maximum height of the dump are maintaining below 8m and width 20m and overall slope of the dump are maintaining to 45°. The O.B. dump are scientifically vegetating with suitable native species to prevent erosion and surface run off. In critical areas, we will use geo textiles undertaken for the stabilization of the dump. The entire excavated area will be backfilled. We are also monitoring and managing the rehabilitated area until the vegetation become self-sustaining.

➤ **Condition 44**

Catch drains and siltation ponds of appropriate site shall be constructed around the mine working mineral and O.B. dumps to prevent runoff water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.

✓ **Compliance**

Catch drains and siltation ponds of appropriate site has constructed around the mine working, mineral and O.B. dumps to prevent runoff water and flow of sediments directly into the river and other water bodies. The water so collected are using for watering the mine area,

roads, green belt development etc. The drains are regularly desilting particularly after monsoon and maintained properly.

➤ **Condition 45**

Effective safe guard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM₁₀ and PM₂₅ such as haul road loading and unloading points and transfer points. It shall be ensure that the Ambient Air Quality Parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

✓ **Compliance**

Operative safe guard measures such as regular water sprinkling are carrying out in critical areas prone to air pollution and having high levels of PM₁₀ and PM₂₅ such as haul road loading and unloading points and transfer points. It is ensuring that the Ambient Air Quality Parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

➤ **Condition 46**

Fugitive dust emission from all the sources should be controlled regularly. Water spraying arrangements on haul roads, loading and unloading at transfer points. Should be provided and properly maintained.

✓ **Compliance**

Fugitive dust emission from all the sources are controlling regularly. Water spraying arrangements on haul roads, loading and unloading at transfer points has arranged and properly maintained.

➤ **Condition 47**

Measures should be taken for the control of Noise level below 85 DBA in the work environment.

✓ **Compliance**

Different measures are taking for the control of noise level below 85 DBA in the work environment. We are also checking the Ambient Sound level periodically.

➤ **Condition 48**

A separate Environment Management Cell with suitable qualified personal should be setup under the control of a senior executive who will directly report to the head of the organization.

✓ **Compliance**

A separate Environment Management Cell with suitable qualified personal has formed under the control of a senior executive who will directly report to the head of the organization. All the environment management plans are monitored by this cell.

➤ **Condition 49**

The funds earmarked for the Environmental protection measures and CSR activities should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environmental Impact Assessment Authority (SEIAA) office.

✓ **Compliance**

The funds earmarked for the Environmental protection measures and CSR activities will not diverted for other purpose. We will reports year wise expenditure of CSR and Environmental protection measures to the State Environmental Impact Assessment Authority (SEIAA) office.

➤ **Condition 50**

The regional office of MOEF and CC located at Bangalore shall monitor compliance of the stipulated conditions. The project Authorities should extent full co-operation to the officer (s) of the regional office by furnishing the requisite data/information/monitoring reports.

✓ **Compliance**

We will extent full co-operation to the MOEF officer (s) of the regional office by furnishing the requisite data/information/monitoring reports.

➤ **Condition 51**

Any appeal against the Environmental Clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.

✓ **Compliance**

There is no appeal against this Environmental Clearance with the National Green Tribunal.

➤ **Condition 52**

Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in the withdrawal of this clearance and attract action under the provision of Environmental Protection Act, 1986.

✓ **Compliance**

We agreed

➤ **Condition 53**

The SEIAA may revoke, or suspend the order for non-implementation of any of the specific or this implementation of any of the conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further conditions or stipulate any further conditions in the interest of Environmental Protection.

✓ **Compliance**

We agreed

➤ **Condition 54**

The above conditions shall prevail notwithstanding anything to the contrary in consistent or simplified, contained in any other permit, license on consent given by any other authority for any other project.

✓ **Compliance**

We agreed

➤ **Condition 55**

The order is valid for a period of 5 years or the expiry date of mining lease period issued by the Government of Kerala, whichever is earlier.

✓ **Compliance**

We agreed

➤ **Condition 56**

The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.

✓ **Compliance**

There is no pending litigation related to the land or project, in any court of law regarding this project.

➤ **Condition 57**

The mining operation shall restrict to above ground water table and it should not intersect ground water table.

✓ **Compliance**

We are carrying out mining activity above the ground water table only and it will not intersect ground water table.

➤ **Condition 58**

All vehicles used for transportation and within the mine shall have 'PUC' certificate from authorized pollution taking center. Washing of all vehicles shall be in the lease area.

✓ **Compliance**

All vehicles using for the transportation within the mine have obtained 'PUC' certificate from authorized pollution taking center and all the vehicles are washing within in the lease area only.

➤ **Condition 59**

Project proponent should obtain necessary prior permission of the competent authorities for withdrawal of requisite quantity of surface water and ground water for the project.

✓ **Compliance**

Presently we are using harvested rainwater only for the project. We will obtain necessary prior permission of the competent authorities for withdrawal of requisite quantity of surface water and ground water if needed.

➤ **Condition 60**

Regular monitoring of flow rates and water quality upstream and down streams of the spring and perennial nallahs flowing in and around the mining lease area shall be carried out and reported in the six monthly reports to the SEIAA.

✓ **Compliance**

There is no spring and perennial nallahs flowing in and around the mining lease area.

➤ **Condition 61**

Occupational Health surveillance programme of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures if needed.

✓ **Compliance**

We are carrying out the Occupational Health surveillance programme of our workers periodically to observe any contractions due to exposure to dust and take corrective measures if needed in connection with Mines Vocational Training.

ANNEXURE 1



Photograph showing the excavated pit and concrete tank using as rainwater harvesting system

ANNEXURE 2

Photograph showing the tree planted along the road sides

ANNEXURE 3



Photographs showing solar light installed in connection with the present Project

ANNEXURE 4



Photographs showing sprinkler system installed in the crusher unit and tipper lorry

ANNEXURE 5

Photograph showing the barbed metal wire fencing erected around the mining area

ANNEXURE 7

Photograph showing access road constructed with concrete bricks

ANNEXURE 8



Photographs showing the top soil storage area

ANNEXURE 9



Photographs showing the bench type mining

ANNEXURE 10

Photograph showing crusher unit encircled with green belt and metal sheet enclosure

ANNEXURE 11



Photograph showing the storm water pond

ANNEXURE 12

Photographs showing the trucks covered with tarpaulin sheets after loading

ANNEXURE 13



Photograph showing the Explosive magazines constructed in isolated place

ANNEXURE 14



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PTA/ICO/QR/201/2015

Date of issue :09/04/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : QCO/PTA/195/R1/2018

Ref : 1.CONSENT NO:QCO/PTA/195/2015,DATE OF ISSUE:17/07/2015,VALID UP TO:30/06/2018

2.APPLICATION NO:6960452,SUBMITTED ON:26/02/2018

The ' Integrated Consent to Operate' issued as per reference above to M/s PANACHAYIL INDUSTRIES,KOLABHAGOM P O,THADIYOOR,PATHANAMTHITTA is hereby renewed up to 03/01/2021 and issued to M/s PANACHAYIL INDUSTRIES,KOLABHAGOM P O,THADIYOOR,PATHANAMTHITTA The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	1.1. Validity	03/01/2021
2	1.1.a. Month & Year of Renewal	03/10/2021
3	1.5. Survey number	16/2,16/4-1,16/4 (Area in hectares - 0.7504)
4	1.12. Annual fee/Fee remitted	Rs.22000/- Rs.123087/- (Rs. 110000 + Rs.13087)
5	1.13. Capital Investment	75.04 Lakhs
6	1.16. Machinery Details	Compressor-62HP each 2 Nos,Jack hammer - 5 Nos,Tractor Compressor-2 nos ,Breaker-125 Hp -1No,Excavator-135hp-3nos,,DG set-180 KVA
7	Sy.no and Village	16/2,16/4-1,16/4 of Thottapuzhassery Village.

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

Page1



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PTA/QR/199/2015

Date of issue :10/04/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : QCO/PTA/193/RI/2018

Ref : 1.CONSENT NO:QCO/PTA/193/2015,DATE OF ISSUE:17/07/2015,VALID UP TO:30/06/2018

2.APPLICATION NO:7032293,SUBMITTED ON:28/02/2018

The 'Integrated Consent to Operate' issued as per reference above to M/s PANACHAYIL INDUSTRIES,KOLABHAGOM P O THADIYOOR,PATHANAMTHITTA is hereby renewed up to 04/02/2019 and issued to M/s PANACHAYIL INDUSTRIES,KOLABHAGOM P O THADIYOOR,PATHANAMTHITTA. The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	1.1. Validity	04.02.2019
2	1.1.a. Month and year of renewal	NOVEMBER 2018
3	1.10. Category	Red
4	1.12 Fee Slab/Fee Remitted	Rs. 31328/ Year Rs.175945/-
5	1.13. Capital Investment	Rs. 226.55 Lakhs
6	1.15.Survey no.	15/7,15/9pt,15/15,16/5,21/5,21/6pt (AREA-2.2655 HECTARES)
7	1.16. Machinery Details	Compressor-62HP each 2 Nos,Jack hammer - 5 Nos,Tractor Compressor-2 nos ,Breaker-125 Hp -1No,Excavator-135hp-3nos,DG SET 180 KVA -1 No

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

Page 1

ANNEXURE 16


भारत सरकार | Government of India
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)
पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives
केन्द्रीय भवन, ब्लॉक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ पी.ओ.कक्कनाड कोच्ची | CSEZ PO Kakkanaad Dist. Ernakulam Ernakulam 682037
फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276
ई-मेल Email: dycecernakulam@explosives.gov.in

संख्या (No.): E/SC/KL/22/150(E11315) दिनांक (Date): 02/03/2020

सेवा में | To,
M/s.PANACHAYIL INDUSTRIES,
WEST OTHERA Post, TIRUVALLA, Town/Village - WEST OTHERA
District-PATHANAMTHITTA, State-Kerala, Pincode - 689551

विषय : Survey No(s).163/1A3, ग्राम Thottapuzhacherry, Thiruvalla taluk, जिला PATHANAMTHITTA, राज्य Kerala में विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/150(E11315) के नवीनीकरण संदर्भ में।


Subject: Possession for Use of Explosives from magazine situated at Survey No(s).:163/1A3, Thottapuzhacherry, Thiruvalla taluk, Dist. PATHANAMTHITTA, Kerala -Licence No.: E/SC/KL/22/150(E11315) granted in Form LE-3 of Explosives Rules, 2008 - Renewal regarding

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या 24986 दिनांक 20/02/2020 का संदर्भ ग्रहण करें। विस्फोटक नियम, 2008 के अंतर्गत प्ररूप LE-3 में जारी अनुज्ञप्ति दिनांक 31/3/2023 तक नवीनीकृत कर इस पत्र के साथ भेजी जा रही है।
Reference to your letter No.: 24986 dated: 20/02/2020, the subject licence duly renewed upto 31/3/2023 and issued in Form LE-3 of Explosives Rules, 2008 is forwarded herewith.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया निम्नलिखित दस्तावेज दिनांक 31/03/2023 से पहले इस कार्यालय को भेजे जाएं।
For further renewal of licence, please submit the following documents so as to reach this office on or before 31/3/2023.

- प्ररूप आरई-1 में विधिवत पूर्ण एवं हस्ताक्षरित आवेदन।
Application in Form RE-1 duly filled in and signed.
- एक से पाँच वर्ष के अनुज्ञप्ति शुल्को का, विस्फोटक नियम, 2008 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से लाइसेंस शुल्क ऑनलाइन जमा किया जाना है।
Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
- अनुमोदित प्लान के साथ मूल अनुज्ञप्ति।
Original licence with approved plan.
- कृपया इस संबंध में विस्फोटक नियम, 2008 के नियम 112 का भी संदर्भ ग्रहण करें।
In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- विस्फोटकों के क्रय हेतु आरई-11 में मांगपत्र (इंडेंट) आपूर्तिकर्ता को दिया जाए और उसी की एक प्रति इस कार्यालय को भेजी जाए (आतिशबाजी गोदाम के लिए लागू नहीं)।
Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office.(Not applicable for fireworks store house)
- कृपया विस्फोटकों की त्रैमासिक विवरणी हर तिमाही के अंत में आरई-7 में प्रस्तुत की जाएं। विवरणी इस कार्यालय के कार्यालय में आगामी तिमाही के 10 तारीख से पहले पहुंच जानी चाहिए (आतिशबाजी गोदाम के लिए लागू नहीं)। Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter.(Not applicable for fireworks store house)
- सभी ब्लास्टिंग आपरेशन एक सक्षम द्वारा की जाएगी जो उपरोक्त नियमों के तहत एक वैध शॉट फायर प्रमाणपत्र धारक हो। हालांकि, खान अधिनियम 1952 के अधीन आने वाले खानों में ब्लास्टिंग आपरेशन करने वाले ब्लास्टर की योग्यता उसी अधिनियम से निर्धारित हो।
All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

भवदीय | Your's faithfully

(आर.वेणुगोपाल | Dr.-R.Venugopal)
उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives
कोच्ची | Ernakulam
उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives
कोच्ची | Ernakulam

प्रतिलिपि प्रेषित | Copy Forwarded to:
1. जिला मजिस्ट्रेट (District Magistrate), PATHANAMTHITTA (Kerala)- सूचना के लिए (for information.)

अनुज्ञप्ति प्ररूप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/150(E11315)

वार्षिक फीस रूपए (Annual Fee Rs): 2400/-

Licence is hereby granted to

M/s.PANACHAYIL INDUSTRIES (अधिभोगी / Occupier : BINU. K MATHEW), WEST OTHERA Post, TIRUVALLA, Town/Village - WEST OTHERA, District-PATHANAMTHITTA, State-Kerala, Pincode - 689551

को अनुज्ञप्ति अनुदत्त की जाती है।

अनुज्ञप्तिधारी की प्रास्थिति | Status of licensee : Partnership Firm

अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।

possess for use of Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators, - के उपयोग के लिए

Licence is valid only for the following purpose.

अनुज्ञप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2,0	0	250 Kg.
2.	Safety Fuse	6,1	0	5000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	5000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञप्ति के लिए]

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]:

20 times
as above.

निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञप्त परिसर की पुष्टि होती है।

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/150(E11315)
दिनांक (Dated) 17/12/1992

The licensed premises shall conform to the following drawing(s): .

अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Survey No(s). 163/1A3, ग्राम (Town/Village) : Thottapuzhacherry, Thiruvalla taluk,

जिला (District) PATHANAMTHITTA राज्य (State) Kerala पिनकोड (Pincode)

दूरभाष (Phone) ई.मेल (E-Mail) फैक्स (Fax)

अनुज्ञप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं।

: PORTABLE MAGAZINES B & S TYPE

The licensed premises consist of following facilities.

अनुज्ञप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए)।
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञप्ति प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञप्ति की शर्तों और अतिरिक्त शर्तों।
Conditions and Additional Conditions of this licence signed by the licensing authority.
- दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 1994 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 1994.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञप्ति की शर्तों का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

Sd/-

तारीख | The Date - 17/12/1992

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 23/05/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 01/08/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 04/10/2012
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 03/09/2018

Transfers :

- Change in Licensee Name/Address/Status dated : 22/09/2017

नवीनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
02/03/2020	31/03/2023	Dy. Chief Controller of Explosives, Ernakulam उप-मुख्य विस्फोटक नियंत्रक Deputy Chief Controller of Explosives एरनाकुलम Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडित अपराध होगा।
Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

ANNEXURE 17



04 KOTTAYAM THURSDAY 29.03.2018

ASSET RECOVERY BRANCH THEKUNDAKUD BUILDING, T.B. ROAD KOTTAYAM - 686001 Ph: 0482-2323000 Email: kmb@federalbank.co.in

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

DESCRIPTION OF THE IMMOVABLE PROPERTY: All that piece and parcel of the land...

THE MENCHIACI EAST URBAN CO-OPERATIVE BANK LIMITED No. 4266

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

DESCRIPTION OF THE IMMOVABLE PROPERTY: All that piece and parcel of the land...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Menchiaci East Urban Co-operative Bank Ltd...

Dewan Housing Finance Corporation Ltd

DEMAND NOTICE: Under Section 13(2) of the Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002...

Table with columns: Name of the Borrower, Amount, Description of secured asset, and Remarks.

The said Borrower shall be liable to pay the amount due to the lender...

POSSESSION NOTICE (For Immovable Property)

The undersigned being the Authorized Officer of the Federal Bank Ltd...

Table with columns: Name of the Borrower, Name of the Property, Description of the Property, Date of Creation, and Amount outstanding.

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

AXIS BANK LIMITED

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

DEMAND NOTICE: The undersigned being the Authorized Officer of the Axis Bank Ltd...

NOTICE

This is to inform the General Public that a query number...

Invites Competitive tenders for the work

Table with columns: S.No., E.T.No., Name of Work, and Estimated Value.

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

POSSESSION NOTICE: The undersigned being the Authorized Officer of the Federal Bank Ltd...

ENRIP app: www.enrindianexpress.com/enr2553574

ANNEXURE 18

www.mathrubhumi.com

KYRM

2018 നവംബർ 28 • മുഴുനൂറ് വയസ്സിലേക്ക്

വാർത്തകൾ 05

സർക്കാർ വൈദ്യവർഗ്ഗത്തിന് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്

മുഖ്യമന്ത്രിയുടെ സമീപം

സർക്കാർ വൈദ്യവർഗ്ഗത്തിന് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്. സർക്കാർ വൈദ്യവർഗ്ഗത്തിന് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്.

അന്യരായവർക്ക് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്

അന്യരായവർക്ക് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്. സർക്കാർ വൈദ്യവർഗ്ഗത്തിന് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്.

പട്ടികജാതിക്കാർക്ക് വിടിയ നൽകിയ ഭൂമിയിൽ ഹോംസ്റ്റേ

മുഖ്യമന്ത്രിയുടെ സമീപം



മുഖ്യമന്ത്രിയുടെ സമീപം പട്ടികജാതിക്കാർക്ക് വിടിയ നൽകിയ ഭൂമിയിൽ ഹോംസ്റ്റേ.

മുഖ്യമന്ത്രിയുടെ സമീപം പട്ടികജാതിക്കാർക്ക് വിടിയ നൽകിയ ഭൂമിയിൽ ഹോംസ്റ്റേ. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്.



മുഖ്യമന്ത്രിയുടെ സമീപം പട്ടികജാതിക്കാർക്ക് വിടിയ നൽകിയ ഭൂമിയിൽ ഹോംസ്റ്റേ.

ചക്രസേരയിലെ കെട്ടിടഗൃഹീകയ്ക്ക് നടക്കാൻ മോഹം



ചക്രസേരയിലെ കെട്ടിടഗൃഹീകയ്ക്ക് നടക്കാൻ മോഹം.

ചക്രസേരയിലെ കെട്ടിടഗൃഹീകയ്ക്ക് നടക്കാൻ മോഹം. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്. സർക്കാർ വൈദ്യവർഗ്ഗത്തിന് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്.

അയ്യപ്പൻ ഇന്ന് പള്ളി വേട്ട

അയ്യപ്പൻ ഇന്ന് പള്ളി വേട്ട. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്. സർക്കാർ വൈദ്യവർഗ്ഗത്തിന് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്.

നിർത്തിയിരുന്ന കറീൻ തിപിടിച്ച് ഉമ മരിച്ചു

നിർത്തിയിരുന്ന കറീൻ തിപിടിച്ച് ഉമ മരിച്ചു. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്. സർക്കാർ വൈദ്യവർഗ്ഗത്തിന് ഇനി വെള്ളപ്പൊക്കം കുറയ്ക്കാനുണ്ട്. മുഖ്യമന്ത്രിയുടെ സമീപം ഇതിനുള്ള പരിഹാരം തേടാനാണ് സർക്കാർ തയ്യാറെടുക്കുന്നത്.

NATIONAL AVUSH MISSION

37th Edition

CAREER NOTIFICATION

Post	Number of Vacancies	Age Limit	Qualification	Other Conditions
...

Kerala Social Security Mission

Secretary of Social Security Mission

...

ശിശു സാരകരണ സ്ഥാപനങ്ങളുടെ ഭരിതവ്യക്തികൾ

അവസാന തീയതി: 31/03/2018

...

MUTUALFUNDS ശриഭാസ്

“ലോൺ-ടോ പ്ലാനിങ്ങ് ചെയ്യാനാണോ.”

...

അറിയേണ്ടതെല്ലാമുണ്ട് ഈ അർദ്ദശതകത്തിൽ!

FREE 3D ഫസിൽ

ഇന്റർ Special

...

ANNEXURE 19

Thottapuzhassery Grama Panchayat Maramon P.O., Phone: 04682214337		A 8682205
ACKNOWLEDGEMENT (Not for Cash Transactions)		
Inward No	1337	Year 2018
Date of Receipt	03/04/2018	
Name of Applicant	ABY MATHEW MANAGING PARTNER, PANACHAYIL INDUSTRIES, WEST OTHER	
Subject	ENVIRONMENTAL CLEARANCE CERTIFICATE-NO 960/EC4/4470/2015/SEIAA	
Date of Delivery		
Section	C2	
Remarks :		
Counter No. & Staff :	Secretary	

KREWS (GLM, KANJIKODE) 2014

Cheques are subject to realisation

ANNEXURE 20



ANNEXURE 21



കേരളം KERALA

AR 839705

AFFIDAVIT

I, Aby Mathew, Managing Partner & Authorized Signatory of M/s Panachayil Industries having its correspondence office at West Othera P.O., Thiruvalla, Pathanamthitta, Kerala – 689 551 do hereby affirm and confirm as follows:-

1. That, M/s Panachayil Industries proposes to develop a Quarry project at Survey Nos. 3/5pt, 3/6pt, 11/2, 11/7, 11/3, 11/4, 12/3, 12/2, 12/6, 12/5, 16/3, 18/1pt, 17/8, 10/2-1, 10/3-1, 10/4, 3/8pt at Thottapuzhassery Village and Panchayat, Thiruvalla Taluk, Pathanamthitta District, Kerala.



[Handwritten Signature]

[Handwritten Signature]
A.P. Gokula Chandran, B.A.;LL.B.
Advocate & Notary
Roll No:K/86/71 Thiruvalla.

no. 99332 ₹ 50/-

21-2-18.

Aby Mathew, Mg. Partner
Panachayil Industries
West Othera P.O.
Thiruvalla.

KRISHNAN KUTTY NARAYAN
THIRUVALLA VENDOR





കേരളം കേരल KERALA

AR 839706

2. That, the following specific conditions will be complied.
- That, at the base of the worked out pit with cliff like structure, at least 15m buffer distance will be provided as a no development zone as a measure of safety.
 - That, if any plant species endemic to Western Ghats are noticed in the area they will be properly protected in situ or by transplanting to an appropriate location outside the lease area.



A.P. Gokula Chandran
A.P. Gokula Chandran, B.A., LL.B.
Advocate & Notary
Roll No: K/86/71 Thiruvalla.

No. 99333 2501-Parachayil Industries
21-12-18

Aby Mathew, Mg: Partner
West Ollera P.O. Thiruvalla.
KRISHNAN KUTTY NAI
THIRUVALLA VENDOR





കേരളം കേരल KERALA

AR 839707

3. That, we hereby commit that to set apart an amount of Rs. 31 Lakhs (non-recurring) and Rs.33 Lakhs per annum (recurring) for CSR activities in consultation with the local panchayat for the welfare of the local community.
4. That, the general and specific conditions in the environmental clearance order will be followed.



[Signature]
DEPONENT

[Signature]
A.P. Gokula Chandran, B.A., LL.B.
Advocate & Notary Public
Roll No: K/86/71 Thiruvalla



No. 99334 ₹ 50/- Aiy Mathew Mg: Partner
Panchayat Industries
West Obvara P.O
Thiruvalla

KRISHNAN KUTTY NAIK
THIRUVALLA KERALA



കേരളം കേരल KERALA

AR 839708

Verification:

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

[Signature]
 DEPONENT

Place: Pathanamthitta

Date: 21-02-2018

Solemnly affirmed and signed before me by the deponent who is personally known to me in my office at Thiruvalla on this the 21st day of Feb. 2018.



[Signature]
 A.P. Gokula Chandran, B.A., LL.B.
 Advocate & Notary
 Reg. No. A/8671 Thiruvalla.

[Signature]



Ln/o 99335 2501 - Aby Mathew Mg: Parthar
 Panachayil Industries
 West Obera PO
 Thiruvalla

Air, water and Sound Analysis Reports



POLUCHEM LABORATORIES (P) LTD.

CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY
PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104
Phone : 0484-2544030, 8281982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

ACCREDITED BY KSPCB AS 'A' GRADE LABORATORY

TEST REPORT

Page 01 of 01

Client Name & Address	Certificate No:	PL/AMB/RT/350/2020
M/s. Panachayil Industries Thottapuzhassery Thiruvalla Kerala	Date of issue:	21/01/2020
	Date of monitoring	14/01/2020 10.00 Hrs to 14/01/2020 10.00 Hrs
	Date of sample received:	16/01/2020
	Date of analysis	16/01/2020
	Monitoring Location	M/s. Panachayil Industries, Survey Nos.: 15/7,15/15,16/5,16/2,20/1,19/1, 15/9part,21/5,21/6part,16/4-1 & 16/4 Village -Thottapuzhassery , Panchayath- Thottapuzhassery, Taluk- Thiruvalla Pathanamthitta District ,Kerala
	Sample description	Ambient air – Near East side boundary
	Sample code given by client	Nil

SL NO	PARAMETERS	TEST METHOD	RESULTS	Limit as per NAAQS
01	Particulate Matter (PM ₁₀)	IS 5182 Part 23 2006RA2012	56.2 µg/m ³	100 µg/m ³
02	Particulate Matter (PM _{2.5})	CPCB	28.7 µg/m ³	60 µg/m ³
03	Sulphur dioxide	IS 5182 Part 2 2001 RA 2017	10.2 µg/m ³	80 µg/m ³
04	Nitrogen dioxide	IS 5182 Part 06 2006 RA2017	14.7 µg/m ³	80 µg/m ³

Note: NAAQS-National Ambient Air Quality Standards

* End of the Report*

The results are related only to the sample collected for analysis. This certificate shall not be reproduced except in full and without the written permission with authorized signatory.

For and on behalf of
POLUCHEM LABORATORIES (P) LTD.


 AUTHORIZED SIGNATORY

SREEJA RAMESH
 Quality Manager
 PoluChem Laboratories (P) Ltd



POLUCHEM LABORATORIES (P) LTD.

CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY

PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104

Phone : 0484-2544030, 8281982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

ACCREDITED BY KSPCB AS "A" GRADE LABORATORY

TEST REPORT

Page 01 of 01

Client Name & Address	Certificate No:	PL/RT/SD/351/2020
M/s. Panachayil Industries Thottapuzhassery Thiruvalla Kerala	Date of issue:	21/01/2020
	Date of monitoring	14/01/2020 10.00 Hrs to 14/01/2020 10.00 Hrs
	Monitoring Location	M/s. Panachayil Industries, Survey Nos.: 23/5-1, 21/4, 21/6,20/1 & others Village -Thottapuzhassery , Panchayath- Thottapuzhassery, Taluk- Thiruvalla Pathanamthitta District ,Kerala
	Sample Description	Ambient Sound Level (Leq)
Monitoring Location	Time	Results
East side boundary	10.00 Hrs	54.6 dB (A)
	11.00 Hrs	54.8 dB (A)
	12.00 Hrs	53.4 dB (A)
	13.00 Hrs	54.2 dB (A)
	14.00 Hrs	56.3 dB (A)
	15.00 Hrs	51.4 dB (A)
	16.00 Hrs	50.2 dB (A)
	17.00 Hrs	51.3 dB (A)
	18.00 Hrs	49.8 dB (A)
	19.00 Hrs	42.3 dB (A)
	20.00 Hrs	39.5 dB (A)
	21.00 Hrs	38.4 dB (A)
	22.00 Hrs	35.2 dB (A)
	23.00 Hrs	36.3 dB (A)
	00.00 Hrs	35.7 dB (A)
	01.00 Hrs	37.4 dB (A)
	02.00 Hrs	38.9 dB (A)
	03.00 Hrs	39.6 dB (A)
	04.00 Hrs	41.2 dB (A)
05.00 Hrs	42.3 dB (A)	
06.00 Hrs	43.6 dB (A)	
07.00 Hrs	46.5 dB (A)	
08.00 Hrs	47.6 dB (A)	
09.00 Hrs	48.2 dB (A)	
Leq (Day time)		54.7 dB (A)
Leq (Night time)		36.3 dB (A)

*End of the Report *

For PoluChem Laboratories (P) Ltd.

Authorized Signatory

SREEJA KAMATH
Quality Manager
PoluChem Laboratories (P) Ltd.



POLUCHEM LABORATORIES (P) LTD.

CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY

PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104

Phone : 0484-2544030, 8281982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

ACCREDITED BY KSPCB AS "A" GRADE LABORATORY

TEST REPORT

Ref.No. PL/RT/OW/352/2020

Date of Issue: 21/01/2020

Page 01 of 02

Name & address of customer

: M/s. Panachayil Industries
Thottapuzhassery
Thiruvalla, Kerala

Project Site

: M/s. Panachayil Industries,
Survey Nos.: 15/7,15/15,16/5,16/2,20/1,19/1,
15/9part,21/5,21/6part,16/4-1 & 16/4
Village -Thottapuzhassery ,
Panchayath- Thottapuzhassery,
Taluk- Thiruvalla
Dist- Pathanamthitta ,Kerala

Sample drawn by

: PoluChem Laboratory Sample Collector

Sample description

: Drinking Water

Location of sampling

: Open Well water-North Side

Date of sample collected

: 15/01/2020

Date of analysis started

: 16/01/2020

Date of completion of analysis

: 20/01/2020

Parameters tested	Test method	Results	Acceptable Limit As Per IS 10500-2012
Color	IS 3025 (P) 04 – 1983 RA2017	4 Hazen Unit	5 Hazen Unit
Odour	IS 3025 (P) 05 – 1983 RA2017	Agreeable	Agreeable
Turbidity	IS 3025 (P) 10 – 1984 RA2017	BDL	1 NTU
pH	IS 3025 (P) 11 – 1983 RA 2017	5.69	6.5 – 8.5
Total Dissolved Solids	IS 3025 (P) 16 – 1984 RA2017	51 mg/l	500 mg/l
Total Hardness as CaCO ₃	IS 3025 (P) 21 – 1983 RA2014	19.7 mg/l	200 mg/l
Total Alkalinity as CaCO ₃	IS 3025 (P) 23 – 1986 RA2014	8.4 mg/l	200 mg/l
Residual Chlorine	IS 3025 (P) 26 – 1986 RA2014	BDL	0.2 mg/l
Chloride as Cl ⁻	IS 3025 (P) 32 – 1988 RA2014	18.4 mg/l	250 mg/l
Calcium as Ca	IS 3025 (P) 40 – 1991 RA2014	4.16 mg/l	75 mg/l
Magnesium as Mg	IS 3025 (P) 46 – 1994 RA2014	1.87 mg/l	30 mg/l
Total Iron as Fe	IS 3025 (P) 53 – 2003 RA2014	0.17 mg/l	0.3 mg/l
Sulphate as SO ₄	IS 3025 (P) 24 – 1986 RA2009	4.6 mg/l	200 mg/l
Fluoride as F	IS 3025 (P) 60 -2008 RA 2013	BDL	1.0 mg/l

Note : BDL – Below Detection Level

For PoluChem Laboratories (P) Ltd.

Authorized signatory
SREEJA KAMATH
Quality Manager
PoluChem Laboratories (P) Ltd.



POLUCHEM LABORATORIES (P) LTD.

CHEMICAL, ENVIRONMENTAL AND MICROBIOLOGY LABORATORY
PALLATH BUILDING, N. KALAMASSERY P. O., ERNAKULAM - 683104

Phone : 0484-2544030, 8281982322, 9747400085, 9747400089, www.poluchem.com, poluchem@gmail.com

ACCREDITED BY KSPCB AS "A" GRADE LABORATORY

TEST REPORT

Ref.No. PL/RT/OW/353/2020

Date of Issue: 21/01/2020

Page 01 of 02

Name & address of customer

: M/s. Panachayil Industries
Thottapuzhassery
Thiruvalla, Kerala

Project Site

: M/s. Panachayil Industries,
Survey Nos.: 15/7,15/15,16/5,16/2,20/1,19/1,
15/9part,21/5,21/6part,16/4-1 & 16/4
Village -Thottapuzhassery ,
Panchayath- Thottapuzhassery,
Taluk- Thiruvalla
Dist- Pathanamthitta ,Kerala

Sample drawn by

: PoluChem Laboratory Sample Collector

Sample description

: Water Sample

Location of sampling

: Surface Water

Date of sample collected

: 15/01/2020

Date of analysis started

: 16/01/2020

Date of completion of analysis

: 20/01/2020

Parameters tested	Test method	Results	Acceptable Limit As Per IS 10500-2012
Color	IS 3025 (P) 04 – 1983 RA2017	8 Hazen Unit	5 Hazen Unit
Odour	IS 3025 (P) 05 – 1983 RA2017	Agreeable	Agreeable
Turbidity	IS 3025 (P) 10 – 1984 RA2017	1 NTU	1 NTU
pH	IS 3025 (P) 11 – 1983 RA 2017	6.32	6.5 – 8.5
Total Dissolved Solids	IS 3025 (P) 16 – 1984 RA2017	62.3 mg/l	500 mg/l
Total Hardness as CaCO ₃	IS 3025 (P) 21 – 1983 RA2014	18.4 mg/l	200 mg/l
Total Alkalinity as CaCO ₃	IS 3025 (P) 23 – 1986 RA2014	10.6 mg/l	200 mg/l
Residual Chlorine	IS 3025 (P) 26 – 1986 RA2014	BDL	0.2 mg/l
Chloride as Cl ⁻	IS 3025 (P) 32 – 1988 RA2014	16.3 mg/l	250 mg/l
Calcium as Ca	IS 3025 (P) 40 – 1991 RA2014	3.61 mg/l	75 mg/l
Magnesium as Mg	IS 3025 (P) 46 – 1994 RA2014	1.24 mg/l	30 mg/l
Total Iron as Fe	IS 3025 (P) 53 – 2003 RA2014	0.39 mg/l	0.3 mg/l
Sulphate as SO ₄	IS 3025 (P) 24 – 1986 RA2009	6.2 mg/l	200 mg/l
Fluoride as F	IS 3025 (P) 60 -2008 RA 2013	BDL	1.0 mg/l

Note : BDL – Below Detection Level

For PoluChem Laboratories (P) Ltd.

SREEJA Authorized signatory
Quality Manager
PoluChem Laboratories (P) Ltd.