

POABS ROCK PRODUCTS PVT.LTD.

Kuttoor P O, Tiruvalla, Kerala, India - 689 106 Ph:+91 - 469 2743300, Fax: +91 - 469 2743330 Email: mail@poabs.com, www.msand.in

The Director, DoECC & Secretary SEAC Kerala

26-09-14

'Devi Kripa', Pallimukku, Pettah P.O,

Thiruvananthapuram,

Kerala - 695024.

Sub: Environmental Clearance - Proposed quarry project Sy. No. 172 at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala - Compliance Report - Reg.

Ref: File No. 48/SEIAA/KL/7176/2012

Respected sir,

Our quarry project was accorded with Environmental Clearance vide Order No. 48/SEIAA/KL/7176/2012 Dt. 23-08-2013. Second compliance report to the specific and general conditions of the Environmental Clearance (hard copy and softcopy (CD)) for the period of March, 2014 – August, 2014 is enclosed.

Thanking you

Yours respectfully,

For POABS Rock Products Pvt. Ltd.

Binu K. Mathew (Managing Director)

Copy to:

The Regional Director,

MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Banglore - 560034.

COMPLIANCE REPORT TO THE CONDITIONS

OF

ENVIRONMENTAL CLEARANCE ORDER

NO: 48/SEIAA/KL/7176/2012

DT. 23-08-2013

BY

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA) FOR PROPOSED QUARRY PROJECT

 \mathbf{AT}

SURVEY NO. 172, KODIYATHOOR VILLAGE AND PANCHAYAT, KOZHIKODE TALUK, KOZHIKODE DISTRICT, KERALA

BY

POABS ROCK PRODUCTS PRIVATE LIMITED

NELLIKKAPARAMBU P.O. GOTHEMBU ROAD, CALICUT – 673602

(March 2014 – August 2014)

INTRODUCTION

M/s Poabs Rock Products Pvt. Ltd. is a stone quarry situated at Survey No. 172, Kodiyathoor Village & Panchayat, Kozhikode Taluk, Kozhikode District, Kerala. The quarry project was accorded with the environmental clearance by state Environmental Impact Assessment Authority on 23-08-2013. Six monthly compliance reports to the conditions of the environmental clearance are to be submitted as part of compliance. The compliance report to the specific and general conditions of the environmental clearance for the period of March 2014 – August 2014 is being submitted.

PART - A - SPECIFIC CONDITIONS

Condition 1)

Storm water management plans provided in the proposal should be implemented.

Compliance

➤ A well planned garland drain system is constructed in the project site to manage storm water. Entire storm water is channelized in to an abandoned quarry pit and the pit opening is guarded with check dam. During this storage, slit/debris in the storm water is sedimented and it prevents the entry of debris/silt in to nearby natural streams. Sediments from storm water collecting pit is removed periodically. The photographs showing the storm water collecting pit is given in Annexure No.1.

Condition 2)

Arrangements must be made to provide adequate safe drinking water to all project workers.

Compliance

➤ Every day water demand for the project is around 5KLD and the water demand being met from rainwater. Drinking water for project workers are provided from rain water harvesting tank after proper treatment and the quality of drinking water is periodically analyzed by accredited laboratories (Polluchem Laboratories (P) LTD).

Condition 3)

10 percent of the pit formed on completion of quarrying activities should be used for the storage of water. The rest has to be refilled with the stacked top soil and the overburden and covered with vegetation.

Compliance

➤ After the closure of the mine, ten percentages of the excavated mine area will preserved as water storage area. In the remaining region, it is planned to build up a green belt by indigenous plants after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will be planted in the areas prone to erosion especially at foot hills.

Condition 4)

A 20m wide permanent continuous tree belt with deep root system on the upper area of the lease should be provided.

Compliance

➤ The upper region of the lease area is covered by natural vegetation with deep root system. The photograph showing the same is attached at Annexure No 2. Details of tree species found in the upper area are given below.

Sl No.	Scientific Name Common Name		Family
1	Mangifera indica L.	Mavu	Anacardiaceae
2	Artocarpus heterophyllus	Plavu (Jack fruit tree)	Moraceae
3	Cieba pentandra	Panjimaram (Silk cotton tree)	Bombaceae
4	Cocus nucifera	Thengu (Coconut)	Arecaceae

Condition 5)

A protective wall should be constructed in the upper reaches of the mine area to prevent anticipated soil erosion.

Compliance

➤ Most of the upper reaches of the mine area is covered by natural vegetation with deep root system, and the remaining area covered with exposed bed rocks hence the chance of soil erosion in the upper reaches of the mine is negligible. The risk of causing soil erosion at the foot of the hill is prevented by protective walls. The photographs showing the protective walls at the foot hills are enclosed as Annexure No.3.

Condition 6)

Avoid blasting in the rainy days. Blasting to be resumed only after the flow of the water through channels is stopped.

Compliance

> Blasting is not carried out during rainy days and unfavorable weather conditions. Blasting resumed only after the flow of the water through the channels is stopped.

Condition 7)

Spent oil from DG sets should be disposed off as per Hazardous Waste (Management & Handling) rules and send to stores for disposal through authorized agents.

Compliance

> Spent oil from DG sets is reused for different purposes

Condition 8)

Amount should be earmarked for CSR components as per the provisions of Companies Bill, 2011.

Compliance

➤ As part of the Corporate Social Responsibility, the amount proposed by the company is spending for various social activities. A total of Rs. 232500/- is spent for CSR activities during this 6 month. Some of the activities done under CSR programme and the amount spent are given below.

Sl No.	Activities	Date	Amount	Annexure
1	Donation given to Malabar Sambathika	03/04/14	500/-	3A
	Pinnokka kshema Society.			
2	Donation given to Ambedkar Jana	26/04/14	500/-	3B
	Parisath(AJP),Chalappuram, Kozhikode.			
3	Donation given to Jeevadhara	24/04/14	5000/-	3C
	Charitable Trust, Alathur, Palakkad.			
4	Donation given to Sri. Kalloor Shiva Temple, Mukkom, Kozhikode.	24/04/14	2000/-	3D
5	Donation given to Daya Center –	30/04/14	300/-	3E
	Medical College, Kozhikode.			
6	Donation given to DYFI Kodiyathoor	13/08/14	5000/-	3F
	Panchayat for a prize giving ceremony			
	to SSLC high mark holders.			
7	Donation given to Varnam Arts and	12/05/14	2000/-	3G
	sports club, Pannikkode, Kozhikode.			
8	Donation given to Marakkattupurathu	14/05/14	2000/-	3Н
	Veerattariparambil Vellalasherry			
	Nagappattulsavam.			
9	100 CFt M-Sand given to	14/05/14	4500/-	3I
	Mr.Goureeshan, Gothambu Road,			
	Kozhikode.			
10	Donation given to Neduppan	26/05/14	2000/-	3J
	Bhagavathi Temple, Parappil, Pannikkodu, Kozhikode.			
11	Donation given to Sunni Students	26/05/14	1000/-	3J
	Federation.	, ,	,	ŕ
12	Payment given to Mr. Mani	16/05/14	19500/-	3L
	Kottakkayam, Gothambu Road, Kozhikode for house construction.			
13	Payment given to Mr. Raman	20/05/14	17500/-	3M
	Kottakkayam, Gothambu Road,			
	Kottakkayam, Gothambu Koad,			

	Kozhikode for house construction.			
14	Payment given to Mr. Maniyan,	21/05/14	13000/-	3N
	Gothambu Road for house construction			
15	183 CFt M-Sand given to Mr.Biju,	26/05/14	8052/-	30
	Gothambu Road, Kozhikode.			
16	100 CFt M-Sand given to Mr.Abdhu,	26/05/14	4500/-	3P
17	Gothambu Road, Kozhikode.	26/05/14	202507	20
17	650 CFt M-Sand given to	26/05/14	29250/-	3Q
	Mr.Muhammed, Gothambu Road			
	Pannikkode, Kozhikode.			
18	Donation given to Environmental	29/05/14	1000/-	3R
	Protection Council, District Committee.			
19	Donation given to Samarpanam	27/05/14	1000/-	3S
	Samskarika vedhi – Pottamel, Run by			
	Muslim Youth League Pottamel.			
20	Donation given to Mr. Mani, Gothambu	02/06/14	6500/-	3T
	Road for house construction			
21	Donation given to Jilani Juma Majisd	15/03/14	5500/-	3U
	Renovation Fund, Mukkom Kozkikode			
	District.			
22	Donation given to National Campaign	23/06/14	500/-	3V
	To Save Bahujan Movement, Malabar			
	Zonal Committee Malappuram, Kerala.			
23	Donation given to Mr. Muhammed Ali	26/06/14	1000/-	3W
	for house construction			
24	Donation given to People Relief Forum	10/07/14	1000/-	3X
	(PRF), Kozhikode District Committee.			
25	Payment given to Asraf, Areekode as	12/07/14	7050/-	3Y
	150 feet M-Sand for House			
	construction			

26	Donation given to Muslim league Relief	12/07/14	3000/-	3Z
	Committee, Nellikkaparambu, Mukkom,			
	Kozhikode.			
27	Donation given to Sree Kshema Trust	16/07/14	500/-	3A1
	located at Metro building, chinthavalap,			
	Calicut			
28	Donation given to National Delith	17/07/14	500/-	3A2
	Federation			

PART - B - GENERAL CONDITIONS

Condition 1)

Rain water harvesting to collect and utilize the entire water falling in land area should be provided.

Compliance

➤ Rain water harvesting system is constructed in the Project site. One excavated pit, check Dam and a concrete tank is used as rainwater harvesting system having the capacity of 3240000, 1 200 000 and 128000 liters respectively. Photograph showing the same is enclosed as Annexure A. Information of the rainwater harvesting systems are as follows.

Sl.	Туре	Length	Width	Height	Capacity
No.		(m)	(m)	(m)	(L)
1	Excavated mine pit	30	18	6	3240,000
2	Concrete tank	8	4	4	128,000
3	Check Dam	20	30	2	1200000

Condition 2)

Environment monitoring cell as agreed under the affidavit filed by the proponent should be formed and made functional.

Compliance

> An environmental monitoring cell was formed with Mr. Binu K. Mathew (Managing Director of the Company) as head of the monitoring cell and made

functional. Meeting of monitoring cell is arranged monthly and discus the status of the compliance of the specific and general conditions stated in the Environmental clearance order. The details of the monitoring cell members are given below.

Sl. No.	Post	Name	
1	Head of the monitoring cell	Mr. Binu K. Mathew	
	(Managing Director of the		
	Company)		
2	Head in charge (Environment)	Mr. VT Thomas	
3	Senior Environmental Officer	Mr. Rinoy Varghese	
4	Environmental Officer	Mr. Navin Xavier	
5	Name of the environmental officer	Mr. Ramesh Babu K	
	in charge at site		
6	Name of the officer Environment,	, Mr. Maria Suainathan	
	Health and safety at site.		
7	Name of the Asst. officer of	Mr. Chinippi Jeevarathnam	
	Environment, Health and safety at		
	site		
8	Name of the environmental	M/s Enkay Enviro Services Pvt. Ltd.	
	consultant	& M/s Environmental Engineers &	
		Consultants Pvt. Ltd	
9	Address of Environmental	M/s Poluchem Laboratory Pvt. Ltd.	
	laboratory		

Condition 3)

Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.

Compliance

There is natural vegetation including trees and shrubs in the sides of tarred road and parking areas. We planted the area with less vegetation by tree saplings. Details of the tree species planted along the road side as follows. Photographs showing the same is given Annexure A1

Sl No.	Scientific Name	Common Name	Family
1	Casuarina equisetifolia L.	Choolamaram	Casuarinaceae
2	Acacia mangium Wild	Mangium	Leguminosae
3	Mimusops elengi L.	Spanish Cherry/ Elanji	Sapotaceae

Condition 4)

The project shall incorporate devices for solar energy generation and utilization wherever possible.

Compliance

➤ Solar energy devices are installed in the project area. Ten solar lights having the capacity were installed in the road side, magazine area, office area, crusher units etc. A Biogas plant and associated small scale cattle, duck and chicken farm is also maintained in the project site. This all makes the site a good eco friendly area. Photographs showing Solar energy devices are given in Annexure A2

Condition 5)

Sprinklers shall be installed and used in the project site to contain dust emissions.

Compliance

➤ Fixed sprinklers are installed in the crusher unit to contain dust emission generated during Crushing & Screening operation. Other areas (tarred road and project area) are watered by sprinkler system installed in Tanker Lories at regular intervals.

Condition 6)

The eco-restoration plan submitted with the proposal should be fully implemented.

Compliance

> Following the shutting of the mine, ten percent of the excavated pit area will maintained as water storage area. It is proposed to develop a green belt in the

remaining area with plant species after reclaimed with stacked dumping and overburden. List of some of the selected indigenous plants for green belt development is given below.

Sl No.	Scientific Name	Common Name	Family
1	Aegle marmelos (L.) Corrêa	Bael Tree/Stome apple/ Koovalam	Rutaceae
2	Alstonia scholaris (L.) R. Br.	Ezhilampala/ Devil Tree	Apocynaceae
3	Artocarpus hirsutus Lam.	Wild Jack Fruit Tree/Anjili	Moraceae
4	Cinnamomum malabatrum (Burm.f.) J.Presl	Cinnamon/ Vazhana	Lauraceae
5	Mimusops elengi L.	Elenji	Sapotaceae
6	Saraca asoca (Roxb.) Willd.	Ashoka tree/ Asokam	Fabaceae

Condition 7)

At least 10 percent of the excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly.

Compliance

Following the closure of the mine, ten percent of the excavated pit area will retained as water storage area. In the remaining area, it is planned to develop a green belt with indigenous vegetation after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will be planted in the areas prone to erosion especially at the foot of the hill.

Condition 8)

Rain water harvesting capacity should be installed as per the prevailing provisions of KMBR/KPBR

Compliance

➤ Would be complied. The present project consists of an area of 4.8240 hectare and the entire project requires close to 5,000 liters of water per day. Rain water harvesting system is provided in the project site. One excavated pit, Check Dam and a concrete tank is used as rainwater harvesting system having

the capacity of 3,368,000 liters. The pits can store water for all the years, and makes the company self-sufficient in its water needs.

Condition 9)

Corporate Social Responsibility agreed upon by the proponent should be implemented in tune with the conditions specified in Companies Bill, 2011.

Compliance

➤ As part of the Corporate Social Responsibility, the amount proposed by the company is spending for various social activities. A total of Rs. 232500/- is spent for

CSR activities during this 6 month. Some of the activities done under CSR programme and the amount spent are given below.

Sl No.	Activities	Date	Amount	Annexure
1	Donation given to Malabar Sambathika	03/04/14	500/-	3A
	Pinnokka kshema Society.			
2	Donation given to Ambedkar Jana	26/04/14	500/-	3B
	Parisath(AJP),Chalappuram, Kozhikode.			
3	Donation given to Jeevadhara	24/04/14	5000/-	3C
	Charitable Trust, Alathur, Palakkad.			
4	Donation given to Sri. Kalloor Shiva	24/04/14	2000/-	3D
	Temple, Mukkom, Kozhikode.			
5	Donation given to Daya Center -	30/04/14	300/-	3E
	Medical College, Kozhikode.			
6	Donation given to DYFI Kodiyathoor	13/08/14	5000/-	3F
	Panchayat for a prize giving ceremony			
	to SSLC high mark holders.			
7	Donation given to Varnam Arts and	12/05/14	2000/-	3G
	sports club, Pannikkode, Kozhikode.			

8	Donation given to Marakkattupurathu	14/05/14	2000/-	3Н
	Veerattariparambil Vellalasherry			
	Nagappattulsavam.			
9	100 CFt M-Sand given to	14/05/14	4500/-	31
	Mr.Goureeshan, Gothambu Road,			
	Kozhikode.			
10	Donation given to Neduppan	26/05/14	2000/-	3J
	Bhagavathi Temple, Parappil, Pannikkodu, Kozhikode.			
11	Donation given to Sunni Students	26/05/14	1000/-	3J
	Federation.	, ,	,	,
12	Payment given to Mr. Mani	16/05/14	19500/-	3L
	Kottakkayam, Gothambu Road, Kozhikode for house construction.			
13	Payment given to Mr. Raman	20/05/14	17500/-	3M
	Kottakkayam, Gothambu Road,			
	Kozhikode for house construction.			
14	Payment given to Mr. Maniyan,	21/05/14	13000/-	3N
	Gothambu Road for house construction			
15	183 CFt M-Sand given to Mr.Biju,	26/05/14	8052/-	30
	Gothambu Road, Kozhikode.			
16	100 CFt M-Sand given to Mr.Abdhu,	26/05/14	4500/-	3P
17	Gothambu Road, Kozhikode.	26/05/14	202507	20
17	650 CFt M-Sand given to Mr.Muhammed, Gothambu Road	26/05/14	29250/-	3Q
	,			
10	Pannikkode, Kozhikode.	20 /05 /14	1000/	20
18	Donation given to Environmental	29/05/14	1000/-	3R
10	Protection Council, District Committee.	27/05/4	1000/	20
19	Donation given to Samarpanam	27/05/14	1000/-	3S
	Samskarika vedhi – Pottamel, Run by			
	Muslim Youth League Pottamel.	00/05/4	(F00 /	O.T.
20	Donation given to Mr. Mani, Gothambu	02/06/14	6500/-	3T

	Road for house construction			
21	Donation given to Jilani Juma Majisd	15/03/14	5500/-	3U
	Renovation Fund, Mukkom Kozkikode			
	District.			
22	Donation given to National Campaign	23/06/14	500/-	3V
	To Save Bahujan Movement, Malabar			
	Zonal Committee Malappuram, Kerala.			
23	Donation given to Mr. Muhammed Ali	26/06/14	1000/-	3W
	for house construction			
24	Donation given to People Relief Forum	10/07/14	1000/-	3X
	(PRF), Kozhikode District Committee.			
25	Payment given to Asraf, Areekode as	12/07/14	7050/-	3Y
	150 feet M-Sand for House			
	construction			
26	Donation given to Muslim league Relief	12/07/14	3000/-	3Z
	Committee, Nellikkaparambu, Mukkom,			
	Kozhikode.			
27	Donation given to Sree Kshema Trust	16/07/14	500/-	3A1
	located at Metro building, chinthavalap,			
28	Calicut Donation given to National Delith	17/07/14	500/-	3A2
	Federation	/ /	/	
	111111111111111111111111111111111111111			

Condition 10)

Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that the falling of animals/human/belongings/dumping of garbage's etc. does not happen.

Compliance

➤ Barbed metal wire fence is constructed around the mining area with a height of 5 ft so that the falling of animals/human/belongings/dumping of garbage's etc. does not happen.

Condition 11)

Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of explosive department.

Compliance

➤ Warning alarm is installed in the project area. The blasting time is fixed and the blasting is conducted during 10.00 am, 01.00 pm and 04.30 pm. A danger board with blasting time is installed in the project site. The photographs showing the danger board and warning alarm as enclosed as Annexure B

Condition 12)

Controlled measures on noise and vibration prescribed by KSPCB should be implemented.

Compliance

Noise pollution

Mitigation measures Implemented

The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are undertaken to bring down the noise levels:-

- > Proper maintenance of machinery, equipments and improvement of design of machines.
- > Use of personal protective devices i.e., earmuffs and ear plugs by workers, working in high noise areas.
- Wide green belt of dense foliage between mine areas and residential colonies.
- > The mine is working only during day times.
- ➤ Noise quality is checking periodically. The sound levels are monitored through an NABL accredited laboratory during the quarry in operation and the monitored results are well within the permissible limits.

Blast vibrations and control measures

> Controlled blasting technique is adopted in this project in order to reduce blast vibrations.

- > The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.
- > Optimum delay sequence and stem to column ratio is maintaining to minimize the ground vibration intensity.

Condition 13)

Quarrying activities should be limited to daytime as per KSPCB guidelines.

Compliance

Quarry is running only during day time.

Condition 14)

Blasting should be done in controlled manner as specified by the regulations of explosives department or any other concerned agency.

Compliance

Blasting

- **❖** The controlled blasting is proposed by adopting all the safety measures as per "MMR 1961" and with the permission of DGMS.
- ❖ Blasting is carried out for the fragmentation of the granite within the project area. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32mm drill rod, Jack Hammer and air compressor of 100 cm capacity.
- ❖ It is estimated about 250g of explosives per hole is required. About 30-50 holes per blast are proposed. Therefore the requirement of explosive will be about 10kg/ blast.

Blasting safeguard

- **Blasting in the open cast is done only during day time at designated hours.**
- Only competent blasters are appointed to handle explosives.
- ❖ Explosives are stored in approved and licensed magazine as per explosive Act/ Rules.
- ***** Explosives are brought from magazine to blasting site under the care of blaster.
- **Sufficient warning signals are given before blasting the holes.**

- ❖ Guards are posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during the blasting hour.
- **Controlled blasting is practiced to control vibrations and flying fragments.**
- Optimum charge is used, while blasting near office complex/ infrastructure site.
- **❖** Maximum charge per delay is always being less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.

Condition 15)

A licensed person should supervise/control the blasting operations.

Compliance

Licensed person is supervising/controlling the blasting operations.

Condition 16)

Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.

Compliance

➤ Access roads to the quarry are tarred to contain dust emissions that may arise during transportation of materials. The photographs showing the same is attached at Annexure C

Condition 17)

Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.

Compliance

> The excavated top soil is managed within the site for plantations and remaining soil is stored separately in a prefixed location. A fraction of the soil is used for organic farming. The photos showing the same are enclosed as Annexure D.

Condition 18)

Height of the benches should not exceed 5m and width should not be less than 5m.

Compliance

➤ Quarrying activity in the mine is in the form of benches. The proposed height and width of the bench will attain shortly. The photograph showing the bench type mining is enclosed as Annexure E.

Condition 19)

Mats to reduce fly rock blast to a maximum of 15 PPV should be provided.

Compliance

Mats to prevent fly rock during blasting will arranged shortly.

Condition 20)

Mining depth should not exceed beyond 40m, unless otherwise specified or not below the level of nearest stream bed whichever is less.

Compliance

Mining depth will not exceed beyond 40m. There is no nearest stream bed above the specified depth

Condition 21)

No mining operations should be carried out at places having a slope greater than 45°.

Compliance

> Pit slope will kept at 45°.

Condition 22)

Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of greenbelt and hollow brick envelope for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.

Compliance

> The crusher unit is encircled by thick green belt. The photos showing the same is enclosed Annexure F.

Condition 23)

The workers on the site should be provided with the required protective equipments such as ear muffs, Helmet, etc.

Compliance

> Workers are using personal protective devices such as earmuffs, ear plugs in high noise areas.

Condition 24)

Assurance in the form of affidavit should be given to SEIAA that eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.

Compliance

➤ Assurance in the form of affidavit stating that eco-restoration including the mine closure plan shall be done at the own cost of the project proponent was submitted to SEIAA on March 2014 and the copy of the same is attached at Annexure G.

Condition 25)

Assurance in the form of affidavit should be given to SEIAA that only a maximum of 10 percent of the total mine area shall be retained as water body, which shall be lined properly and further provided with protective wall to prevent accidents.

Compliance

➤ Assurance in the form of affidavit stating that a maximum of 10 percent of the total mine area will be retained as water body, which will be lined properly and further provided with protective walls to prevent accidents was submitted to SEIAA on March 2014 and the copy of the same is attached at Annexure H.

Condition 26)

Garland drains to be provided in the lower slopes around the core area to channelize storm water.

Compliance

➤ Garland drains are provided at the lower slopes around the core area to channelize storm water. The photographs showing the construction of Garland drains is provided at Annexure I

Condition 27)

Debris/ slit traps to be provided to prevent entry of dust and quarry wastes entering the main streams.

Compliance

> Storm water from entire project area is channelized in to check dam and stored the storm water in it. During this storage all the Debris/slit in the storm water are sedimented. Sediment from the pit is removed and disposed annually. Overflow from the check dam is opened in to Garland drains which entering to the main stream and these garland drains also contain Check dam model silt trap. This arrangement will prevent the passage of waste from the quarry site to the main streams.

Condition 28)

All statutory clearances should have been obtained, as applicable, by the project proponents from the respective competent authorities including that for blasting and storage of explosives.

Compliance

➤ All other statutory approvals required for the quarrying activity is obtained for the project. The details regarding the same along with the copy of the statutory approvals is provided at Annexure J1, J2 & J3.

Sl.	Annexure	Statutory approvals
No.		
1	J1	License to possess: (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7.
2	J2	Integrated consent to operate issued under Air act, 1981 and
		Environment act 1986.
3	J3	License from Panchayat

Condition 29)

In case of any change(s) in the scope of the project, the project would require a fresh appraisal by this authority.

Compliance

Would be complied

Condition 30)

The authority reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

Compliance

Would be complied

Condition 31)

The stipulations by Statutory Authorities under different Acts and notifications should be complied with, including the provisions of Water (Prevention and control of pollution) Act, 1974, the Air (Prevention and control of pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.

Compliance

Would be complied

Condition 32)

The project proponent should advertise in at least two local newspapers widely circulated in the region. One of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters area available with the

Department of Environment and climate change, Govt. of Kerala and may also be seen on the website of the authority at www.seiaaKerala.org. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same should be forwarded to the office of this authority as confirmation.

Compliance

➤ An advertisement in two local newspapers regarding the according of environmental clearance to the quarrying activity was carried out and the copy of the same was submitted at SEIAA Kerala. The copy of the

advertisement is provided at Annexure K1 and K2. Details of the news paper advertisements are given below.

Sl.	Annexure	Name of the News paper and edition	Dated
No.			
1	K1	The New Indian Express	9/11/2013
2	K2	Mathrubhumi	9/11/2013

Condition 33)

A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat / District panchayat / Municipality / Corporation / Urban local Body and also to the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

Compliance

➤ A copy of the environmental clearance order was submitted to the Panchayat office. The acknowledgment received is enclosed as Annexure L. There is no suggestion/ representation received so far from anybody. The environmental clearance order is uploaded in the website of the company (www.msand. in.)

Condition 34)

The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hand copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall update the same periodically, it can simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also the Directorate of Environment and Climate Change, Govt. of Kerala.

Compliance

➤ First compliance report was submitted to the Directorate of Environment and Climate Change, Govt. of Kerala and also the Regional Office of MoEF, Govt. of India. Second compliance report is being submitted to Department of

Environment and Climate change, Govt. of India both in hard copy as well as soft copy (CD).

Condition 35)

The conditions of the environmental clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman fond size of not less than 40.

Compliance

➤ The conditions of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman fond was installed. The photographs showing the metallic board is given in Annexure M.

Condition 36)

The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

Compliance

➤ Notarized affidavit stating that all the conditions stipulated in the Environmental clearance will be scrupulously followed was submitted to Department of Environment and climate change on 18.09.2013 and the copy of the same is given in Annexure N.

Condition 37)

Time schedule for completion of project should be informed to SEIAA.

Compliance

The expected life of the mine is 6.74 Years.





Photographs showing the storm water collecting pit





Photographs showing the upper region of the lease area covered by natural trees with deep root system





Photographs showing the protective walls at the foot hills to prevent soil erosion

40 17	AMBATHIKA PINN Regd. No. 25 Thamarassery, Ko	0/2009 Ozhikode Dt	A SOCIETY
- 2/	DONATION Aks from POSBS	RECEIPT	Date 3 +
0.00.00	daed Only		-
500	0/=	Pre	sident Secretar

ക്ക സംഘടന

കോഴിക്കോട്

ஒீத

ാം മുഴുവൻ സംവരണ ആനു റത്തിൽ വിഭജിക്കപ്പെട്ടുപോ

കുന്ന ഒരു അവസ്ഥാവിശേഷമാണല്ലോ ഉള്ളത്. ജാതി-മത-ന്യൂനപക്ഷ വിത്യാസമില്ലാത്ത ഒരു സമൂഹം കെട്ടിപ്പടുക്കുക എന്നത് ഒരു വിപ്ലവ ചിന്തമാത്രമായി അവശേഷിക്കുന്ന ഈ കാലഘട്ടത്തിൽ ആയതിനായി പോരാടുന്നതിനും ആശയ പ്രചാരണം നടത്തുന്ന തിനും വേണ്ടി രൂപീകരിക്കുന്ന ഒരു സംഘടനയാണ് മലബാർ സാമ്പത്തിക പിന്നോക്ക ക്ഷേമ സംഘടന. മറ്റു പരിഗണനകൾ ഒന്നും കുടാതെ സാമ്പത്തികമായി പിന്നോക്കാ വസ്ഥയിലുള്ള ആളുകളുടെ ഉന്നമനത്തിനുവേണ്ടി പ്രവർത്തിക്കുക എന്നതാണ് ഈ സംഘടനയുടെ മുഖ്യ ലക്ഷ്യം. സാമ്പത്തികമായി പിന്നോക്കാവസ്ഥയിലുള്ള മുഴുവൻ ആളുകളെയും ഉൾപ്പെടുത്തി അവരുടെ ജോലി സാധ്യതകൾ ഉറപ്പുവരുത്തുന്നതിനു വേണ്ടിയുള്ള പ്രവർത്തനങ്ങൾക്ക് നേതൃത്വം കൊടുക്കുവാൻ സംഘടന ഒരുങ്ങിക്കഴി ഞ്ഞു. ജാതി-മത ചിന്തകൾക്കധീതമായി ജനങ്ങളുടെ പുരോഗതിക്കും ഉന്നമനത്തിനും മാത്രം ലക്ഷ്യം വെച്ചുകൊണ്ട് രൂപീകരിച്ച ഈ സംഘടനക്ക് സഹൃദയരുടെ അകമ ഴിഞ്ഞ സഹായം മാത്രമാണ് പ്രതീക്ഷ നൽകുന്നത്. ആയതിനുവേണ്ടിയുള്ള സംഘ ടനാ പ്രവർത്തനങ്ങൾ ഊർജ്ജിതമായി നടത്തിവരികയാണ്. ആയതിലേക്ക് മലബാറിലെ

സംഘടനയുടെ ജില്ലാ സമ്മേളനം ഈ വരുന്ന **ഏപ്രിൽ 7-ാം തിയ്യതി** കോഴിക്കോട് വെച്ച് നടക്കുകയാണ്. പ്രമുഖ നേതാക്കൾ പങ്കെടുക്കുന്നു. ആയതിലേക്ക് നല്ലവരായ മുഴുവൻ ജനങ്ങളുടെയും സഹായ സഹകരണങ്ങൾ പ്രതീക്ഷിക്കുന്നു.

കസ്തുരിരംഗൻ റിപ്പോർട്ടിനെകുറിച്ച് അഡ്വ: ജോൺപോൾ പ്രത്യേകം ക്ലാസ്സ് എടുക്കുന്നു.


എന്ന്,


ഗോപിനാഥൻ മലബാർ പ്രസിഡണ്ട്

കെ.കെ. ഭാസ്ക്കരൻ ജില്ലാ പ്രസിഡണ്ട്

ബൈജു ഏരിയാ സെക്രട്ടറി

ANNEXURE 3B





- **

ANNEXURE 3D



നജി : 384/11 ചാരിറ്റബിൾ ട്രസ്സ്റ്റ്, മെഡിക്ക ഫോൺ : ചെയർമാൻ – 904864809	22, സെക്രട്ടറി – 8086864499
സൗജന്യ കഞ	(0) (1) (0)(66 10
നമർ. 2164	തിയ്യതി විව 04 14
ശ്രീ/ജ വരു	
സൗജന്വ കത്തിവിതരണത്തോടൊപ്പം പാവപ്പെ	സെക്രട്ടറി/ചെയർമാൻ
ഭക്ഷണങ്ങൾ ,അത്വാവശ്വഘട്ടങ്ങളിൽ ,ആവശ്വമാർ	ട്ട രോഗികൾക്ക് വേണ്ടി വരുന്ന മരുന്നുകൾ,
ചെയ്തു വരുന്നു	യ സന്നദ്ധ സേവനങ്ങൾ എന്നീ സഹായങ്ങളും

അഭ്യുദയകാംക്ഷികളുടെ നിസ്റ്റീമമായ സഹായത്താലാണ് ഒറ്റ ദിവസം പോലും മുടങ്ങാതെ ഈ പദ്ധതി നടത്തിപോകുന്നത് ആയതിനാൽ ഈ പദ്ധതി നിലനിർത്തിവരുന്നതിനും ജീവകാരുണ്വ പ്രവർത്തനങ്ങളിൽ പങ്കാളിയാകുന്നതിനും ,താങ്കളേവരുടെയും അകമഴിഞ്ഞ സഹായസഹകരണങ്ങൾ ~ മേലിലും ഉണ്ടാവണമെന്ന് ഞങ്ങൾ അപേക്ഷിക്കുന്നു എന്ന്,

ദയ സെന്റർ–മെഡിക്കൽ കോളേജ്

Reg. S No. 384/11, A Charitable Trust of Medical College, Kozhikode

ചെയർമാൻ 9048648092

സെക്രട്ടറി 8086864499 ട്രഷറർ 9947493341

ഒരു ദിവസത്തെ സൗജന്വ കഞ്ഞിക്ക് – 1000 രൂപ ഒരു ചാക്ക് കുത്തരി – 2750 രൂപ

SSLC වියාග ෆ්ලක්ශ්ර	കളെ ആദരിക്കൽ
2014 മെയ് 14 ബുധൻ.	4 Рм. പന്നിക്കോട്
നമ്പർ : 5.1	തിയ്യതി: 13105114
was Porbas	പക്കൽ നിന്ന്
സംഭാവനയായി	
നന്ദിപൂർവ്വം കിട്ടി ബോധിച്ചു.	
\$ 5000L	സെ കട്ടപ്പ് കൊടിയത്തൂർ)

anchayath Committee
kkam. Via, Calicut - 673602
President: K. Sreejith

Date: 09/05/2014

പോബ്സൺ ഗോതമ്പറോഡ്

സർ,

ഡി വൈ എഫ് ഐ കൊടിയത്തൂർ പഞ്ചായത്ത് കമ്മറ്റിയുടെ നേതൃത്വത്തിൽ 14/05/2014 (ബൂധൻ) ന് വൈകു. 4 മണിക്ക് കൊടി യത്തൂർ പഞ്ചായത്തിലെ ഹൈസ്കൂളുകളിൽ നിന്നും എല്ലാ വിഷയ ങ്ങൾക്കും ${
m A}^+$ കരസ്ഥമാക്കിയ 50 വിദ്യാർത്ഥികളെ ആദരിക്കുന്നു.

പ്രസ്തുത പരിപാടിയിലേക്ക് താങ്കളുടെ സ്ഥാപനത്തിൽ നിന്നും സംഭാവനയായി **5000/-** രൂപ അനുവദിക്കണമെന്ന് വിനീതമായി അപേ ക്ഷിക്കുന്നു.

Parmode PO O Pin 673602 9


DVFI

Kodhoder Porvious ? 0 - 673572

Pervious ? 9446734 484

ANNEXURE 3G

വർണ്ണം ആർട്സ് & സ്പോർട്സ് ക്ലബ്ബ് മുതുപറമ്പ്, സൗത്ത് പന്നിക്കോട് – 673602 Red. No. S 585/04 NYK No. C 284/04-05
20-ാം വാർഷികാഘോഷം 2014
1 402 mm 13, 1 Maly,
POABS.
പക്കൽനിന്നും സംഭാവനയായി
പക്കൽനിന്നും സംഭാവനയായി രൂപ നന്ദിപൂർവ്വം കിട്ടിബോധിച്ചു.
₹ 25001 00 mm
he murger,
Cottantes road.
(It have by Voice .
Carmo Marian of Granin Dodand a roles i) assy
Bleen 2500/ Granian 24 by moromann
Ohme se) as us.
5 m. p. (12934)
etow. P. Aller
974512934
13.5.2014mi 2500/ 126- 10) Shen a) 2000 -



14/05/14

(ro The manager poabs Roue prioducts Colhamba Road

Form,
Gaurceshon
Gothambu Road

50 man medama source and origation with month month and and source of the source of th

a Drugeeshin.

14-05-14 18 50 8005) 6600, 50 1000) 0-105/40 3/3/ Gouveishon





ുമുത്തഷൻ കാവിന് ന്ദ്. കാലങ്ങളോളമായി ാണ്. ഭഗവതിക്കും, പൂജാദി കർമങ്ങൾ ന്ദൾ ചെയ്തു പോരുന്ന

തിനോ ഒന്നുംതന്നെ സാധിക്കാതെ ദവചൈതന്യം നഷ്ട പ്പെട്ടുകൊണ്ടിരിക്കുന്ന ഈ അവസ്ഥയിൽ ഈ ഭൂമി യുമായി ബന്ധപ്പെട്ടുകിടക്കുന്ന കുടുംബങ്ങൾക്ക് ഇതു മൂലം വളരെധികം കഷ്ടതകളും, ദുരിതങ്ങളും വന്നു ചേരുകയുണ്ടായി.



സർവ്വമംഗള മംഗല്ല്യേ ശിവേ! സർവ്വാർത്ഥ സാധികേ ശരണ്യേ ശ്ര്യംബകേ ഗൗരീ! നാരായണീ നമോസ്തുതേ


കുടുംബങ്ങൾക്ക് വന്നുചേർന്ന ദുരിതങ്ങൾക്കും കഷ്ടതകൾക്കും പരിഹാരം കാണുന്നതിനായി നഷ്ട പ്പെട്ടുകൊണ്ടിരിക്കുന്ന ദേവചൈതന്വം വീണ്ടെടുക്കുന്നതിനായി നേരത്തെ ഒരു താംബൂല പ്രശ്നം നടത്തിയിരുന്നു. പ്രശ്നവിധിയിൽ കാവ് പുനരുദ്ധരിക്കേണ്ടതാണെന്നും, ഭഗവതി ഗുരുമുത്തപ്പന്റെ പ്രതിഷ്ഠ വളരെ പെട്ടെന്ന് വേണ മെന്നും, ഉപദൈവങ്ങളായ കുട്ടിച്ചാത്തൻ, ഗുളികൻ, പറക്കുട്ടി എന്നിവർക്കും പ്രതിഷ്ഠ അത്വാവശ്യമാണെന്നും കാണുകയുണ്ടായി.

പ്രസ്തുത ഭൂമിയിൽ ദഗവതിക്കും, ഗുരുമുത്തഷൻ, ഗുളികൻ, പറക്കുട്ടി എന്നീ ഉപദേവതകൾക്കും വിധി പ്രകാരമുള്ള പ്രതിഷ്ഠകൾക്കായി താംബൂലപ്രശ്നവിധിപ്രകാരമുള്ള പരിഹാരമായി ക്ഷേത്രത്തിന് ശ്രീകോവിൽ പണി തുടങ്ങുന്നതിന്റെ ആദ്യ നടപടിയായി വാഴക്കാട് അനത്ത്വായൂർ ശ്രീ. എ.കെ.ഷാജി ആചാരിയുടെ കാർമ്മികത്വത്തിൽ ക്ഷേത്രത്തിന്റെ പുനഃരുദ്ധാരണം നടന്നുകൊണ്ടിരിക്കുകയാണ്. ദഗവതിക്കും ഉപദേവതകൾക്കും വെയിലും മഴയും ഏൽക്കാതെ മേൽക്കൂരയുടെ പണി പൂർത്തീകരിക്കേണ്ടത് അത്യാ വശ്യമാണ്. ശേഷം പ്രതിഷ്ഠാകർമ്മം നിർവ്വഹിക്കേണ്ടതുമുണ്ട്. വളരെ പ്രധാനപ്പെട്ട ഈ കർമ്മം നിർവ്വഹിക്കുന്നതിന് വളരെയധികം സാമ്പത്തികബാദ്ധ്വത നാം ഏറ്റെടുക്കേണ്ടതുങ്ങ്.

ആയതിനായി - കാവിന്റെ പുനരുദ്ധാരണം നടത്തി കുടുംബത്തിന്റെ ഉന്നമനവും സർവ്വവിധ ഐശ്വര്വവും വീണ്ടെടുക്കുന്നതിനായി നാം ഓരോരുത്തരും പ്രതിജ്ഞാ ബദ്ധരാണ് എന്ന കാര്യം മനസ്സിലാക്കി നാം ഒരോരുത്തരും കാവിന്റെ പുനരുദ്ധാരണ പ്രക്രിയയിൽ പങ്കാളികളാവണമെന്ന് ഭക്ത്വാദരപൂർവ്വം അഭ്യർത്ഥിക്കുന്നു.

പുനമുദ്ധാരണ കമ്മറ്റി

ANNEXURE 3K



TROM,

MO ELAKKAYAM

40 THE MANAGER POABS ROCK PRODUCTS

mon of som the form of the form Tolkier ok com a portion de la ce e gam de ce e game

16.05.14-a 300 das amos. 19500 321 mon fly 2/10 १९९७ - अहि की की कुल्ल

From Ramas Botakayam Goldanbu Road

Po the managed products ho hambu Road.

Mid

முற்று இத்த விற்ற விறு விறு விறு விறு விறு விறுவிறு விறுவிறுவிறுவிற்று விறுவிற்று விறுவிற்றுவிற ത്രത്തെ ക്സവ ത്വിക്കുന്ന ക്യവത്തിലെ വേള് വേരു ക്യവത്തിലുട om go les man la use à un amon mon de la une

> 3000 meco Ramo

20.05.14 de 5 mm m) 2) no 6) mo 17500 @ 1 023) cm) 2/0) 2m

Done

Trom. 2000 sid 600 monei 600 m

10. 206091 caran 60086 caran 856 m 60000 80000

Nod

> 26) ans (20) er ab . Magyan

21.05.14d gmid 2)d 60mg N.D.2122 250 13006 QL

Townson Two sup Day

46-05-14 ANNEXURE 30

TROM, BIJU GOTHAMBU ROAD

TO THE MANAGEA POABS ROCK PRODUCS PUT AND

PITH.

9946821614

TROM,

ABDHU GOTHADBU ROAD

GO MANAGER POABS

mod,

കാരത്ത് പ്രായത്ത് താമന്മുന്ന ക്കർ വിദ്ന പ്രത്യ പ്രവേശ്യ പ്രവേശ്യ

Brown B.

06.05.40 100 mod - 60 5 games De ensal foly mo

And Bom &

ANNEXURE 3Q

-TROM.

MUHAMMED GOTHAMBU ROAD PANNIKKODE

10 MANAGER PORBS ROCK PRODUCTS PUT LTO

SIR,


, മുത്ത പനിക്കോർ കാഗത്തി താമസിക്യന്ന പിന്റെ മായ നുട്ടി വയയായുള്ള പ്രത്യത്തി വയുള്ള പ്രത്യേക്കി ക്

. DANNIKKODE

06.05 - 07.05 - may more and more and comp - 00 month

MUHAMMED DANNIKKOOE

ANNEXURE 3R



ി, പൊറ്റമ്മൽ

673 661

ൽ)

സെക്രക്ടറി

ongon 27/05/14.

The Managen Pools sock products Golhamba road

mos.



aam

n ho somewhen

משלים ומי מינים מינים

ANNEXURE 3T

TROM,

MANI GOSHAMBU ROAD

MANAGEN POBBOON

mod,


900).

00.06.14-00 6500 @ - DANDAR DOMO 000 - DANDAR DO

ANNEXURE 3U

mand the standard of the stand	ജിലാപ് ജുമാമസ്ജിദ്വിപുലീകരണ പ്വഭ്	നോതന്ന് റോയ് പി.ഒ.പന്നിക്കോട്,മുക്കം വഴി,കോഴിക്കോട് ജില്ല എയ്തി 15/3/4014	mail 12 mont was and 300 mas some	് ട്രാവനയായി—് പ്രക്കൽ നിന്ന് സംഭാവനയായി—് വരു നദിപൂർവും കിട്ടിബോധിച്ചു.	7 300 MSAWA+SSOO DISCOUNDAMINA
--	-----------------------------------	---	-----------------------------------	---	--------------------------------

ANNEXURE 3V



ചുമ്പായ...

າໜູ້ (NCSBM)

നകൂട ഭീകരതക്കെതിരെ

'weെ^{ള്ള}യവും

भ्र

ി മുതൽ

ന എല്ലാവിധ തിന്മകൾക്കുമെതിരെ

വിട്ടുവ്വഴചയില്ലാതെ പൊരുതുന്ന വിമോചന പ്രസ്ഥാനമായി നാഷണൽ ക്വാമ്പയിൽ ടു സേവ് ബഹുജൻ മുവ്മെന്റിനെ പരിവർത്തിപ്പിക്കേണ്ടത് ഈ കാഘട്ടത്തിന്റെ ആവശ്യമാണല്ലോ. അടിച്ചമർത്തപ്പെട്ട പീഡിത ജനവിദാഗത്തിന്റെ പ്രതികരണശേഷി ക്രിയാത്മകമായി വർദ്ധിപ്പിച്ചുകൊണ്ടുമാത്രമേ ഇത് സാധ്യമാകൂ. ഇതിനു കഴിയുന്നില്ലെങ്കിൽ ഇന്ന് നാം നേരിടുന്ന ദുരവസ്ഥ ആസന്നദാവിയിൽതന്നെ ആത്യന്തിക വിനാശത്തിലേക്ക് നയിക്കും. ദീർഘവിക്ഷണവും വിവേകവുമില്ലാതെ സ്വാർത്ഥലാഭം മാത്രം ലക്കാക്കി പ്യൂഡൽ, മാനർ, കോർപ്പറേറ്റ്, മുതലാളിത്ത രാഷ്ട്രീയ പ്രസ്ഥാനങ്ങൾക്കും മുന്നണികൾക്കും വേണ്ടി പ്രവർത്തിക്കുന്ന, അവരുടെ വോട്ട് ബാങ്കായി സമൂഹത്തെ നിലനിർത്തിപോന്ന മത സാമുദായിക നേതാക്കളും, ന്യൂനപക്ഷ പിന്നോക്ക ദലിത് രാഷ്ട്രീയ പ്രസ്ഥാനങ്ങളുമാണ് ഈ ദുരവസ്ഥക്ക് പ്രധാന ഉത്തരവാദികൾ.

സാമൂഹിക തിന്മകൾ നിലനിർത്തുന്ന വിഭാഗങ്ങളിലുടെയാണ് സാമ്രാജ്വത്വശക്തികൾ നമ്മുടെ സമൂഹത്തിനുമേൽ പിടി മുറുക്കിക്കഴിഞ്ഞതും. ഈ സാഹചര്യത്തിൽ എല്ലാവിധ തിന്മകൾക്കുമെതിരെ, വെല്ലുവിളികൾക്കുമെതിരെ, അഴിമതിക്കും കൈക്കുലിക്കുമെതിരെ, ജനങ്ങളുടെ കഴുത്തറുക്കുന്ന കൊളളപ്പലിശക്കും, പ്രക്വതിവിഭവങ്ങൾ കൊളളയടിക്കുന്നതിനെ തിരെയും, സാമ്പത്തികവും സാമൂഹികവുമായ ഉഛനീചത്വങ്ങൾക്കുമെതിരെ, ജാതിയവും മതപരവുമായ വിവേചന ങ്ങൾക്കുമെതിരെ, സാമ്പത്തിക മുരടിപ്പിനും, തൊഴിലില്ലായ്മക്കും, കളളപ്പണത്തിനും, കരിഞ്ചന്തക്കുമെതിരെ, കടക്കെണിക്കും സാമ്രാജ്യത്വകടന്നുകയറ്റത്തിനുമെതിരെ, വർഗ്ഗീയതക്കും അന്ധവിശ്വാസങ്ങൾക്കും അനാചാരങ്ങൾക്കുമെതിരെ, മതനുമ്പപക്ഷ പിന്നോക്ക ദലിത്വിഭാഗങ്ങൾക്ക് നേരേയുളള ഭരണകൂടഭീകരതക്കെതിരെ പ്രതികരിക്കാൻ ബഹുജൻ സമാജിനെ ശക്തമാക്കേങ്ങതുണ്ട്.

അതുകൊണ്ടുതന്നെ ഇന്ത്വയിൽ എത്പ്രദേശത്ത് ജീവിക്കാനും, തൊഴിൽചെയ്യാനും, സഞ്ചരിക്കാനും, വിദ്യാഭ്യാസം നേടാനും സ്വാതന്ത്ര്യമുള്ള രാജ്യത്ത് നിത്യദാരിദ്ര്യത്തിലും നിരക്ഷരതയിലും കഴിയുന്ന കുട്ടികളെ വിദ്യാഭ്യാസവും ഭക്ഷണവും വസ്ത്രവും നൽകി മാതാപിതാക്കളുടെ പരിലാളനയോടെ വളർത്തി, രാജ്യപുരോഗതിക്കായ് പ്രവർത്തിക്കുന്ന അനാഥശാലകളെ വർശ്ശീയവൽക്കരിക്കാൻ ശ്രമം നടത്തിയ രാഷ്ടീയ, ഉദ്യോഗസ്ഥ, ഭരണകൂട ഭീകരതക്കെതിരെ 2014 ജൂലൈ 11 ബുധൻ രാവിലെ 10 മണിമുതൽ ആരംഭിക്കുന്ന സേവ് ബഹുജൻ സംഗമത്തിലും പൊതുസമ്മേളനത്തിലും പങ്കെടുത്ത് വിജയിപ്പിക്കണമെന്ന് അഭ്യർത്ഥിക്കുന്നു.

സേവ് ബഹുജൻ സംഗമം ഉദ്ഘാടനം : മാന്വവർ പ്രമോദ് കുരിൽ ജി. Ex. MP (NCSBM ദേശീയ പ്രസിഡന്റ്) മുഖ്യ പ്രഭാഷണം : മാന്വവർ വേങ്ങോട് സുനിൽ (NCSBM സംസ്ഥാന പ്രസിഡണ്ട്)

NCSBM സംസ്ഥാന നേതാക്കളായ **ബോബി കല്ലൂർ, കൃഷ്ണൻകുട്ടി കുനിശ്ശേരി, പ്രദീപ് നെന്മാറ, ഉണ്ണികൃഷ്ണൻ വാറോലി തു**ടങ്ങിയ ബഹുജൻ മൂവ്മെന്റ് നേതാക്കളും വിവിധ രാഷ്ടിയ മത സാമുദായിക നേതാക്കളും പ്രസംഗിക്കുന്നതാണ്

അഭിവാദനങ്ങളോടെ,

അജിത് കൊല്ലകോട്

മേഖലാ ജനറൽ കൺവീനർ

പി.കെ. അലവി

SNTC സെക്രട്ടറി

20ത്തിൽ മുഹമ്മദ് ഇല്വാസ് മേഖലാ ജനറൽ സെക്രട്ടറി

സംഘാടക കമ്മിറ്റിക്കുവേണ്ടി.

ലാടക കമ്മറ്റിക്കുവേണ്ടി,

പി. അബ്ദു

AKATU സെക്ടറി

വി.എം. മുഹയുദ്ദീൻ തങ്ങൾ SAMTU സെക്രട്ടറി

image printers, malappuram.

മലപ്പുറം,

17-6-2014.

ANNEXURE 3W

Taom. 2.-Dansel 60.000 6000

(1)

(10 Doengo 60.1200 60.1200 65 ~

നാർ വിള്ള അത്ത താരുന്ന് താറ്റ് വേരു പ്രവേശ്യ പ്

9 02000)

26.06.14-00 do 1800 s) on word 8/5) and w) 20/0/83 mo

ANNEXURE 3X

)00 (PRF) ്യൂ	തിയ്യതി. 10/4/14	Defects (320)	
്പ്രീണ് പീഷിൻസ് റിലീഫ് ഫോററം (PRF) Under ചീഷിൻസ് ഡൊമൊക്രാറ്റിക് പാർട്ടി ഭകാഴിക്കോട് ജില്ലാകയറ്റി ഒ	mmd: 155 wd. Rabs Rock Paoduck	ளினും സംഭാവനയായി இ. பி. இ. வி. வி. இ. வி. வி. வி. வி. வி. வி. வி. வி. வி. வி	<u>~</u>

@	POABS		Net Value of sale /works contract	7838		7050.00
	PO/	ž*	Net \	-		7050-0 valid lipto 31/63/2015 . Authorised Signatory
3602.	Date	5000	Cash Discount	7 90	8	M3/2014 valid
PVT. LTD Kozhikode – 67 3821039000 ES 2005	ers only)	. Vehiçle KL5700" 9035	Gross	9		7050 34/2014-15/RMCU/MED/39/CAMS/2014 valid tipto 31/63/2015
S ROCK PRODUCTS PVT. I ou P.O. Gothambu Road, Mukkom, Kozhikoc 2209880, 2209304, 08281029000, 0821039 THE KERALA VALUE ADDED TAX RULES 2005	form No. 8D for Presumptive Tax & Compounded Tax Payers only) [See rule 58 (10) SALE BILL CASH / CREDIA	vehic.	Quantity (CFt)	3 2		34/2014-15
CK PRC Sothambu Ro , 2209304, 0 ALA VALUE A	FORM mptive Tax & Co [See ru SAL CASH	ATHUÆ«-	Unit	4		- 1 2
POA S ROCK PRODUCTS PVT. LTD., Nelifikaparambu P.O. Gothambu Road, Mukkom, Kozhikode – 673602. 0496-2209880, 2209304, 08281029000, 0821039000 THE KERALA VALUE ADDED TAX RULES 2005	(for Presu	TED TO CHERUVADY IIN ASMARAF KODIYATHUREX-	Commodity / item	4,75KM METAL (M SA ND CONCRETE)	V (B)	Dept. compounded ordersayers shall not collect to be retained with the
ž	32436781109C 32436781109C	K EXECU	Sch. jul. Entry no. / Commodity Code	2	Donney Photograph Eiffy (Pr)	Royalty payable to Mining & Geology Dept. compounded order no. Note: Presumptive/Compounded tax payers shall not collect tax * Original for the Buyer and Duplicate to be retained with the seller
		Bill No. SOLD TO / WOR Name & Address Tel.No.	SI. No:		7	Royalty paye Note: Presu

ANNEXURE 3Z1

	സ്ലീംലീഗ് റിലീഫ് കമ്മറ്റി ഗോതമ്പ്റോഡ് ടൗൺ കമ്മറ്റി തെമ്പ്റോഡ്, പി.ഒ. നെല്ലിക്കാപറമ്പ്, മുക്കം	ரி ல்)
mand: G2C	തിയ്യത്	ിക്കോട്
പക്ൽനിന്നും സം	ഭാവനയായി	en Ph:
₹3000	[ปาทาในพาร์/ ജനറൽ คนเลรสา	Date

Calcainent (32h

opmophe djomland grafo ellis anima ensas otal 2 sand sporm 10 sibeland (2 ierholmo 2002) spormed spormed animal animal spormed spormed

anilos 7. To

29 mb (2) mns 5 DD

ANNEXURE 3Z1

R	;	7
SREE KSHEMA T	Reg. No.: 74/05/4	Colour de la
4	A	

Received with thanks from.

the sum of Rupees.....

\(\text{on}\)

being. For SREE KSHEMA TRUST




ANNEXURE A





Photographs showing the rainwater harvesting system within the project area

ANNEXURE A1





Photographs showing tree saplings planted within the project area

ANNEXURE A2





Solar energy devices installed in the project area


ANNEXURE B





Photographs showing the danger board (Blasting zone) and warning alarm

ANNEXURE C





Photographs showing tarred access road to the quarry

ANNEXURE D





Photograph showing the stacked overburden and top soil

ANNEXURE E





The photograph showing the bench type mode of mining

ANNEXURE F



Photograph showing the crusher unit encircled by thick green belt



🤏 കേർളo केरल KERALA

AF 099978

AFFIDAVIT

1, Binu K. Mathew, Managing Director & authorized signatory of M/s POABS Rock Products Pvt. Ltd. having its correspondence office at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala do hereby affirm and confirm as follows:-

- 1. That, M/s. POABS Rock Products Pvt. Ltd. running a Quarry Project at Sy. No. 172 at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala.
 - 2. That, the eco-restoration including the mine closure plan will be done at our expenses.

DEPONENT

Verification:

Verified that my above statements are true to the best of my knowledge and elief and nothing material has been concealed therein.

Solemnly affirmed and signed

before me by the deponent who

ace: Tiruvallas personally known to me in

19999999

THIRUVALLA VENDOR

ANNEXURE H



ஆக்ஷூo केरल KERALA

AF 099977

AFFIDAVIT

Binu K. Mathew, Managing Director & authorized signatory of M/s POABS Rock Products Pvt. Ltd. having its correspondence office at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala do hereby affirm and confirm as follows:-

- 1. That, M/s. POABS Rock Products Pvt. Ltd. running a Quarry Project at Sy. No. 172 at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala.
- 2. That, a maximum of 10% of the total mined area will be retained as water body, which will be lined properly and provided with protective wall to prevent accidents.

-DEPONENT

DEPONENT

Verification:

Varified that my above statements are true to the best of my knowledge and the lief and nothing material has been concealed therein.

> Solemnly offirmed and signed before me by the deponent who is personally known to me in

Place: Tiruvalla my office at Thiruvalla on this Date: 28.03.201 the 28/bday of Lacel 14

ANNEXURE I





Photographs showing the Garland drain within the project area

ANNEXURE J1



GOVERNMENT OF INDIA MINISTRY OF COMMERCE & INDUSTRY PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION(PESO)

(Formerly Department of Explosives)
Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037
Tele: 2427286 Fax: 2427276
Email: dycceernakulam@explosives.gov.in

o.: E/SC/KL/22/268(E11682)

Dated:03/10/2013

Managing Director M/s. POABS ROCK PRODUCTS PRIVATE LTD., othanmbu Road, Nellickaparamb. PO, Mukkom, Kozhikode District, Kerala State, Town/Village - istrict-, State-, Pincode - 6736002

ubject:

Possession for Use of of Explosives from magazine situated at Survey No(s).:172, KODIYATHOOR, Dist. KOZHIKODE, Kerala - Licence No.: E/SC/KL/22/268(E11682) granted in LE-3 of Explosives Rules, 2008 - Amendment of Quantity of Explosives/Monthly Purchase Limit.

r(s),

Please refer to your letter No. Nil dated 20/09/2013 on the subject cited above.

The Licence No.: E/SC/KL/22/268(E11682) is duly amended in respect of;

Quantity of Explosives/Monthly Purchase Limit

with condition VALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENCEE FOR LASTING OPERATIONS AT SY.NO.172 KODIYATHOOR(V), KOZHIKODE(T),KOZHIKODE (DISTRICT) LOCAL STATE GOVT. AUTHORITIES APPROVAL AS APPLICABLE RENEWED FROM TIME TO ME SHALL BE IN POSSESSION. and forwarded herewith;

The licence capacity at any one time shall not exceed the kinds and quantities me itioned below;

No	Explosive(s)	Class	Div	Sub Div	Capacity	Unit
1	Nitrate Mixture	2	0	0	500	
2	Safety Fuse	6	1	0	2007/30	Kg.
3	Electric and/or Ordinary Detonators		-	0	5000	Mtrs
	or ordinary Determinary	0	3	0	10000	Nos

antity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]: 20 area as above.

This La ence shall remain valid till 31st day of March 2936.

Fir further renewal of licence, please follow the procedure under Rule 112 of Explosures Rules, 2008. Except of this letter may please be acknowledged.

closures:

Yours faithfully,

100

LICENCE FORM LE-3

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008).

Licence to possess: (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a m

ice. No.: E/SC/KL/22/268(E11682)

Annu Fee Rs:2000/-

icence is hereby granted to: The Managing Director M/s. POABS ROL

PRIVATE LTD. (Occupier : Shri Binu K. Mathew)

Gothanmbu Road, Nellickaparambu

Kozhikode District, Kerala State, Town/Village -

District-, State-, Pincode - 6736002 Status of licensee : Company

Licence is valid only for the following purpose : possess for use of Nitrate Nitrate National States Sales Fuse, Electric and/or Ordinary Detonators,

(a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2.0	0	500 Kg.
2.	Safety Fuse	6.1	0	5000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	10000 Nos.

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]: 20 times as above.

The licensed premises shall conform to the following drawing(s):

Drawing No: E/SC/KL/22/268(E11682) dated: 03/10/2013 The licensed premises are situated at following address:

Survey No(s). 172, Town/Village: KODIYATHOOR

Police Station: MUKKOM District : KOZHIKODE

State : Kerala Phone: E-Mail:

PinCode: Fax:

The licensed premises consist of following facilities: NIL

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- (1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- (2) Conditions and Additional Conditions of this licence signed by the licensing authority.
- (3) Distance Form DE-2

This licence shall remain valid till 31st day of March 2006

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed

(Set VIII)

The following are the conditions of licence number E/SC/KL/22/268(E11682) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

1. The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.

The quantity of explosives on the pictures at any one time shall maintain safety distance specified in Schedule III and annexure to the licence.

 The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.

The opening of packages and the weighting and packing of explosives shall not be carried on in the magazine.

- 5. Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
 - (d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;

(e) Detonators belonging to Class 6 Division 3 shall be kept separately.

(f) Gun powder belonging to Class 1 shall be kept separately.

- Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from
 the date of their manufacture except with the special sanction of licensing authority.
- Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from
 the date of their manufacture except with the special sanction of the Controller of Explosives.
 - (i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
 - (ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitro-compound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- 8. The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;

Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.

9. If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:
Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

10. Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fie, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is

The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case
may be, and exhibit the reack books and records to any of the officers authorised under the Explosives Rules,

2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.

12. No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this half.

13. Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.

14. The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.

 Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

 The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.

17. The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.

The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 others.

The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

 A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

 Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.

21. Not more than 4 persons shall be allowed inside the magazine or store house at any one time.

Empty packages of the explosives shall be removed at the earliest and destroyed.

 The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.

24. Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules

and the safety conditions are duly observed.

25. If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.

26. The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised

explosives from a licensed factory or company for possession and sale from the magazine.

27. The possession and sale of fire-crackers generating noise level exceeding;

a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
 b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be

reduced by 5 log10 (N) dB, where N = number of crackers joined together.

28. Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

For Joint Chief Controller of Explosives South Circle, Chennai

D.C.C & Emakulem इ.स. कि. के. एरनाकुतक

Form DE-2 (See rule 113 of the Explosives Rules, 2008) (Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factor licence number E/SC/KL/22/268(E11682) in form LE-3 granted to The Managing Director M/s. POABS ROCK PRODUCTS PRIVATE LTD., Gothanmbu Road, Nellickaparambu PO, Mukkom, Kozhikode District, Kerala State, Kerala-.

	Type of Structure(s)	afety distan	ees meter
	Inside Safety Distances(ISD)	М	บที
1 2 3	Room or Workshop used in Connection with the Magazine Any other Explosives Magazine or store House or Factory of the Applicant Magazine Office	19	29
	Middle Safety Distances(MSD)		
	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		48
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, C	Church,	
	Gurudwara or other places of worships, Hospital, College, School or Factory		
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmillor or Solar panel for Power Generation	-	
	Outside Safety Distances(OSD)		
13	Dwelling House		
	Govt, and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, Shopsital, Theater, Cinema or other Building where the public are accusto		
	assemble	ined to	
17	Factory		
	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, o	or other	
•	inflammable or hazardous substances	11.000	95
19	Building or Works used for Storage and Manufacture of Explosives or of	articles	
	which contain Explosives	Paramata.	
20	Aerodrome		
21	Furnace, Kiln or Chimney		
	Quarry or mine pit head		
	Power House or Electric Substation		
	Wireless Station -		
	Warehouse or other Storage Building		
26	Any other Protected works		
	Overhead Electric lines		
27	Electric Power over head Transmission Lines above 440V		90
	Electric Power over head Transmission Lines Below 440V		15
			2795
	137 297		

The Date: 15/03/2001

For Joint Chief Controller of Explosives South Circle, Chennai

型CC E. Emakulam 主事を発明可能

ANNEXURE J2

FILE No: PCB/RO/KKD/IC/112/2012





KERALA STATE POLLUTION CONTROL BOARD

INTEGRATED CLEARANCE TO OPERATE - Renewal

UNDER

Water (Prevention & Control of Pollution) Act, 1974 Air (Prevention & Control of Pollution) Act, 1981 Environment (Protection) Act, 1986

TO

Sri. Binu K Mathew Palliyambil House West Othera (P.O.), Thiruvalla, Pathanamthitta-689 551

(For Poabs Rock Products (P) Ltd Nellikkaparamba (P.O.) Gothambu Road, Mukkam, Kozhikode-673602)

Consent No: PCB/RO/KKD/ICO-R/04/2012

Date of issue: 17.07.2012

Validity: 30.06.2015

1 The Member Secretary, HO, Thiruvananthapuram

The EE, District Office, Kozhikode

The Secretary, Kodiyathur Grama Panchayat, Kozhikode

4. Stock file



1. GENERAL

	A STATE OF THE STA	4
l	VALIDITY	30.06.2015
2	Due date for submission of consent renewal application	March 2015
3	Name and address of establishment	Poabs Rock Products (P) Ltd Nellikkaparamba (P.O.) Gothambu Road, Mukkam, Kozhikode-673 602
4	Communication	Ph: 0495 2209304
5	Occupier details	Sri. Binu K Mathew Palliyambil House West Othera (P.O.),Thiruvalla, Pathanamthitta-689 551
6	Survey Number	172
7	Village	Kodiyathur
8	Taluk	Kozhikode
9	District	Kozhikode
10	Panchayat & Ward	Kodiyathur IV
11	Category	Red
12	Scale	Medium
13	Annual Fee	Rs.35000/-
14	Fee remitted	Rs.108420/-
15	Capital Investment	Rs.641.3 Lakhs
16	Water Consumption	21000l/day
17	Production Capacity	Stone Aggregates 1000 tonnes/day Quarrying in 0.5 hectares of land
18	Machinery	Primary crusher(2 Nos) –40 HP each Secondary Crusher(3Nos) – 40HP each Accessories-185.8 HP Super Primary crusher- 200 HP Tractor cum compressor for quarrying.
19	Total horse power	585.8HP
20	D.G. set	160 KVA,125 KVA and 10 KVA



2 GENERAL CONDITIONS

- 2.1 This consent is granted subject to the power of the Board to revoke, review and make variation in all or any of the conditions specified here under.
- 2.2. The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention and control of air, water, land and noise pollution.
- 2.3. For continuing to operate beyond the validity date application for the renewal has to be submitted in the prescribed form during the month specified in condition 1.2.
- 2.4. Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.
- Arrangements shall be provided for the reuse of water and for rain water harvesting.
- If operations are done with backup power, the generator shall have adequate capacity to run all associated pollution control devices.
- 2.7. In case of process disturbance/failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.
- 2.8. In case of discharge/apprehended discharge of any water/air pollutant or hazardous waste due to any accident or other unforeseen act or event, it shall be immediately intimated to the Board and the consentee/authorisee shall make all possible efforts to mitigate/ prevent/remediate the discharge.
- 2.9. Periodical monitoring reports comprising of effluent and emission analysis reports and such other information as may be called for shall be submitted to Head/Regional/District Office as and when called for.
- 2.10. Location of the crusher and quarry shall be as shown in the drawing attached. No change or alteration shall be made without the prior permission of the Board.
- 2.11. Quarrying operations shall be started only after obtaining the D&O license under the Kerala Panchayath Raj Act for the concerned Local Self Government Institutions and submitting a copy of the same to the District Office of the board.

3. CONDITIONS AS PER Air (Prevention & Control of Pollution) Act

3.1 Boundary of the quarry shall be fenced before operation of the quarrying activity.



The following pollution control facilities shall be operated and maintained 3.2. to prevent and control pollution

- a) Crushers, classifiers, screens and other noise and/or dust producing units shall be housed in building with solid wall (not hollow block) of minimum 23 cm thickness with false roofing and dust extraction system.
- b) Conveyors shall be enclosed with metal sheets or wooden planks.
- c) Dust suppression system with water spray and sprinkling shall be provided and operated satisfactorily.
- d) Water storage facility of at least 2 days capacity shall be provided.
- e) Facilities for regular cleaning and wetting of the ground shall be provided.
- f) The roads inside the crusher premises shall be tarred or concreted.
- g) Minimum distance from the centre of the crusher unit to the periphery of the structure of any residence, public building or place of worship, except for store room and office, shall be 200 m.
- h) Minimum distance from the centre of the crusher unit to the centre of the crusher unit of another industry shall be 100 m.
- i) Each of the crushers shall be located at least 50m away from the boundary of the site. Distance to State or National Highway shall be more than 200 m.
- j) The concentration of suspended particulate matter in ambient air measured at a distance of 40 m away from the crusher shall not exceed 600 micro grams per cubic metre.
- The occupier shall at his own cost get the ambient air monitored for suspended particulate matter at least once in three months.
- Records of such monitoring shall be maintained and shall be made available to 3.4. the inspecting officers of the Board whenever called for.
- The particulate matter and sound level at the boundary of the premises shall not exceed the limit specified for that area under the 'National Ambient Air Quality 3.5. Standard' and 'Ambient Air Quality Standard in respect of Noise' respectively.
- 3.6. After excavation at the site is completed, the land may be used for rain water harvesting with protective barriers / any other suitable approved purpose or may be reclaimed. -
- The consent issued is subject to the conditions specified in the clearances issued by the Mining and Geology Department and Explosive Department as per the provisions of the relevant statutes.
- 3.8. All activities related to crushing shall not be carried out between 6:00 pm and 6:00 am.
- There shall not be any fugitive emission from the crusher and its premises 3.9.
- 3.10. Raw materials and products shall be loaded, unloaded or transported with

3.11. DG sets shall have acoustic enclosure so that noise measured 1 m outside the enclosure does not exceed 75 dB (A).

Emission shall be made only through the following Chimneys:

SI No.	Capacity of DG set	Description of chimney	Control measures	Minimum distance from the nearest residence/Worship centre/Public place
1	160 KVA	Exhaust chimney height of minimum 3m above the roof level	Acoustic Enclosure	9m *
2	125 KVA	Exhaust chimney height of minimum 3m above the roof level	Acoustic Enclosure	8m
3	10 KVA	Exhaust chimney height of minimum 2m above the roof level	Acoustic Enclosure	3m

4. ADDITIONAL CONDITIONS .

- 4.1. This consent is granted to operate machineries and its accessories of 585.8 HP.
- 4.2. Adequate fire protection equipment in accordance with the fire safety regulations shall be installed at salient places within the unit and for ensuring the same, necessary certificate from Fire & Rescue Services Department regarding fire safety shall be obtained. The unit shall have valid certificate from Fire & Rescue Services Department during its operation.
- 4.3. The applicant shall put up two sign boards of size 1.8 x 1.2 m near the main entrance of the plant. One board shall display condition no. 1.3 and 1.17 and the other shall display the latest air, water, and noise monitoring data against the standards specified.
- 4.4 This consent for the quarry shall be valid up to the date up to which quarry permit issued by mining and geology department is valid.
- 4.5. The sand making unit shall furnish a copy of the sales tax return submitted to the Commercial Taxes Department to the Board before the 15th of April every year.

DATE: 17.07.2012



SENIOR ENVIRONMENTAL ENGINEER REGIONAL OFFICE, KOZHIKODE

1'm

3.11. DG sets shall have acoustic enclosure so that noise measured 1 m outside the enclosure does not exceed 75 dB (A).

Emission shall be made only through the following Chimneys:

SI No.	Capacity of DG set	Description of chimney	Control measures	Minimum distance from the nearest residence/Worship centre/Public place
1	160 KVA	Exhaust chimney height of minimum 3m above the roof level	Acoustic Enclosure	9m *
2	125 KVA	Exhaust chimney height of minimum 3m above the roof level	Acoustic Enclosure	8m
3	10 KVA	Exhaust chimney height of minimum 2m above the roof level	Acoustic Enclosure	3m

4. ADDITIONAL CONDITIONS .

- 4.1. This consent is granted to operate machineries and its accessories of 585.8 HP.
- 4.2. Adequate fire protection equipment in accordance with the fire safety regulations shall be installed at salient places within the unit and for ensuring the same, necessary certificate from Fire & Rescue Services Department regarding fire safety shall be obtained. The unit shall have valid certificate from Fire & Rescue Services Department during its operation.
- 4.3. The applicant shall put up two sign boards of size 1.8 x 1.2 m near the main entrance of the plant. One board shall display condition no. 1.3 and 1.17 and the other shall display the latest air, water, and noise monitoring data against the standards specified.
- 4.4 This consent for the quarry shall be valid up to the date up to which quarry permit issued by mining and geology department is valid.
- 4.5. The sand making unit shall furnish a copy of the sales tax return submitted to the Commercial Taxes Department to the Board before the 15th of April every year.

DATE: 17.07.2012



SENIOR ENVIRONMENTAL ENGINEER REGIONAL OFFICE, KOZHIKODE

1'm



1.19	Total Horse Power	2300 HP
1.20	D.G.set	625 KVA,600 KVA, 320 KVA, 62.5 KVA

DG sets shall have acoustic enclosure so that noise measured 1 m outside the enclosure does not exceed 75 dB (A). The height of chimney shall be 5m, 4.9 m, 3.6 m & 1.6 m above the roof level of the building for 625KVA, 600 KVA, 320KVA& 62.5KVADG sets respectively.

All the other conditions in the 'Consent to Operate Renewal' remain unchanged.

M/s.Poabs Rock Products Pvt Ltd, Nellikkaparamba P.O, Gothambu Road, Mukkam, Kozhikode - 673 602

- opy to: 1. The Member Secretary, Head Office, Thiruvananthapuram
 - 2. Environmental Engineer, District Office, Kozhikode
 - 3. The Secretary, Kodiyathur Grama Panchayat, Kozhikode
 - 4. Stock file

mmud 01/4agistalmed. 1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13)232, 233, 234, 254 എന്നീ വകുപ്പുകൾ പ്രകാരവും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു കൊടുത്ത ലൈസ്റ്റൻസ് 62/100 100 . 21 20 . 68 2 11/20 . 68 2 11/20 . 68 2 11/20 . 68 2 11/20 . രെല്ലാൻസുടയര്ഥത്തെ പേരും ചേൽവിലാസവും എന്താവശൃത്തിന് ലൈസൻസ് Ms cm2 and Art അനുവദിച്ചു എന്ന് KP9/149E കെട്ടിടത്തിൻെ നമ്പരും വാർഡു നമ്പരും 2015/16 ലൈസൻസിൻെറ കാലാവധി ലൈസൻസ് ഫീസ് 20930 17 Motor capacity increased 1167 to 2300 HP as per Ale No. 6802/1) dt 16:11.13. റിമാർക്സ് 1147+1133 = 230011P Rs: 33990/- 11301102024 Secretary Kodiyathur Grangs Pauchtryst வியனி அ.ஆ||

GLM -34 K / 2000

PRNO: 13/13-10 At. 29/4/13

ലൈസൻസൂടമസ്ഥൻ താഴെ പറയുന്ന വൃവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

- പഞ്ചായത്ത് രാജ് ആക്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
 - മാഴിൽ സ്ഥലവും പരിസരങ്ങളും വെടിപ്പായും വൃത്തിയായും സാംപ്രമികരോഗാണുകൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപ്യവവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള ക്ഷേണപദാർത്ഥങ്ങൾ ഈച്ച, അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
- ാം തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായ്ത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്നമറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസുടമസ്ഥർ വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു. *
- പഞ്ചായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമല്ലാതെ തെട്ടഴിൽ സ്ഥലം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
- ഏതൊരു പ്രവർത്തി ദിവസത്തിൻെറയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
- ഒ. ആം സ്ഥലത്തിൻെറയോ പുരയിടത്തിൻെറയോ, ഏതെങ്കിലും ഭാഗത്ത് വിഴുകയോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചു്പ്പുപവറോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നിക്കം ചെയ്യിക്കേണ്ടതാണ്.
- 7. ലൈസർസുകാരൻ ഏതൊരു കെട്ടിടത്തിന്റെയും ചുമരുകളുടെ അകവശത്തിന്റെ എതൊരു ഭാഗവും മേൽപറഞ്ഞ പുരയിടത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവിഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ ചപ്പുചവറോ, അസഹ്യമോ, ഉപ്യാവകരമായ എതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായും കേടുപാട് തിർത്തും വയ്പിക്കേണ്ടതാണ്.
- ലൈസൻസുകാരൻ മേൽപറഞ്ഞ പുരയിടത്തിലോ, അതോടു പേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായും കേടുപാടുതിർത്തും വയ്പിക്കേണ്ടതാണ്.
- ഏതെങ്കിലും തരത്തിലുള്ള താക് രോഗമോ കുഷാ രോഗമോ പ്രണമോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
- 10. ഏത് സ്ഥലത്തിൻെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധ ത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസുകാരൻ തൻെറ പേരും, ലൈസൻസിൻെറ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വച്ചിരിക്കേണ്ടതാണ് പ്രസ് നിഷ്ട്രം

11. അയിത്തം ആചരിക്കുന്ന കൃഴുകളുടെ ലൈസൻസ് റ്റസ്ക്കിയ്യുന്നതാണ്.

WINNIET.

12. മൂകളിൽ കാണിച്ചിരിക്കുന്ന വൃവസ്ഥകളിൽ എതെങ്കുലുപ്പുകയിക്കുന്ന പക്ഷം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.

and the first forthwest to the

, at the book-releasing function in re also seen | MANU R MAVELIL

'Govt Considering Panel Report on Endosulfan-hit'

Express News Service

Kochi: The Kasargod District Collector, who is the convenor of the district-level cell for the rehabilitation of endosulfan victims, on Wednesday submitted before the Kerala High Court that the Justice Ramachandran Nair committee's recommendations, including setting up of a tribunal for taking decisions on payment of compensation to the victims is under active consideration of the government.

In an affidavit, District Collector Muhammed Sagir submitted that several steps have been taken by the government to augment the package of services already provided to the victims. The Collector made the submission in response to a petition by BC Kumaran of Kasargod seeking to pay compensation to the entire 5,500 victims already identified.

It submitted that there are 5,500 persons in the list of victims and that 2,046 victims have been paid the first instalment of the compensation recommended by the National Human Rights Commission. Categorisation of victims eligible for compensation has been made by doctors designated by the Health Department. All the patients in the list were given a package of services. Though all the persons in the list are eligible for the package of services, payment of compensation was limited only to the completely bed-ridden, mentally retarded and

other disable victims as recommended by the NHRC. A compensation of ₹3 lakh was paid to disabled persons while ₹5 lakh was paid to completely bed-ridden and mentally-retarded persons. The category to which the patients in the list belong to has been identified by the medical officers

According to the Collector, the govt has been providing a comprehensive package of services to all the victims. The relatives of 594 victims have already been paid the first instalment of compensation of ₹1.5 lakh. The govt has earmarked ₹17.875 crore for payment of compensation to the next of-kin of those who died, out of which -₹8.91 crore has already been

Firoz Released from Custody

T'Puram: Suspended Information and Public Relations Department director A Firoz was released on bail from judicial custody here on Tuesday. He was granted bail by the High Court the other day.

He was released after furnishing ₹1 lakh as bond and two sureties for the same amount. He has also been asked not to leave the district for three months and the state until the probe is completed. Tension prevailed for some time on the Poojappura prison premises when some relatives of Firoz as well as prison officials prevented mediapersons from taking photographs of the the release of Firoz.

NOTICE

This is to inform to the General Public that the proposed quarry project at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala being developed by M/s. Posts Rock Products Pvt. Ltd. is accorded WITH ENVIRONMENTAL CLEARANCE State Environment Impact Assessment Authority, Kerala vide Order No. 48 / SEIAA / KL / 7176 / 2012 ct. 02.09.2013 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org

NOTICE

This is to inform to the General Public that the proposed quarry project at Kariavattom Village, Vettathoor Panchayat, Perinthalmanna Taluk, Malappuram District, Kerala being developed by Mrs. Posbson Granite Products Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessme Authority, Kerala vide Order No. 50 / SEIAA / KL / 7241 / 2012 dt. 02.09.2013 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of he Authority at www.seiaakerala.org

PUBLIC NOTICE

This is to inform the consumers that signals of the MEDIA PRO Channel (comprising of Zee 24 Gantatu, 24 Ghanta, Zee 24 Taas, Cartoon N/w, CNN, ETC, Zee ETC Punjabi, HBO, Pogo, Warner Brothers, Zee Action, Zee Bangla, Zee Business, Zee Cafe, Zee Cinema, Zee Classic, Zee Jagrafi, Zee Kannada, Zee Marathi, Zing, Zee News, Zee UP UK, Zee Premier, Zee Punjab Haryana Himachal Pradesh, Zee Salaam, Zee Smile, Zee Studio, Zee Talkies, Zee Tamil, Zee Telugu, Zee Trendz, Zee TV, Star Movies, Star Plus, sances, zeer lamin, zee teatigi, zee teratar, zee teratar, zee teatigi, zee teatigi, zeer Star World, Star Gold, National Geographic Channel, Fox Travellor, Life Ok, Star Vijay, Channel V, MGM, ABP Ananda, Star Jalsa, FX, Fox Crime, Nat Geo Music, Baby TV, NDTV 24XT, NDTV Profit, NDTV Good Times, NDTV India, Suvarma, Star Ulsav, ABP News, Zee Khana Khazana, Movies OK, Star Pravah, ABP Majha, Asianet, Asianet Plus, Star Movies Action (Erstwhile Fox Action Movies), Zee Bangla Cinema, ZeeQ, Star Jalsa Movies, 9x, Asianet Movies, Zee Madhya Pradesh Chhattisgarh, Suvama Plus, Zee Rajasthan Plus, "& Pictures" and Zee Anmol) are likely to be disconnected after three weeks from today on account of Non-payment of outstanding subscription fees and Non-signing of fresh subscription agreement for these channels, in respect of the following cable operator(s):

Cable Operator(s) Name

M/s. Century Satellite

M/s. Hi Vision

M/s. Zeal Cable Network

M/s. A.J Network · M/s. Malabar Satellite Communication

Address

Century Complex, Mukkam Bus Stand, Mukkam, Calicut- 673602, Kerala. Perayoor Post, Perayoor,

Kanul PO, Dharmasala, Kannur- 670564, Kerala

Calicut- 673573. Kerala

Edoor, Iritty, Kannur- 670703, Kerala. Chungam, Thamarassery,

All the areas serviced by the Operator (s) and its franchisees will be affected. Issued by: Media Pro Enterprise India Private Limited 7th Floor, Blue Wave, Behind Kuber Chambers, Off Link Road, Andheri(W), Mumbai - 400 053.

A M M W Wests for For-

സബർബൻ റെയിൽവേ സാധ്യതാപഠനം മൂന്നുമാസത്തിനുള്ളിൽ പൂർത്തിയാക്കും

This is to inform to the General Public that the proposed quarry project at Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala being developed by M/s. Poabs Rock Products Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority Kerala vide Order No. 48 / SEIAA / KL / 7176 / 2012 dt. 02.09.2013 and the copy of available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at w.seiaakerala.org

തിരുവനന്തപുരം: തിരുവനന്തപു നുള്ളിൽ പൂർത്തിയാക്കും. ഇതി വികാസ് കോർപ്പറേഷൻ അധിക ളം പാതയിലെ യാത്രാക്സേശം പരി രം - ചെങ്ങന്നൂർ പാതയിൽ സ നുള്ള ധാരണാപത്രം ഉടൻ ഒപ്പു തർ അറിയിച്ചു. ഇതിനുവേണ്ടിവ പരിക്കുന്നതിനായി തിരുവനന്ത ബർബർ തിവണ്ടി ഓടിക്കാനുള്ള വെയ്യും. മുംബൈ റെയിൽവികാ തുന്ന ചെലവും സർക്കാരിനെ പുംം റെയിൽവേ ഡിവിഷൻ അ ഡികൃതരാണ് സന്കോർപ്പറേഷൻ പ്രതിനിധികളു ഉടൻ അറിയിക്കും വര്യത്തായ് വിഎതരാണ് സമ്മൻവാൻ ഉടൻ അറിയിക്കും എം.ആർ.വി.സി ചിഫ് ഓപ്പറേ വേ എന്ന ആശയം മുന്നോട്ടുവെ ഷൽ നടത്തിയ ചർച്ചയിലാണ് ഇ ഷൽസ് മാനേജർ പ്രമാത് രജ്ജൻ, ച്ചത്. തുസംബന്ധിച്ച തീരുമാനമുണ്ടായ

എം.ആർ.വി.സി ചീഫ് ഓപ്പറേ വേ് എന്ന ആശയം മുന്നോട്ടുവെ ഷൻസ് മാനേജർ പ്രഭാത് രാജൻ, ച്ചത്. ഡപ്പൂട്ടി ചീഫ് എൻജിനിയർ സഞ്ജ നിലവിലുള്ള പാതയിൽ ഓട്ടോമാ ുസംബന്ധിച്ച തിരുമാനമുണ്ടായ സപ്യൂട്ടി ചീഫ് എൻജിനിയർ സഞ്ജ നിലവിലുള്ള പഠതയിൽ ഓട്ടോമാ യ് സിങ്, ചീഫ് പ്രോജക്ട് മാനേജർ റ്റിക് സിനൽ ഏർപ്പെടുത്തി കൂടു സാധ്യതാപഠനം പൂർത്തിയാ എ.പി. മാലിക്എന്നിവരാണ് പ്രാശ തൽ മെജ്യ തീവണ്ടികഠം ഓടിക്കുക

ഇന്ത്യയിലെ No.1

അപ്ലയൻസസ് ബ്രാന്റ് വീട്ടിലെത്തിക്കു

ക്കാൻമൂന്നുമാസത്തെസമയംവേ മീക ചർച്ചകാംക്കായി എത്തിയത്. യാണ് പദ്ധതി. ഇതിനായി 3000 ഞ്ജിവരുമെന്ന് മുംബൈ റെയിൽ തിരുവനന്തപുരം-എറണാകു കോടിരുപയോളം വേണ്ടിവരും. തിരുവനന്തപുരം-എറണാകു കോടിരൂപയോളം വേണ്ടിവരും.



93984141 Kuttiyadi: 9846708708/ (New)04936-226100/ 9605061100/ ur: 9349531806 Athol: 9745471234



JA J APPLIANCES

Helpline No.: 022 41280000

CALICUT: AVAILABLE AT ALL LEADING APPLIANCES & VESSELS OUTLETS. TRADE ENQUIRIES CONTACT: VEEKAY DISTRIBUTORS, CALICUT Ph NO. 0495 3018161, 3018171, 9349546474, SKY ASSOCIATES MOB: 9388009669, RIGHT MARKETING MOB: 388009668 HAMILTON INTERNATIONAL MOB:9745733360, FOR SERVICE 9895314048. WAYANAD: TRADE ENQUIRIES CONTACT: SKY ASSOCIATES MOB: 9388009669, VEEKAY DISTRIBUTORS, CALICUT DE NO. 0465 07491641. 30496474 Ext. Spring - 941-0447540734.

ANNEXURE L

Annex. A.

By Regd A/D



Department of Environment & Climate Change

(The Secretarian of SEIAA & SEAC Kerata)

Pallimakku, Petiah P.O., Thiruvananthapuram-695 024

Ph: +91471-2742264(Off): 0471-2742554 (Dirj: +91471-2742554 (Fax)
e-tnail: environmentdirectorate(ingmull.com Web; www.envs.kerala.gov.in

No. 48/SEIAA/KL/7176/2012

02-09-2013

Frons

The Director

To

Mr. Binu K. Mathew Managing Director M/s Poabs Rock Products Pvt. Ltd. Nellikkaparambu P.O. Gothembu Road. Calicut - 673602.

Sir,

Sub: Environment Impact Assessment Authority - Quarry project at Kodiyathoor Village and Panchayath, Kozhikode Taluk, Kozhikode District. Kerula by M/s Poabs Rock Products Pvt. 1.td. - Environmental Cleavance under EIA Notification 2006 - Forwarded.

Ref: Proceedings of even no. dt. 23-08-2013 of State Environment Impact Assessment Authority Kerala

I am forwarding herewith the Environmental Clearance (EC) issued by State Level Environment Impact Assessment Authority Kerala (SELAA Kerala) to Mr. Binu K. Mathew, Managing Director, Mrs Poabs Rock Products Pr.: Ltd., for the quarry project at Kodiyathoor Village and Panchayath, Kozhikosie Taluk, Kozhikosie District, Kerala vide reference cited.

You are requested to comply with the following immediately:

- Return a copy of the EC with due signature of the authorized signatory in all pages in token of acceptance.
- Forward copies of newspaper advertisements in which the Environmental Clearance issued is published and
- (iii) Forward a NOV WAZED affidavit mentioning the EC p.a ceedings number and date, stating the all the conditions stipulated in the EC shall be scrupulously followed.

Yours faithfully,

P. Sreekantan Nair

ANNEXURE M

POABS ROCK PRODUCTS PVT LTD. MUKKAM

Survay No: 172 at Kodiyathoor Village, Kodiyathoor Panchayath, Kozhikode Taluk, Kozhikode (Dist)

Environmental Clearance No. 48/SEIAA/KL/7176/2012 Dated 23.8.2013

Specific Conditions 1 to 8 of Environmental Clearance

- 1. Storm Water Management plans pro
- 2. Arrangements must be made to provide adequate safe drinking water to all project workers.
- 3. 10 percent of the pit formed on completion of quarrying activities should be for storage of water. The rest has to be refilled with the stacked top soil and overburden and covered with vegetation.
- 4. A 20 m wide permanent continous tree belt with deep root system on the upparea of the lease should be provided.
- A protective wall should be constructed in the upper reaches of the mine are to prevent anticipated soil erosion.
- 6. Avoid blasting in the rainy days. Blasting to be resumed only after the flow of through channels are stopped.

Photograph showing specific conditions of the environmental clearance order prominently displayed in a metallic board

ANNEXURE N



കേരളo केरल KERALA

AFFIDAVIT

AB 023968

l, Binu K. Mathew, Authorized Signatory of Poabs Rock Products Pvt. Ltd. having its correspondence office at Kuttoor P.O., Tiruvalla 689 106, Kerala do hereby affirm and confirm as follows:

- 1. That, the Poabs Rock Products Pvt. Ltd., proposed quarry project in Survey No. at Kodiyathoor Village and Panchayath, Kozhikode Taluk, Kozhikode District, Kerala.
- 2. That, the EC proceedings number and date are 48/SEIAA/KL/7176/ 2012 dt. 23.08.2013.
- 3. That, all the conditions stipulated in the Environment Clearance would be scrupulously followed.

DEPONENT

Verification:

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein

Place: Kuttoor

Solemnly offirmed and signed before me by the deponent who is personally known to me in

my effice at Thiruvalla on this thelly bday of eple 00 13

A. P. Gokula Chandran, B.A; LL.B

A VENDOR

Binn Knother MD

Days Rove Pridyet P. L.M