



**POABS GRANITES PVT. LTD.**

Kuttoor P.O, Tiruvalla, Kerala, India - 689 106  
Phone : +91 - 469 2743300 Fax : +91 - 469 2743330  
E-mail : mail@poabs.com Website : www.msand.in

The Director, DoECC & Secretary SEAC Kerala,  
Devi Kripa, Pallimukku, Pettah P.O,  
Thiruvananthapuram,  
Kerala – 695024.

26/05/2014

Sub: Environmental Clearance – Proposed quarry project Sy. Nos.459/2, 460/10, 460/12,  
446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2, 460/2-1 at Peroorkada Village,  
Thiruvananthapuram Taluk, Thiruvananthapuram Dist, Kerala – Compliance report – Reg.

Ref: File No. 37/SEIAA/KL/6092/2012 dt. 14-11-12

Respected sir,

Our quarry project was accorded with environmental clearance vide order No. 37/SEIAA/KL/6092/2012 dt. 14-11-12. The compliance report to the specific and general conditions of the Environmental Clearance both in hard copy as well as softcopy (CD) for the period of July-December, 2013 (Second Report) is enclosed.

Thanking you

Yours respectfully,  
POABS Granites Pvt. Ltd.

A handwritten signature in blue ink, appearing to read 'Jabu K. Abraham', is written over a horizontal line.

Jabu K. Abraham  
(Director)

Copy to:

The Regional Director, MoEF Regional Office, Southern Zone, Kendriya Sadan, 4<sup>th</sup> Floor, E&F  
Wing, II Block, Koramangala, Bangalore – 560034.

**COMPLIANCE REPORT, 2013**

---

**COMPLIANCE REPORT TO THE CONDITIONS  
OF  
ENVIRONMENTAL CLEARANCE ORDER  
NO: 37/SEIAA/KL/6092/2012 DT. 14 - 11 - 2012**

**BY  
STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)  
FOR PROPOSED QUARRY PROJECT**

**AT  
Sy. Nos. 459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2 and  
460/2-1,  
PEROORKADA VILLAGE, THIRUVANANTHAPURAM TALUK, THIRUVANANTHAPURAM  
DISTRICT, KERALA**

**BY  
POABS GRANITES PRIVATE LIMITED  
KUTHIRAKALAM P.O., TRIVANDRUM, KERALA - 695 543**

**(JULY - DECEMBER, 2013)**

### **INTRODUCTION**

M/s Poabs Granites Pvt. Ltd is a stone quarry situated at Sy. Nos. 459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2 and 460/2-1, Peroorkada village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala. The quarry project was accorded with the environmental clearance by state Environmental Impact Assessment Authority on 14-11-2012. Six monthly compliance reports to the conditions of the environmental clearance are to be submitted as part of compliance. The compliance report to the specific and general conditions of the environmental clearance for the period of July-December, 2013 (Second report) is being submitted.

### **PART - A – SPECIFIC CONDITIONS**

#### **➤ Condition 1)**

Assurance in the form of affidavit should be given to SEIAA Kerala that eco- restoration including the mine closure plan shall be done at the expenses of the project proponent on completion of mining.

#### **Compliance:**

**Assurance in the form of affidavit was submitted to SEIAA Kerala that eco-restoration including the mine closure plan will be done at our expenses on 22.03.2014. After the closure of the mine, ten percent of the excavated pit area will conserved as rainwater harvesting pit. In the remaining area, it is proposed to build up a green belt with indigenous plant species after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will be planted in the areas prone to erosion especially at the foot of the hill. Copy of the affidavit stated that eco-restoration including the mine closure plan will be done at our expenses is enclosed as Annexure No.1.**

➤ **Condition 2)**

Quantity of overburden and their storage shall be provided to SEIAA Kerala before initiating activities.

**Compliance:**

The quantity of topsoil is estimated to be 33,900 m<sup>3</sup>. The excavated top soil is stored separately in an earmarked location. The photographs showing top soil storage area are provided at Annexure No.2. List of plant species used for the stabilization of topsoil and disturbed areas are as follows.

Sl. No	Botanical Name	Common Name	Family	Distribution	Status
1	<i>Axonopus compressus</i> (Sw.) P.Beauv.	Kaalappullu/Carpet Grass	Poaceae	Tropics and subtropics	

➤ **Condition 3)**

Plan clearly showing the internal roads within the project site to be submitted to SEIAA Kerala before initiating activities.

**Compliance:**

There is about 0.25km of roads having 7.0m width is present within the total project area. Internal road system is maintained well. Side of the road not having natural vegetation is planted with indigenous plant species. Details of the plant species planted along the road sides are given below.

Sl. No	Botanical Name	Common Name	Family	Distribution	Status
1	<i>Mangifera indica</i> L.	Mavu	Anacardiaceae	Evergreen and semi-evergreen forests and also widely cultivated	Indo-Malaysia
2	<i>Cassia fistula</i>	Indian	Fabaceae		Indo-Malesia

## COMPLIANCE REPORT, 2013

	L.	Laburnum/ Kanikkonna			
3	<i>Artocarpus heterophyllus</i> Lam.	Plavu	Moraceae	Evergreen and semi-evergreen forests, also widely cultivated	Widely cultivated in the tropics, origin is probably South India
4	<i>Acacia auriculiformis</i> Benth.	Acacia	Leguminosae	Native of Tropical Australia	Exotic
5	<i>Cinnamomum malabatum</i> (Burm.f.) J.Presl.	Idana	Lauraceae	Southern Western Ghats	Endemic to Southern Western Ghats
6	<i>Polyalthia longifolia</i> (Sonn.) Thwaites	Arnanamaram	Annonaceae	Native of Sri Lanka: introduced to many tropical countries	<i>Exotic</i>
7	<i>Casuarina equisetifolia</i> L.	Choolamaram	Casuarinaceae	Native of Malaysian Region	Exotic

**The map showing the internal roads within the project site is enclosed as Annexure No. 3.**

**➤ Condition 4)**

Specific methodology adopted for drilling and blasting and also the geometry of drill holes to be given to SEIAA Kerala before initiating activities.

**Compliance:**

**The excavation of the mineral is carried out by excavators. The mineral is fractured and easily exploit by rock breakers and excavators. The hard strata are excavated after drilling and blasting. The specific methodology adopted for drilling, blasting and the geometry of drill holes is attached at Annexure No.4.**

➤ **Condition 5)**

Garland drains to be provided in the lower slopes around the core area to channelize storm water.

**Garland drains are provided in the lower slopes of the core area to channelize the storm water and the photographs of the same is provided at Annexure No.5. De-siltation traps are set up in the storm water channels which will seize the passage of debris and silt from quarry either entering the rain water harvesting area or to the main streams.**

➤ **Condition 6)**

Debris / silt traps to be provided to prevent entry of dust and quarry waste entering the main streams.

**De-siltation traps (check dam like) are provided in the storm water channels and rain water harvesting system, which will arrest the passage of debris and slit from quarry site either entering the rain water harvesting area or to the main streams. . Debris and slit from the trap were removed and disposed periodically. The photographs of the same are provided at Annexure No.6.**

➤ **Condition 7)**

Dust and sound level should be as per the prescribed standards applicable to the area.

**Compliance:**

**The dust and sound levels are monitored through an NABL accredited laboratory (Polluchem Laboratories (P) LTD) during the quarry in operation and the monitored results are well within the standards applicable. Average Ambient Sound Level in day and night time are 41.6dB and 38.4dB respectively. Value of Particulate matters PM<sub>10</sub> and PM<sub>2.5</sub> are 50.4µg/M<sup>3</sup> and 21.2µg/M<sup>3</sup> correspondingly. Sulphur dioxide and Nitrogen dioxide values in the air are 2.5µg/M<sup>3</sup> and 1.5µg/M<sup>3</sup> respectively. Drinking water quality parameters are well within the standards.**

**The copy of the ambient noise monitoring report, ambient air quality monitoring report, and drinking water quality reports are provided at Annexure No. 7, 8 and 9 respectively.**

- **Condition 8)**

The conditions of the environmental clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters.

**Compliance:**

**The specific conditions of environmental clearance are prominently displayed in a metallic board of 3 ft x 3 ft as per the specifications instructed by SEIAA Kerala. The photographs of the display board are provided at Annexure No. 10.**

**PART - B - GENERAL CONDITIONS**

- **Condition i)**

Rain water harvesting to collect and utilize the entire water falling in the land area should be provided.

**Compliance:**

**A well structured rainwater harvesting system is maintained in the project area. Harvesting system consists of two tanks constructed with stone masonry wall having the capacity of 600000 liters each. Two tanks are separated by a check dam. Photograph of the rainwater harvesting system as enclosed as Annexure A. Details of the rainwater harvesting system are as follows.**

Sl. No.	Type	Length (m)	Width (m)	Height (m)	Capacity (L)
1	Tank constructed with stone masonry wall 1	20	6	2	190000
2	Tank constructed with stone masonry wall 2	12	6	2	144000

## COMPLIANCE REPORT, 2013

---

### ➤ Condition ii)

Environment monitoring cell should be formed and made functional.

#### **Compliance:**

**An environmental monitoring cell was formed with Mr. Jabu K. Abraham (Director) as head of the monitoring cell and made functional. Meeting of monitoring cell is arranged monthly and discuss the status of the compliance of the specific and general conditions contained in the Environmental clearance order. The details of the monitoring cell members are given below**

Sl. No.	Post	Name
1	Head of the monitoring cell (Director)	<b>Mr. Jabu K. Abraham</b>
2	Head in charge (Environment)	Mr. VT Thomas
3	Senior Environmental Officer	Mr. Rinoy Varghese
4	Environmental Officer	Mr. Navin Xavier
5	Name of the environmental officer in charge	Mr. Anil kumar. M.
6	Name of the officer Environment, Health and safety	Mr. Vijayakumar V.R.
7	Name of the Asst. officer of Environment, Health and safety	Mr. Jayaraj. T.
8	Name of the environmental consultant	M/s Enkay Enviro Services Pvt. Ltd. & M/s Environmental Engineers & Consultants Pvt. Ltd
9	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.

### ➤ Condition iii)

Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any.

**Compliance:**

There is a natural vegetation including trees, shrub and herbs are present in the sides of tarred road and parking areas. We planted the area with low vegetation with trees and a nursery is maintaining for further plantations. Photographs showing the same is provided at Annexure No. B. Plant saplings maintained in the nursery for roadside and parking areas as follows.

Sl. No	Botanical Name	Common Name	Family	Distribution	Status
1	<i>Mangifera indica</i> L.	Mavu	Anacardiaceae	Evergreen and semi-evergreen forests and also widely cultivated	Indo-Malaysia
2	<i>Cassia fistula</i> L.	Indian Laburnum/ Kanikkonna	Fabaceae		Indo-Malesia
3	<i>Artocarpus heterophyllus</i> Lam.	Plavu	Moraceae	Evergreen and semi-evergreen forests, also widely cultivated	Widely cultivated in the tropics, origin is probably South India
4	<i>Acacia auriculiformis</i> Benth.	Acacia	Leguminosae	Native of Tropical Australia	Exotic
5	<i>Cinnamomum malabatum</i> (Burm.f.) J.Presl.	Idana	Lauraceae	Southern Western Ghats	Endemic to Southern Western Ghats

➤ **Condition IV)**

The project may incorporate devices for solar energy generation and utilization wherever possible.

**Compliance:**

Solar Energy device was installed in the project area and is installed in canteen for boiling water. Photographs showing the same is attached as Annexure B1

➤ **Condition v)**

In the case of any change (s) in the scope of the project, the project would require a fresh appraisal by this authority.

**Compliance:**

**Would be complied**

➤ **Condition VI)**

The authority reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the environmental (protection) Act 1986, to ensure effective implementation of the suggested safe guard measures in a time bound and satisfactory manner.

**Compliance:**

**Would be complied**

➤ **Condition vii)**

All other statutory clearances shall be obtained, as applicable, by project proponents from the respective competent authorities.

**Compliance:**

**All other statutory approvals required for the quarrying activity is obtained for the project. The details regarding the same along with the copy of the statutory approvals is provided at Annexure No. C1, C2 & C3.**

Sl. No.	Annexure	Name of the statutory approvals
1	C1	License from Panchayat
2	C2	Integrated consent to operate issued under Air act, 1981 and Environment act 1986.
3	C3	License to possess: (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7.

➤ **Condition viii)**

The stipulations by Statutory Authorities under different Acts and notifications should be complied with, including the provisions of Water (Prevention and control of pollution) Act, 1974, the Air (Prevention and control of pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.

**Compliance:**

**Would be complied**

➤ **Condition ix)**

The project proponent should advertise in at least two local newspapers widely circulated in the region. One of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters area available with the Department of Environment and climate change, Govt. of Kerala and may also be seen on the website of the authority at [www.seiaaKerala.org](http://www.seiaaKerala.org). The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same should be forwarded to the office of this authority as confirmation.

**Compliance:**

**Regarding the accordance of environmental clearance to the quarrying activity was advertised in two local newspapers and the copy of the same was submitted at SEIAA Kerala. The copy of the advertisement is provided at Annexure No. D1 & D2. Details of the news paper advertisements are given below.**

Sl. No.	Annexure	Name of the News paper and edition	Dated
1	D1	Times of India (Thiruvananthapuram, Kollam)	23/12/2012
2	D2	Mathrubhumi	23/12/2012

➤ **Condition x)**

A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/District Panchayat/Municipality/Corporation/Urban local Body and also to the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

**Compliance:**

**A copy of the environmental clearance report was submitted to the Corporation office on 14.12.2012. The acknowledgement received is provided at Annexure E. The environmental clearance order is uploaded in the website of the company and can be seen in the website [www.msand.in](http://www.msand.in).**

➤ **Condition xi)**

The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hand copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall update the same periodically, it can simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also the Directorate of Environment and Climate Change, Govt. of Kerala.

**Compliance:**

**First compliance report was submitted to the Directorate of Environment and Climate Change, Govt. of Kerala and also the Regional Office of MoEF, Govt. of India on 22/03/2014. Second compliance report (July - December, 2013) is being submitted to Department of Environment and Climate change, Govt. of India both in hard copy as well as mail.**

**Condition xii)**

The proponent should provide affidavit that all the conditions stipulated in the EC shall be scrupulously followed.

**Compliance:**

**An affidavit stating that all the conditions stipulated in the Environmental clearance will be scrupulously followed was submitted at Department of Environment and climate change on 23.12.2012 and the copy of the same is provided at Annexure F.**



കേരളം കേരल KERALA

AF 880882

**AFFIDAVIT**

Jabu K. Abraham, Director & authorized signatory of M/s POABS Granite Pvt. Ltd. having its correspondence office at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala Pin-695543 do hereby affirm and confirm as follows:-

1. That, M/s. POABS Granite Pvt. Ltd. running a Quarry Project at Survey Nos. 459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2, 460/2-1 at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram Dist, Kerala.
2. That, the eco-restoration including the mine closure plan will be done at our expenses.

*J.K. Abraham*  
DEPONENT

**Verification:**

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

*Solemnly affirmed and signed before me by the deponent who is personally known to me in my office at Thiruvalla on this the 25th day of March, 2014.*


*A.P. Gokula Chandran*  
DEPONENT

Place: Tiruvalla  
Date: 22.03.2014



A. P. Gokula Chandran, B.A; LL.B.  
Advocate & Notary  
Thiruvalla.

P. KRISHNAN KUTTY NAIK  
Notary Public



054952 No 100 / Jabu K. Abraham  
Director  
M/s Poabs Granite Pvt Ltd  
P.O. Peroorkada

**ANNEXURE 2**




**Photographs showing top soil storage area**

## ANNEXURE 4

PRE-FEASIBILITY, BASELINE DATA AND ENVIRONMENTAL MANAGEMENT PLAN – M/s POABS ROCK PRODUCTS PVT. LTD.

### 2.6.5 Drilling

The excavation of mineral is proposed by excavators. The mineral is fractured and easily exploitable by rock breakers and excavators. The hard strata are proposed to excavate after drilling and blasting. The cross-sectional view of drilling operations is shown below:-



#### Salient features of drilling

- About 30 to 50 holes per blast of 32 mm dia and to a depth of 2 to 2.5 m will be adopted
- It is estimated about 2 to 3 T production per hole
- Number of blasts per day depends upon the workable area and production to be achieved
- The spacing of 1.0 to 1.5m between the holes will be adopted
- About 250 g per hole of explosive will be used. However, 10 kg/blast will be adopted at any point of time
- Millisecond electric blasting will be adopted to limit the PPV and Noise levels within the stipulated standards.

## 2.6.6 Blasting

The controlled blasting is proposed by adopting all the safety measures as per "MMR 1961" and with the permission of DGMS.

In this area for fragmentation of granite the blasting will be conducted. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32 mm drill rod, Jack Hammer and Air Compressor of 100 cfm capacity.

It is estimated about 250 g of explosives per hole is required. About 30 – 50 holes per blast are proposed. Therefore, the requirement of explosives will be about 10 kg/ blast.

### 2.6.6.1 BLASTING SAFEGUARD

- Blasting in the open cast pits will be done only during day time at designated hours.
- Only competent blasters will be appointed to handle explosives.
- Explosives will be stored in approved and licensed magazine as per Explosive Act/ Rules.
- Explosives will be brought from magazine to blasting site in licensed Explosive Van under the care of blaster.
- Sufficient warning signals will be given before blasting the holes.
- Guards will be posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during blasting hour.
- Controlled blasting will be practiced to control vibrations and flying fragments.
- Optimum charge will be used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay will always be less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.

**ANNEXURE 5**



**Photographs showing garland drains from project sites to channelize storm water**

ANNEXURE 6



**Photographs showing Rain water harvesting system with de-siltation trap (Check dam like)**

# COMPLIANCE REPORT, 2013

## ANNEXURE 7



### POLUCHEM LABORATORIES (P) LTD.

ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY  
PALLATH BUILDING, N. KALAMASSERY P.O., ERNAKULAM -683 104  
PHONE: 0484 - 3261174, 2544030, E-mail: poluchem@gmail.com

'A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOARD AND ACCREDITED BY NABL

#### TEST REPORT

Page 01 of 02

Ref.No. PL/RT/PW/23/2013  
Name & address of customer  
Project Site

Date of Issue: 14/08/2013

: M/S.Poabs Granites Pvt Ltd,Peeroorkada,Trivandrum  
: M/s Poabs Products Pvt Ltd,  
Sy.No.459/2,460/10,460/12,446/8,462/5,461/2,461/3,446/7,  
460/2-2, 460/2-1, Peeroorkada Village, Trivandrum  
Taluk, TrivandrumDst., Kerala

Sample drawn by  
Sample description  
Sample Code  
Location of sampling  
Date of sample collected  
Date of analysis started  
Date of completion of analysis

: Self  
: Drinking water  
: H/23/2013  
: Pond water  
: 09/08/2013  
: 10/08/2013  
: 13/08/2013

Parameters tested	Test method	Results	Desirable limit as per IS 10500
Color	IS 3025 (P) 04 – 1983	3 Hazen Unit	5 Hazen Unit
Odour	IS 3025 (P) 05 – 1983	Unobjectionable	Unobjectionable
Turbidity	IS 3025 (P) 10 – 1984	BDL	5 NTU
pH	IS 3025 (P) 11 – 1983	6.43	6.5 – 8.5
Total Dissolved Solids	IS 3025 (P) 15 – 1984	74 mg/l	500 mg/l
Total Hardness as CaCO <sub>3</sub>	IS 3025 (P) 21 – 1983	23.76 mg/l	300 mg/l
Total Alkalinity as CaCO <sub>3</sub>	IS 3025 (P) 23 – 1986	34 mg/l	200 mg/l
Residual Free Chlorine	IS 3025 (P) 26 – 1986	BDL	Min 0.2 mg/l
Chloride as Cl	IS 3025 (P) 32 – 1988	12.87 mg/l	250 mg/l
Calcium as Ca	IS 3025 (P) 40 – 1991	8.73 mg/l	75 mg/l
Magnesium as Mg	IS 3025 (P) 46 – 1994	0.48 mg/l	30 mg/l
Iron as Fe	IS 3025 (P) 53 – 2003	BDL	0.3 mg/l
Sulphate	IS 3025 (P) 31 – 1988	3.41 mg/l	200 mg/l
Fluoride	IS 3025 (P) 60 – 2008	BDL	1 mg/l

Note: BDL – Below Detection Level

For Poluchem Laboratories (P) Ltd.

**SREEJA RAMESH**  
Technical Manager

Authorized signatory

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste water / Effluent, Soil  
Tea, Spices, Oil, Fertilisers, Basic Chemicals etc; Pesticide Residue, Heavy Metals, Microbiology

# COMPLIANCE REPORT, 2013



## POLUCHEM LABORATORIES (P) LTD.

ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY  
PALLATH BUILDING, N. KALAMASSERY P.O., ERNAKULAM - 683 104  
PHONE: 0484 - 3261174, 2544030, E-mail: poluchem@gmail.com

'A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOARD

Page 01 of 02

Continuation of Test Certificate No: 23/2013

Parameters tested	Test method	Results	Desirable limit as per IS 10500
Selenium	APHA 3111B	BDL	0.01 mg/l
Arsenic	APHA 3111B	BDL	0.05 mg/l
Copper	APHA 3111B	BDL	0.05 mg/l
Manganese	APHA 3111B	BDL	0.1 mg/l
Cadmium	APHA 3111B	BDL	0.01 mg/l
Chromium	APHA 3111B	BDL	0.05 mg/l
Zinc	APHA 3111B	BDL	5 mg/l
Mercury	APHA 3111B	BDL	0.001 mg/l
Cyanide	APHA 4500 E	BDL	0.05 mg/l
Lead	APHA 3111 B	BDL	0.05 mg/l
Aluminum	APHA3500 D	BDL	0.03 mg/l
Boron	APHA 4500 B	BDL	1 mg/l

Note: BDL – Below Detection Level

### MICROBIOLOGICAL TESTS

Parameters	Unit	Results	Desirable limit as per IS 10500
MPN Coliform Count	MPN/100ml	0.31	1
Coliform bacteria	/100ml	Absent	Absent
E – Coli	/100ml	Absent	Absent

For PoluChem Laboratories (P) Ltd.

Authorized Signatory

**SREEJA RAMESH**  
Technical Manager

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste water / Effluent, Soil  
Tea, Spices, Oil, Fertilisers, Basic Chemicals etc; Pesticide Residue, Heavy Metals, Microbiology

# COMPLIANCE REPORT, 2013

## ANNEXURE 8



### **POLUCHEM LABORATORIES (P) LTD.**

ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY  
PALLATH BUILDING, N. KALAMASSERY P.O., ERNAKULAM - 683 104  
PHONE: 0484 - 3261174, 2544030, E-mail: poluchem@gmail.com

**'A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOARD**

### TEST REPORT

Client Name & Address *	Certificate No:	2991/08/2013
M/s Poabs Granites Pvt. Ltd Peeroorkada Trivandrum Trivandrum	Date of issue:	14/08/2013
	Date of monitoring	08/08/2013 16.00 Hrs to 09/08/2013 16.00 Hrs
	Monitoring Location	M/s. Poabs Granites Pvt Ltd, Sy.No.459/2,460/10,460/12,446/8,462/5,461/2,461/3, 446/7,460/2-2,460/2-1, Peeroorkada Village, Trivandrum Taluk, Trivandrum Dst., Kerala
	Sample Description	Ambient Sound Level (Leq)

Monitoring Location	Time	Results
Location - I	16.00 Hrs	42.2 dB (A)
	17.00 Hrs	43.7 dB (A)
	18.00 Hrs	41.6dB (A)
	19.00 Hrs	42.6 dB (A)
	20.00 Hrs	41.1 dB (A)
	21.00 Hrs	40.4 dB (A)
	22.00 Hrs	39.5 dB (A)
	23.00 Hrs	39.4 dB (A)
	00.00 Hrs	38.1 dB (A)
	01.00 Hrs	39.8 dB (A)
	02.00 Hrs	38.4 dB (A)
	03.00 Hrs	38.7 dB (A)
	04.00 Hrs	39.1 dB (A)
	05.00 Hrs	39.7 dB (A)
	06.00 Hrs	38.8 dB (A)
	07.00 Hrs	39.2 dB (A)
	08.00 Hrs	39.4 dB (A)
	09.00 Hrs	38.7 dB (A)
	10.00 Hrs	40.9 dB (A)
	11.00 Hrs	41.8 dB (A)
12.00 Hrs	42.7 dB (A)	
13.00 Hrs	43.4dB (A)	
14.00 Hrs	43.8 dB (A)	
15.00 Hrs	44.9 dB (A)	
Leq(Day time)		41.6dB (A)
Leq(Night time)		38.4 dB (A)

For PoluChem Laboratories (P) Ltd.

**SREEJA**  
**Technical Manager**

Authorized Signatory

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste water / Effluent, Soil Tea, Spices, Oil, Fertilisers, Basic Chemicals etc; Pesticide Residue, Heavy Metals, Microbiology

# COMPLIANCE REPORT, 2013



**POLUCHEM LABORATORIES (P) LTD.**  
ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY  
PALLATH BUILDING, N. KALAMASSERY P.O., ERNAKULAM -683 104  
PHONE: 0484 - 3261174, 2544030, E-mail: poluchem@gmail.com

## ANNEXURE 9

'A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOARD AND ACCREDITED BY NABL

### TEST REPORT

Client Name & Address	Certificate No:	05/08/2013
M/s Poabs Granites Pvt. Ltd Peeroorkada ,Triyandrum Trivandrum	Date of issue:	14/08/2013
	Date of monitoring	08/08/2013 16.00 Hrs to 09/08/2013 16.00 Hrs
	Date of sample received:	10/08/2013
	Date of analysis	10/08/2013
	Monitoring Location	M/s. Poabs Granites Pvt Ltd.Sy.No.459/2,460/10,460/12,446/8,462/5,4 61/2,461/3,446/7,460/2-2,460/2-1, Peeroorkada Village,Trivandrum Taluk,TrivandrumDst.,Kerala
	Sample description	Ambient air – Location 1
	Sample code given by client	Nil
	Sample identification No:	G/H/05/13


SL NO	PARAMETERS	TEST METHOD	RESULTS	LIMITS
01	Particulate Matter (PM <sub>10</sub> )	I S 5182 Part 4 1999	50.4 µg/M <sup>3</sup>	100 µg/M <sup>3</sup>
02	Particulate Matter (PM <sub>2.5</sub> )	CPCB	21.2µg/M <sup>3</sup>	60 µg/M <sup>3</sup>
03	Sulphur dioxide	I S 5182 Part 2 2001	2.5 µg/M <sup>3</sup>	80 µg/M <sup>3</sup>
04	Nitrogen dioxide	IS 5182 Part 06 1975	1.5 µg/M <sup>3</sup>	80 µg/M <sup>3</sup>

The results are related only to the sample collected for analysis. This certificate shall not be reproduced except in full and without the written permission with authorized signatory	For and on behalf of <b>POLUCHEM LABORATORIES (P) LTD.</b>   AUTHORIZED SIGNATORY
---	---

**SREEJA RAMESH**  
*Technical Manager*

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste water / Effluent, Soil Tea, Spices, Oil, Fertilisers, Basic Chemicals etc; Pesticide Residue, Heavy Metals, Microbiology

**ANNEXURE 10**



**Photographs showing specific conditions of the environmental clearance prominently displayed in a metallic board**

**ANNEXURE A**



**Photographs showing the rainwater harvesting system in the project area**

**ANNEXURE B**



**Photographs showing plant nursery**

**ANNEXURE B1**



**Photograph showing the Solar Energy device within the project area**

ANNEXURE C1

5



നമ്പർ AL-62/10 വെള്ളനാട് ഗ്രാമ പഞ്ചായത്ത്

1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകൾ പ്രകാരവും അതോടനുബന്ധിച്ചു പട്ടണവും അനുസരിച്ചു കൊടുത്ത


ലൈസൻസ്

ലൈസൻസുടമസ്ഥന്റെ പേരും മേൽവിലാസവും	<u>ശ്രീ. മഞ്ചി മാത്യു</u> <u>ചെമ്മൂട് ശ്രീ. മനോജ് മെമ്പർ</u> <u>ലിറ്റിറേറ്റ്, കിരീടമുഖം</u>
എന്താവശ്യത്തിന് ലൈസൻസ് അനുവദിച്ചു എന്ന്	<u>85014 P ലോട്ടേർ പ്രവർത്തിപ്പിച്ച്</u> <u>ചാനൽ ചെയ്തു M. Senthil Kumar ന്റെ</u> <u>പേരിൽ.</u>
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡു നമ്പരും	<u>VPI XI 656</u>
ലൈസൻസിന്റെ കാലാവധി	<u>2010-2011 to 2013 - 2014 വരെ</u>
ലൈസൻസ് ഫീസ്	<u>82500/-</u> - പൈസ
റിമാർക്സ്	<u>Rd No 16767/69</u> <u>186/10</u>

വെള്ളനാട്

തിയതി 186/10





**SPECIAL GRADE SECRETARY**  
**VELLANAD GRAMA PANCHAYAT**  
(മറുവശം)

GLM -34 K / 2000

ലൈസൻസുടമസ്ഥൻ താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

1. പഞ്ചായത്ത് രാജ് ആക്ടും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. തൊഴിൽ സ്ഥലവും പരിസരങ്ങളും വെടിവായും വൃത്തിയായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള ക്ഷേണപദാർത്ഥങ്ങൾ ഈച്ച, അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സ്വക്ഷീകേണ്ടതാണ്.
3. തൊഴിൽ സ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസുടമസ്ഥൻ വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
4. പഞ്ചായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്ഥലം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
5. ഏതൊരു പ്രവർത്തി മിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.
6. ആ സ്ഥലത്തിന്റെയോ പുരയിടത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വിഴുക്യോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ തുണ്ടുകളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നിക്ഷേപിച്ചുകൊണ്ടേതാണ്.
7. ലൈസൻസുകാരൻ ഏതൊരു കെട്ടിടത്തിന്റെയും ചുമരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പുരയിടത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ച്ചുവീഴാനിടയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ ചപ്പുചവറോ, അസഹ്യമോ, ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം എപ്പോഴും നന്നായും കേടുപാട് തീർത്തും വയ്പിക്കേണ്ടതാണ്.
8. ലൈസൻസുകാരൻ മേൽപറഞ്ഞ പുരയിടത്തിലോ, അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായും കേടുപാടുതീർത്തും വയ്പിക്കേണ്ടതാണ്.
9. ഏതെങ്കിലും തരത്തിലുള്ള താക്ക് രോഗമോ കൂപ്പാ രോഗമോ വ്രണമോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
10. ഏത് സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു പൊതുജനോപദ്രവമാകാൻ തരൻ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശവും കാണിക്കുന്ന ഒരു അടയാളപ്പുലി സ്ഥാപിക്കേണ്ടതാണ്.
11. അയിത്തം മറ്റാവിടാതെ ലൈസൻസ് നശുചെയ്യുന്നതാണ്.
12. മുകളിൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകളിൽ ഏതെങ്കിലും ലംഘിക്കുന്ന പക്ഷം ഈ ലൈസൻസ് നശുചെയ്യുന്നതാണ്.



*(Handwritten Signature)*  
**SPECIAL GRADE SECRETARY**  
**VELLANAD GRAMA PANCHAYAT**

സെക്രട്ടറി



നമ്പർ A5-300/254/08-09 വെള്ളനാട് ഗ്രാമ പഞ്ചായത്ത്

1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകൾ പ്രകാരവും അതേ തുടർനൂല്ല് പട്ടണവും അനുസരിച്ചു കൊടുത്ത

ലൈസൻസ്	
ലൈസൻസുടമസ്ഥന്റെ പേരും മേൽവിലാസവും	ശ്രീ. എ. ബി. മ. സു. പ്രാണേശ്വരൻ പോസ്റ്റ് ഓഫീസ്, വെള്ളനാട് വെള്ളനാട്, തൃശ്ശൂർ
ഏതാവശ്യത്തിന് ലൈസൻസ് അനുവദിച്ചു എന്ന്	1120HP 620 കോർട്ടിംഗ് യൂണിറ്റ് പാനാമിക്. 92988 മെർക്കുറി യൂണിറ്റ് വില്പന നടത്തുന്നതിന്
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡു നമ്പരും	VP/17/207, VP/17/655
ലൈസൻസിന്റെ കാലാവധി	2009-2010 To 2013-2014 വരെ
ലൈസൻസ് ഫീസ്	12000 രൂപ - പൈസ
റിമാർക്സ്	R.No. 15749/59 18/3/2009

വെള്ളനാട് ഗ്രാമ പഞ്ചായത്ത്

Res/No. 11/3/2009  
18/3/2009

തീയതി 18/3/2009

സെക്രട്ടറി  
SPECIAL GRADE SECRETARY  
VELLANAD GRAMA PANCHAYAT



GLM -34 K / 2000



ANNEXURE C2

File No. PCB/TVM-DO/CO/6424/2007

Date: 04-08-2011



**KERALA STATE POLLUTION CONTROL BOARD**  
District office, Plamoodu Jn., Thiruvananthapuram

**INTEGRATED CONSENT TO OPERATE**

ISSUED UNDER

The Air (Prevention & Control of Pollution) Act, 1981

The Water (Prevention & Control of Pollution) Act, 1974

&

The Environment (Protection) Act, 1986

TO

✓ Shri. K.A Abraham,  
Poabs Granites (P) Ltd.,  
Malamugal, Vattiyoorkavu,  
Thiruvananthapuram.

(for Quarrying at Malamugal,  
Peroorkada, Thiruvananthapuram)

Consent No. PCB/TVM-DO/ICO/QRY/1495/2011

## COMPLIANCE REPORT, 2013

2

### GENERAL DETAILS:

1. Nature of consent	Integrated Consent to Operate
2. Date of issue	04-08-2011
3. Validity	31-07-2014
4. Name & Address of the establishment	Quarry owned by Poabs Granites (P) Ltd., Malamugal, Vattiyoorkavu, Thiruvananthapuram - 695 013.
5. Occupier details	Shri. K.A Abraham, Director.
6. Village	Peroorkada
7. Survey Number	R.Survey no. 460, 452, 448, 459, 462, 461, 446, 447
8. Taluk	Thiruvananthapuram
9. District	Thiruvananthapuram
10. LSGI & Ward	Thiruvananthapuram Corporation Ward no. 34, Kachani Ward
11. Category/Type	RED
12. Scale	SMALL
13. (a) Annual fee	₹ 6,560/-
(b) Fee remitted	₹ 22,960/-
14. Capital Investment	₹ 46 lakh
15. Activity /Products	Rock quarrying/ Granite metal stone @ 750 M T/day

*Kerala State Pollution Control Board, District Office, Thiruvananthapuram*

**2. CONDITIONS:**

- 2.1 This Integrated Consent to Operate is granted subject to the power of the Board to review and make variation in all or any of the following conditions.
- 2.2 This Integrated Consent to Operate unless withdrawn earlier and subject to condition no. 2.1 shall be **valid up to 31-07-2014** and subject to decision/order by the Court, if any.
- 2.3 The Integrated Consent to Operate issued and its validity are subject to the conditions and validity specified in the clearances issued by the District Collector, Mining and Geology Department and Explosives Department as per the provisions of the relevant statues.
- 2.4 The quarrying activity shall be carried out only in the area marked in black in the location drawing attached.
- 2.5 Sufficient safety precautions shall be provided at the explosive storage area and blasting site as per the guidelines of the concerned authorities.
- 2.6 The depth of excavation below ground level shall not exceed 6 m.
- 2.7 Where residences are likely to be with vibration, use of ordinary detonators shall be avoided and electric detonators with necessary delay facilities shall be used.
- 2.8 Removal of top soil and mining shall be carried out leaving 3 m from adjacent property on all sides as buffer zone.
- 2.9 The top soil excavated shall be preserved and used for relaying the surface of mined area.

*Kerala State Pollution Control Board, District Office, Thiruvananthapuram*

- 2.10 The noise level at 1 m outside the area of quarrying operation shall not exceed 55 dB(A) Leq.
- 2.11 The suspended particulate matter at the boundary of the quarry shall not exceed 200 microgram per cubic metre and the respirable suspended particulate matter at the boundary of the quarry shall not exceed 100 microgram/m<sup>3</sup>.
- 2.12 The excavated area may be used for aquaculture and rainwater harvesting with protective barriers or for any other suitable purpose or may be reclaimed.
- 2.13 Efforts shall be made to avoid any sort of environmental problem due to the functioning of the quarry.
- 2.14 Quarrying shall be carried out only with valid clearances from other concerned authorities along with this consent.

Encl: Approved location drawing

Date: 04-08-2011



Copy to:

The Member Secretary with C/L

Signature & Seal of  
Issuing Authority

K.R. SANTHOSH KUMAR  
ENVIRONMENTAL ENGINEER

*Kerala State Pollution Control Board, District Office, Thiruvananthapuram*

# COMPLIANCE REPORT, 2013

Amedment Covering Letter

Page 1 of 1

## ANNEXURE C3



GOVERNMENT OF INDIA  
MINISTRY OF COMMERCE & INDUSTRY  
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION(PESO)  
(Formerly Department of Explosives)  
No.140, Rukmini Laxmipati Road,  
Marshalls Road, Egmore, Chennai 600008  
Tele: 28514848 Fax: 28514848  
Email: jtccechennai@explosives.gov.in

No.: E/SC/KL/22/1452(E68709)

Dated:04/10/2012

To  
Shri ABY MATHEW, Managing Director,  
M/s. POABS GRANITES PVT. LTD. Kuttoor,PO, Tiruvalla, Town/Village - Kuttoor  
District-PATHANAMTHITTA, State-Kerala, Pincode - 689551

Subject: Possession for Use of of Explosives from magazine situated at Survey No.:194/6,Block No.39,  
Vellanadu,Nedumangadu.Taluk, Dist. THIRUVANANTHAPURAM, Kerala -Licence No.: E/SC/KL/22/1452  
(E68709) granted in Form LE-3 of Explosives Rules, 2008 -  
Amendment of Quantity of Explosives/Monthly Purchase Limit .

Sir(s),

Please refer to your letter No. x dated 03/10/2012 on the subject cited above.

The Licence No.: E/SC/KL/22/1452(E68709) is duly amended in respect of :

### Quantity of Explosives/Monthly Purchase Limit

with condition QUARTERLY RETURNS SHALL BE SUBMITTED ON-LINE IMMEDIATELY and forwarded herewith;

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below :

No	Explosive(s)	Class	Div	Sub Div	Capacity	Unit
1	Nitrate Mixture	2	0	0	300	Kg.
2	Safety Fuse	6	1	0	30000	Mts
3	Electric and/or Ordinary Detonators	6	3	0	40000	Nos.

Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : **20 times as above.**

This Licence shall remain valid till **31st day of March 2017.**

For further renewal of licence, please follow the procedure under Rule 112 of Explosives Rules, 2008.  
Receipt of this letter may please be acknowledged.

**Enclosures :**

Yours faithfully,  
(C Shanmugam)  
Controller of Explosives  
For Joint Chief Controller of Explosives  
South Circle, Chennai

Copy Forwarded to:

1. The Dy. Chief Controller of Explosives, Kochi.
2. Additional District Magistrate, THIRUVANANTHAPURAM, Kerala with reference to his Noc No: A17-9946/2011 Dated: 31/10/2011.
3. Superintendent of Police, THIRUVANANTHAPURAM, Kerala

For Joint Chief Controller of Explosives  
South Circle, Chennai

[For more information regarding status, fees and other details, please visit our web site <http://peso.gov.in>]

<http://10.0.1.11/IntExp/AmdCoveringLetterNew.asp>

10/4/2012

# COMPLIANCE REPORT, 2013

Page 1 of 1

Page 1 of 1

## LICENCE FORM LE-3

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

Licence No. : E/SC/KL/22/1452(E68709)  
Annual Fee Rs 4500/-



- Licence is hereby granted to : **Shri ABY MATHEW, Managing Director (Occupier : SHRI ABY MATHEW MG. DIRECTOR M/s. Poabs Granites Pvt.Ltd.)**  
**M/s. POABS GRANITES PVT. LTD. Kuttoor.PO, Tiruvalla, Town/Village - Kuttoor District-PATHANAMTHITTA, State-Kerala, Pincode - 689551**
- Status of licensee : **Company**
- Licence is valid only for the following purpose : possess for use of **Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators,**
- (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2,0	0	300 Kg.
2.	Safety Fuse	6,1	0	30000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	40000 Nos.

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : **20 times as above.**

- The licensed premises shall conform to the following drawing(s):  
**Drawing No : E/SC/KL/22/1452(E68709) dated : 03/07/2012**
- The licensed premises are situated at following address:  
**Survey No. 194/6, Block No.39, Town/Village : Vellanadu, Nedumangadu, Taluk**  
**Police Station : Aryanadu District : THIRUVANANTHAPURAM State : Kerala**  
**PinCode : 689551 Phone : E-Mail :**
- The licensed premises consist of following facilities : **Magazine for High Explosives ,detonators& Lobby as per the plan**
- The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.  
(1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.  
(2) Conditions and Additional Conditions of this licence signed by the licensing authority.  
(3) Distance Form DE-2
- This licence shall remain valid till **31st day of March 2017**

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 03/07/2012

Joint Chief Controller of Explosives  
South Circle, Chennai

### Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 16/08/2012
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 04/10/2012

Endorsement for renewal of licence:

Date of Renewal      Date of Expiry      Signature of licensing authority

**Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.**

<http://10.0.1.11/IntExp/ExplosivesLicenceLE3.asp>

10/4/2012

# COMPLIANCE REPORT, 2013

## LICENCE FORM LE-3

(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

**Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine**

Licence No. : E/SC/KL/22/2(E8469)  
Annual Fee Rs:2000/-



1. Licence is hereby granted to : **SHRI ABY MATHEW MG. DIRECTOR (Occupier : SHRI ABY NAHEW) M/S. POABS GRANITES PVT. LTD., WEST OTHARA THIRUVALLA, PATHANAMTHITTA, KERALA, District-PATHANAMTHITTA, State-Kerala, Pincode - 689551**
2. Status of licensee : **Individual**
3. Licence is valid only for the following purpose : possess for use of **Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators**
4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2,0	0	250 Kg.
2.	Safety Fuse	6,1	0	4000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	10000 Nos.

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : **10 times as above.**

5. The licensed premises shall conform to the following drawing(s):  
**Drawing No : E/SC/KL/22/2(E8469) dated : 22/12/1999**
6. The licensed premises are situated at following address:  
**Survey No(s). 1469/3/5 & 1469/2 , Town/Village : VELLANAD**  
Police Station : **ARLANADU** District : **THIRUVANANTHAPURAM** State : **Kerala**  
PinCode : Phone : E-Mail : Fax :
7. The licensed premises consist of following facilities : **B & 2 S TYPE PORTABLE MAGAZINE**
8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.  
(1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.  
(2) Conditions and Additional Conditions of this licence signed by the licensing authority.  
(3) Distance Form DE-2
9. This licence shall remain valid till **31st day of March 2005**

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 22/12/1999

**Joint Chief Controller of Explosives**  
 South Circle, Chennai

**Amendments :**

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 20/05/2011
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 14/12/2011

Endorsement for renewal of licence:

Date of Renewal	Date of Expiry	Signature of licensing authority
04/03/2009	31/03/2014	Sd/- Dy. Chief Controller of Explosives, Ernakulam <b>उ.मु.वि.नि., एरनाकुलम</b> <b>D. C. C. E., Ernakulam</b>

**Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.**

# COMPLIANCE REPORT, 2013



GOVERNMENT OF INDIA  
MINISTRY OF COMMERCE & INDUSTRY  
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)  
(Formerly Department of Explosives)  
Kendriya Bhavan, Block C-2, 3rd Floor  
CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037  
Tele: 2427286 Fax: 2427276  
Email: dycceernakulam@explosives.gov.in

No.: E/SC/KL/22/2(E8469)

Dated: 14/12/2011

To,  
SHRI ABY MATHEW MG. DIRECTOR,  
M/S. POABS GRANITES PVT. LTD., WEST OTHARA THIRUVALLA, PATHANAMTHITTA, KERALA., Town/Village - Kutoor  
District-PATHANAMTHITTA, State-Kerala, Pincode - 689551

Subject: Possession for Use of of Explosives from magazine situated at Survey No(s): 1469/3/5 & 1469/2, VELLANAD, Dist. THIRUVANANTHAPURAM, Kerala -Licence No.: E/SC/KL/22/2(E8469) granted in Form LE-3 of Explosives Rules, 2008 - Amendment of Quantity of Explosives/Monthly Purchase Limit .

Sir(s),

Please refer to your letter No. Nil dated 07/12/2011 on the subject cited above.

The Licence No.: E/SC/KL/22/2(E8469) is duly amended in respect of ;

#### Quantity of Explosives/Monthly Purchase Limit

and forwarded herewith;

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below ;

No	Explosive(s)	Class	Div	Sub Div	Capacity	Unit
1	Nitrate Mixture	2	0	0	250	Kg.
2	Safety Fuse	6	1	0	4000	Mtrs
3	Electric and/or Ordinary Detonators	6	3	0	10000	Nos.

Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 10 times as above.

This Licence shall remain valid till 31st day of March 2014.

An amount of Rs. 500/- balance is standing in your credit, which may be utilized for future renewal by quoting this reference.

For further renewal of licence, please follow the procedure under Rule 112 of Explosives Rules, 2008.  
Receipt of this letter may please be acknowledged.

Enclosures :



Yours faithfully,  
  
(K Sundaresan)  
Controller of Explosives  
For Dy. Chief Controller of Explosives  
Ernakulam

Copy Forwarded to:

1. District Magistrate, THIRUVANANTHAPURAM, Kerala with reference to his Noc No: K.DIS.A8-74306/93 Dated: 20/04/1994.
2. Superintendent of Police, THIRUVANANTHAPURAM, Kerala

For Dy. Chief Controller of Explosives,  
Ernakulam

[For more information regarding status, fees and other details, please visit our web site <http://peso.gov.in>]

# Trouble in a can

A Housewife's Death In Aluva Following Burns She Suffered In A Canister

and large sizes. The Santa caps and masks keep the range from Rs.20 to 80.

# Corp to implement ban sans alterna

Tham With Care

- Online Digital Library
- Video Conferencing Facility
- Continuous Online Mentoring.

**APPLICATION PROCEDURE**

For application forms & prospectus, send a Demand Draft of Rs.1100/- to IIT-CDL, A-6, Site-3, USIDC Industrial Area, Vasant Road, Ghazalbad in favour of IIT-CDL, payable at Delhi. You can also Apply Online at [www.iitmdl.ac.in](http://www.iitmdl.ac.in). Forms also available at Information Centres.

E-mail: [newadmission@iitmdl.ac.in](mailto:newadmission@iitmdl.ac.in). Tel: 0120-6744744

**INFORMATION CENTRES:** GHAZALBAD (Head Office): 3015465/4801492/493, Delhi (CP): 9711005080, Noida (Sector 22B1133): 9830832699, Mumbai (Navi Mumbai): 40909248, 9322677316, Nagpur: 3227728, 9923594888, Hyderabad: 9375767685, 9375767685, Bangalore: 92512030, 9845810725, Bhubaneswar: 2436656, 9861061077, Indore: 20565963, 9826222562

**1 YEAR PGDIP (EXECUTIVE)**  
Recognized by DEC (Fully Online Mode)

**1 YEAR PGDIP IN CYBER SECURITY**  
Recognized by DEC For graduates in any discipline

**MIS in CYBER LAW & SECURITY**

In collaboration with National Law University (NLU), for graduates in any discipline with 50% marks. To enrol Visit our website

**NOTICE**

This is to inform to the General Public that the proposed quarry project at Peracotta Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala being developed by M/s Prods Granite Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. ST/SE/IA/ML/802/2012 dt. 14-12-2012 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change Govt. of Kerala and may also be seen on the website of the Authority at [www.seiaa.kerala.org](http://www.seiaa.kerala.org)

**NOTICE**

This is to inform to the General Public that the proposed quarry project at Chithara Village & Panchara, Kottayam Taluk, Kollam District, Kerala being developed by M/s Prods Granite Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. ST/SE/IA/ML/802/2012 dt. 14-12-2012 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change Govt. of Kerala and may also be seen on the website of the Authority at [www.seiaa.kerala.org](http://www.seiaa.kerala.org)

**Exam timetable:** The timetable for the fifth semester L.B (three-year), sixth semester L.B (five-year) to begin from January 3 and second semester MSc computer science exam to begin from January 4 at the Institute of distance education is available in the website [www.ker-abuniversity.ac.in](http://www.ker-abuniversity.ac.in).

**Last date extended:** The Kerala University has extended the last date to submit applications for admission to MPhil courses for the year 2012-13, till December 31.

Young Sindhu, on the other hand looked confident as she set up a final clash against Indonesia's Lindawati Pusnetri. Maintaining the form and tempo she displayed in the earlier rounds, Sindhu continued her march into the final in style. The tall 18-year-old girl dominated her match with a powerful forehand.

Sindhu continued her march into the final in style. The tall 18-year-old girl dominated her match with a powerful forehand.

Indonesian Yulus Alamsyah, the fifth seed, 21-14, 21-17.

## Kashyap, Sindhu in maiden GP finals

Asheem Mukerji TNN  
Lucknow: P Kashyap and PV Sindhu carried Indian hopes into the finals of the Syed Modi India Grand Prix Gold tournament on Saturday. And Sunday will be a big day for both as they play their maiden Grand Prix final at the BBD Academy here on Sunday.

Soldado struck in the opening minute to set them on their way to a 4-2 home win over Getafe in the earlier kickoff. **score**

Champions League place. Wigan remain in the relegation zone after their fourth defeat in their last five league games. **score**

was denied by Arsenal's Polish keeper Wojciech Szczesny and Dave Jones thumped a shot narrowly wide of the upright with Szczesny through on goal but dragged a left.

day. Wigan, third from bottom, had the best chance of a poor first half when Arouna Kone sprinted through on goal but dragged a left.

### SYED MODI GRAND PRIX GOLD

India's top player Kashyap had to overcome a tough resistance from Thailand's

Asheem Mukerji TNN  
Lucknow: P Kashyap and PV Sindhu carried Indian hopes into the finals of the Syed Modi India Grand Prix Gold tournament on Saturday. And Sunday will be a big day for both as they play their maiden Grand Prix final at the BBD Academy here on Sunday.

was denied by Arsenal's Polish keeper Wojciech Szczesny and Dave Jones thumped a shot narrowly wide of the upright with Szczesny through on goal but dragged a left.

day. Wigan, third from bottom, had the best chance of a poor first half when Arouna Kone sprinted through on goal but dragged a left.

thru lumi classifieds  
ANNEXURE D2  
**Real Estate**  
real good deals



Dr. Jyoti Suresh

മാറ്റുദ്ദേശി • 2012 ഡിസംബർ 29

വൃത്തം വിൽപ്പനയ്ക്ക്

പുതിയ വിട  
സ്ഥലവുമായി മുറ്റത്തിൽ

കിരീടം 100 മീറ്റർ നീളം ഉള്ള  
കെട്ടിടം 5 ടെൻഡർ കെട്ടിടം  
എം.എസ്.എസ്. സെർവ്വീസ്

8.5 cents @ paltom

**WANTED**  
FRSA-LEADING HIGH QUALITY  
HARDWARE MANUFACTURER  
REQUIRES  
DISTRICT WISE  
DISTRIBUTORS/DEALERS.  
Financially sound hardware  
dealers can apply immediately.  
Contact:  
**Laxman Combine**  
Post-Office Link Road, Ernakulam  
Ph-9745022899, 0484 2365856  
Email: laxmancombine@yahoo.co.in

**WANTED**  
Manager  
Marketing Executive  
Graphic Designer  
Driver  
Printing Technician  
Workshop Helper  
**VERTIX SIGN & DISPLAYS**  
Kilimanoor, Thiruvananthapuram  
0471 2464328, 2464372  
9495964328, 9447075551

**SUB DEALERS**  
Ananthapur associates wanted  
Sub Dealers in Thiruvananthapuram  
for GREEN VALLEY packaged  
drinking water (300 ml to 20 ltr)  
Club Soda and Soft Drinks.  
CALL: 9489331919  
0471-9271919, 2151714  
ananthapur2012@gmail.com

**NOTICE**  
This is to inform to the General Public that  
the proposed quarry project at  
Pottuvayal, Thiruvananthapuram District,  
Kerala being developed by M/s Peels  
ENVIRONMENTAL CLEARANCE by  
State Environment Impact Assessment  
Authority, Kerala vide Order No.  
37/SEMA/KR/02/2012 dt. 14-12-2012  
and the copy of the Environmental  
Clearance is available with the office of  
Department of Environment and Climate  
Change, Govt. of Kerala and may also be  
seen on the website of the Authority at  
www.seiaa.org

**CLASSIFIEDS**  
MATHRUBHUMI  
18-00 വെർജിൻ

കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി

കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി

കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി

കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി

**Mathrubhumi**  
CLASSIFIEDS

കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി

കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി

കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി  
കേരള സർവ്വീസ് കമ്പനി

ANNEXURE E

<b>തിരുവനന്തപുരം കോർപ്പറേഷൻ</b>		നോൺ : 2320821
0046369		കൈപ്പറ്റ രസീത്
നമ്പർ 455/14	തീയതി 16.01.2014	
<p>Received the copy of order no. 37/SEIAA/KL/6092/12, dt. 4.12.2012 of the member secretary SEIAA, Kerala being environmental clearance while ELA certificate for quarry project @ Melamkulam, TUM.</p>		
<p>POAB GRANITES private limited, Kuthiravattalam, TUM.</p>		(മറുപുറം)

മറുപുറത്ത് പറഞ്ഞിട്ടുള്ള താങ്കളുടെ മേൽനമ്പർ ഹർജി/പരാതി/മെമ്മോറാണ്ടം കൈപ്പറ്റിയിരിക്കുന്നു. ആയതു മേൽനടപടികൾക്കായി മറുപുറത്ത് പറഞ്ഞിട്ടുള്ള സെക്ഷനിലേക്ക് അയച്ച് കൊടുത്തിട്ടുണ്ട്. ആയതിന് 15 ദിവസത്തിനകം യാതൊരു മറുപടിയും ലഭിക്കാത്തപക്ഷം താങ്കൾക്ക് സെക്രട്ടറിയേയോ/സെക്രട്ടറിയുടെ ചേർന്നുണ്ടാൽ അസിസ്റ്റന്റിനേയോ നേരിൽ കണ്ട് വിവരം ബോധിപ്പിക്കാവുന്നതാണ്.

  
 കൗണ്ടർ സൂപ്രണ്ട്/കൗണ്ടർ ഓഫീസർ

ANNEXURE F



കേരളം കേരल KERALA

P 788331

AFFIDAVIT

I, Jabu K Abraham, Director & authorized signatory of M/s Poabs Granites Pvt. Ltd. having its correspondence office at Kuthirakalam P.O., Trivandrum, Kerala-695543 do hereby affirm and confirm as follows :-

1. That, M/s. Poabs Granites Pvt. Ltd. proposes to develop a Quarry Project at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala.
2. That, all the conditions stipulated in the Environment Clearance would be scrupulously followed.

*J.K.A.*

DEPONENT

**Verification :**

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

*J.K.A.*

DEPONENT

Place : Thiruvananthapuram

Date : 23-12-2012

No. 47615 Rs100/-  
 19.12.12  
 Mr. Jabu K Abraham, Director  
 Poabs Granites P.Ltd, Kuthirakalam  
 Tvm