



POABS ROCK PRODUCTS PVT.LTD.

Kuttoor P O, Tiruvalla, Kerala, India - 689 106
Ph: +91 - 469 2743300, Fax: +91 - 469 2743330
Email: mail@poabs.com, www.msand.in

The Director, DoECC & Secretary SEAC Kerala

19- 03-2015

'Devi Kripa', Pallimukku, Pettah P.O,
Thiruvananthapuram,
Kerala - 695024.

**Sub: Environmental Clearance - Proposed quarry project Sy. No. 172 at
Kodiyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District,
Kerala - Compliance Report - Reg.**

Ref: File No. 48/SEIAA/KL/7176/2012

Respected sir,

Our quarry project was accorded with Environmental Clearance vide Order No. 48/SEIAA/KL/7176/2012 Dt. 23-08-2013. Third compliance report to the specific and general conditions of the Environmental Clearance (hard copy and softcopy (CD)) for the period of September, 2014 - February, 2015 is enclosed.

Thanking you

Yours respectfully,

For M/s POABS Rock Products Pvt. Ltd.

Binu K. Mathew
(Managing Director)

Copy to:

The Regional Director,

**MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F
Wing, II Block, Koramangala, Bangalore - 560034.**

**COMPLIANCE REPORT TO
THE CONDITIONS
OF
ENVIRONMENTAL CLEARANCE ORDER
NO: 48/SEIAA/KL/7176/2012
DT. 23– 08– 2013**

**BY
STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)
FOR
PROPOSED QUARRY PROJECT**

**AT
SURVEY NO. 172, KODIYATHOOR VILLAGE AND PANCHAYAT,
KOZHIKODE TALUK, KOZHIKODE DISTRICT, KERALA**

**BY
M/S POABS ROCK PRODUCTS PRIVATE LIMITED
NELLIKKAPARAMBU P.O. GOTHEMBU ROAD, CALICUT – 673602**

(September, 2014 – February, 2015)

INTRODUCTION

M/s Poabs Rock Products Pvt. Ltd. is a stone quarry situated at Survey No. 172, Kodyathoor Village & Panchayat, Kozhikode Taluk, Kozhikode District, Kerala. The quarry project was accorded with the environmental clearance by state Environmental Impact Assessment Authority on 23-08-2013. Six monthly compliance reports to the conditions of the environmental clearance are to be submitted as part of compliance. The compliance report to the specific and general conditions of the environmental clearance for the period of September, 2014 – February, 2015 is being submitted.

PART - A – SPECIFIC CONDITIONS

Condition 1)

Storm water management plans provided in the proposal should be implemented.

Compliance

- **A planned garland drain structure is constructed in the project area to handle storm water. Entire storm water is channelized in to an abandoned quarry pit and the pit opening is guarded with check dam. During this storage, slit/debris in the storm water is sedimented and it prevents the entry of debris/silt in to nearby natural streams. Sediments from storm water collecting pit is removed periodically. The photographs showing the storm water collecting pit is given in Annexure No.1.**

Condition 2)

Arrangements must be made to provide adequate safe drinking water to all project workers.

Compliance

- **Daily water demand for the project is about 5KLD and the water demand being met from rainwater. Drinking water for project workers are provided from rain water harvesting tank after proper treatment and the quality of drinking water is periodically analyzed by accredited laboratories (Polluchem Laboratories (P) LTD).**

Condition 3)

10 percent of the pit formed on completion of quarrying activities should be used for the storage of water. The rest has to be refilled with the stacked top soil and the overburden and covered with vegetation.

Compliance

- **Ten percentages of the excavated mine area will preserved as water storage area following the closure of the mine. It is planned to build up a green belt in the remaining region by indigenous plant species after reclaimed with stacked dumping and overburden. Grass and Shrub species with strong root system will be planted in the areas prone to erosion especially at foot hills.**

Condition 4)

A 20m wide permanent continuous tree belt with deep root system on the upper area of the lease should be provided.

Compliance

- **The upper part of the lease area is covered by natural vegetation with deep root system. The photograph showing the same is attached at Annexure No 2. Details of tree species found in the upper area are given below.**

Sl No.	Scientific Name	Common Name	Family
1	<i>Mangifera indica L.</i>	Mavu	Anacardiaceae
2	<i>Artocarpus heterophyllus</i>	Plavu (Jack fruit tree)	Moraceae
3	<i>Cieba pentandra</i>	Panjimaram (Silk cotton tree)	Bombaceae
4	<i>Cocus nucifera</i>	Thengu (Coconut)	Arecaceae

Condition 5)

A protective wall should be constructed in the upper reaches of the mine area to prevent anticipated soil erosion.

Compliance

- **Majority of the upper reaches of the mine area is covered by natural vegetation with deep root system and the remaining area consist of exposed rocks hence the chance of soil erosion in the upper reaches of the mine is**

negligible. The risk of causing soil erosion at the foot of the hill is prevented by protective walls. The photographs showing the protective walls at the foot hills are enclosed as Annexure No.3.

Condition 6)

Avoid blasting in the rainy days. Blasting to be resumed only after the flow of the water through channels is stopped.

Compliance

- **Blasting is not carried out during rainy days and unfavorable weather conditions. Blasting resumed only after the flow of the water through the channels is stopped.**

Condition 7)

Spent oil from DG sets should be disposed off as per Hazardous Waste (Management & Handling) rules and send to stores for disposal through authorized agents.

Compliance

- **Spent oil from DG sets is reused for different purposes**

Condition 8)

Amount should be earmarked for CSR components as per the provisions of Companies Bill, 2011.

Compliance

- **As part of the Corporate Social Responsibility, the amount proposed by the company is spending for various social activities. A total of Rs. 2, 39,187/- is spent for CSR activities during the present 6 month. Some of the activities done under CSR programme and the amount spent are given below.**

Sl. No.	Activities	Date	Amount	Annexure
1	AIYF Thokkad Unit (Cash Donation Paid For Conducting Onam Event At Thottakadu	01/09/14	1000/-	2A
2	Anganavadi Gothambu Road (06 Mm Metal For Anganavadi Rebuilding)	02/09/14	2112/-	2B
3	Marriage Donation paid to Radhakrishnan	03/09/14	7000/-	2C
4	Mahila Club Gothambu Road (Cash Donation Paid For Conducting Event At Gothambu Road)	04/09/14	2500/-	2D

5	Donation Paid to Universal Brothers Arts And Sports Club, Mukkam	05/09/14	1000/-	2E
6	Donation Paid to Vasco Arts And Sports Club Mattumuri Nellickaparambu	06/09/14	300/-	2F
7	Yogakshema Sabha Uchakkavu Unit Pannikkode Kozhikkode (Cash Donation)	11/09/14	4000/-	2G
8	Majeed Palat Gothambu Road Mukkam (M Sand Given For House Construction)	13/09/14	7050/-	2H
9	Vinod C M (Marriage Donation)	15/09/14	7000/-	2I
10	Bala Gokulam Kodyathoor (Cash Donation For Conducting "Sreekrishna Jayanthi" Event At Kodyathoor	17/09/14	3500/-	2J
11	Aisha Gothambu Road, Nellickaparambu Po Mukkam, Calicut (Material Contribution)	18/09/14	6250/-	2K
12	Priyadarshani Club Nellickaparambu P O Gothambu Road Mukkam, Calicut (Cash Donation Paid For Ramzan Relief)	19/09/14	7580/-	2L
13	Bishop House Thamarasery ,Calicut (Material Contribution)	22/09/14	2450/-	2M
14	Muhammed Shi House Kodavangaed Kuttooli (Marriage Donation)	22/09/14	1000/-	2N
15	N.K Asharaf Mukkam (Material Contribution)	24/09/14	2500/-	2O
16	Comunist Parti Of India, Branch Committee, Gothambu Road (Cash Donation)	25/09/14	2500/-	2P
17	Daya Centre Medical College (Cash Donation)	26/09/14	300/-	2Q
18	C.T Muneer Cheruvadi, Mukkam Calicut	26/09/14	10400/-	2R
19	Foreign Liquir Cunsumers Rehabilitation And Welfare Charitable Society Thonakkal P O , Tvm (Cash Donation)	27/09/14	2000/-	2S
20	Haythul Islam Kuttooli (Cash Donation)	09/10/14	750/-	2T
21	Donation Paid to Malabar Sambathika Pinnokka Kshema Society Red No 25 /2009 Thamarasery Kozhikkode	11/10/14	500/-	2U
22	Polukunnu Anganavadi Pannikkode (Cash Donation)	15/10/14	20000/-	2V
23	Hindhu Mahasabha Chottanikkara Bavan Thathamangalam Palakkad (Cash Donation)	16/10/14	1000/-	2W
24	Nishad Pannikkode (Material Contribution)	17/10/14	3525/-	2X
25	Hindhu Parlieament Uthataramekhala	18/10/14	1000/-	2Y

	Committee Kozhikkode (Cash Donation)			
26	Govt High School Vettalapara (Cash Donation)	20/10/14	500/-	2Z
27	Dr. Kr Narayan Foundation Charitable Society Ho Tvm Subha Nilayam Thiruvallam P.O (Cash Donation)	23/10/14	500/-	2Z1
28	Daya Centre Medical College (Cash Donation)	28/10/14	300/-	2Z2
29	Sajeena KK Mattumurikkal Nellickaparambu P.O	28/10/14	1000/-	2Z3
30	Friends Arts And Sports Club Thottumukkam (Cash Donation)	10/11/14	1000/-	2Z4
31	Mukkam Subdistrict Youth Festival St Sebastian Higher Secondary School Koodaranji (Cash Donation)	11/11/14	1500/-	2Z5
32	Udyagiri Sri Dharmasastha Kshetram Koombara Basar Kozhikkode (Cash Donation)	12/11/14	500/-	2Z6
33	Sanilkumar Thiruvananthapuram (Medical Expenche Paid)	13/11/14	14000/-	2Z7
34	Cybo Cheruvadi (Cash Donation)	14/11/14	2000/-	2Z8
35	Sanil Kumar Thiruvananthapuram (Medical Expenche Paid)	15/11/14	11000/-	2Z9
36	Sayed Muhammed Ali Shihab Thangal Memmorial Building Pannikkode P.O Mukkam, Clt - 673 602 (Cash Donation)	15/11/14	2500/-	2Z10
37	National Alliance Of SCST Organization Kozhikkode	19/11/14	1000/-	2Z11
38	Sasi Nellickaparambu Po Gothambu Road (Medical Expenche Paid)	20/11/14	10000/-	2Z12
39	Akhila Kerala Ayyappa Seva Sangham Thottumukkam, Madambi (Cash Donation)	24/11/14	3000/-	2Z13
40	Koottayma Arts And Sports Club Mattumurikkal Nellickaparambu P.O Mukkam (Cash Donation)	28/11/14	1000/-	2Z14
41	Pannikkode Sri Ayyappa Bhajanamadam Pannokkcode P.O Mukkam [Via] , Clt (Cash Donation)	29/11/14	2000/-	2Z15
42	Cash Paid To Daya Centre Medical College	29/11/14	300/-	2Z16
43	M-Sand Given To Rasheed Kozhikode (Bill No.29544)	29/11/14	7800/-	2Z17
44	Salafi Juma Masjid Knm Eranjimavu, Pannikkode, Mukkam (Cash	01/12/14	5000/-	2Z18

	Donation)			
45	Shinto Thottumukkam Gothamburoad Mukkam, Calicut (Material Contribution)	01/12/14	6620/-	2Z19
46	Thrikkalayoor Sri Mahadeva Kshethram Thrikkalayoor Mukkam(Cash Donation)	03/12/14	3000/-	2Z20
47	Prakrithi Samrakshana Samithi (Cash Donation)	04/12/14	2000/-	2Z21
48	Youva Prathibha Club Karuthaprambu Mukkam, Calicut(Cash Donation)	08/12/14	1000/-	2Z22
49	Darul Ihsan Islamic Academy Nannammukku P.O(Cash Donation)	08/12/14	1000/-	2Z23
50	Sree Vettaykkorumakan Kshetram,Thottekadu(Cash Donation)	19/12/14	500/-	2Z24
51	Bhagavathi Muthappan Kshetram Parappil, Pannikkode (Cash Donation)	22/12/14	2000/-	2Z25
52	Kuttan Gothambu Road Mukkam, Calicut (Material Contribution)	23/12/14	2500/-	2Z26
53	Munavirul Islam Juma Mazjid Puthiyanidam Thottumukkam P.O Areekkode(Cash Donation)	24/12/14	2000/-	2Z27
54	Youth League Kakkad (Cash Donation)	27/12/14	500/-	2Z28
55	National Dalith Federation Kusumagiri, Ekm Kerala(Cash Donation)	27/12/14	500/-	2Z29
56	Sanilkumar Amrutha Kuriod P.O Chadayamangalam Kollam, Kerala(Medical Expense Paid)	27/12/14	10000/-	2Z30
57	Daya Center Charitable Trust Medical College P.O Kozhikkode (Cash Donation)	30/12/14	300/-	2Z31
58	Muneer Gothamburoad Nellickaprambu P.O Calicut(M-Sand Given To Muneer C.T (Bill No.33981)	30/12/14	8550/-	2Z32
59	Ayyappan Nellickaparambu Po Gothambu Road M-Sand Given To Ayyappan (Bill No.34322)	01/01/15	6300/-	2Z33
60	Black Cobras Arts & Sports Club Kodyathur (Cash Donation)	02/01/15	1500/-	2Z34
61	Sri Orunigi Para Devi Kshethram Thekkum Kutti Reg No 1875(Cash Donation)	09/01/15	1000/-	2Z35
62	Pannikkode Sri Kandath Raman Kavu Pannikkode(Cash Donation)	13/01/15	1500/-	2Z36
63	Ch Memmorial L P School Nellickaparambu P.O Mukkam,	13/01/15	5500/-	2Z37

	Kozhikkode(Material Contribution)			
64	Sri Maha Arunya Devatha Chaithanya Kshethram Karassery Mayangal Mysoor Mala, Kozhikkode(Cash Donation)	14/01/15	2000/-	2Z38
65	Gurumuthappan Bhagavathi Kshethram Theyyathum Kavu (Cash Donation)	14/01/15	1500/-	2Z39
66	Donation Paid to Sri Bhagavathi Gurudeva Kshethram Valayannoor Kuttikkadavu Cherooppa (Cash Donation)	19/01/15	1000/-	2Z40
67	Orunigipara Sri Bhagavathi Kshetram Thekkumkutti Reg No 1875 Alli Mukkam(Cash Donation)	19/01/15	1000/-	2Z41
68	B J Biju Gothambu Road Nellickaparambu P.O Mukkam (Material Contribution)	21/01/15	8550/-	2Z42
69	Madam Prambu Karuvan Kariyathan Kshethram Kalpoor P O Kumaranelloor Mukkam (Cash Donation)	22/01/15	1000/-	2Z43
70	Aisha Gothambu Road Nellickaparambu P.O Mukkam(Material Contribution)	26/01/15	3950/-	2Z44
71	Abhilash Arts And Sports Club Poovattuparambu Kozhikkode (Cash Donation)	30/01/15	500/-	2Z45
72	Daya Centre Medical College P O Kozhikkode (Cash Donation)	31/01/15	300/-	2Z46
73	Cheruvadi Sri Manakkad Gurumuthappan Kshethram Cheruvadi (Cash Donation)	31/01/15	500/-	2Z47
74	Vasco Mattumuri Muttumuri(Cash Donation)	31/01/15	500/-	2Z48
	Total		239187/-	

PART – B – GENERAL CONDITIONS

Condition 1)

Rain water harvesting to collect and utilize the entire water falling in land area should be provided.

Compliance

- **Rain water harvesting system is constructed in the Project site. One excavated pit, check Dam and a concrete tank is used as rainwater harvesting system having the capacity of 3240000, 1 200 000 and 128000 liters respectively.**

Photograph showing the same is enclosed as Annexure A. Information of the rainwater harvesting systems are as follows.

Sl. No.	Type	Length (m)	Width (m)	Height (m)	Capacity (L)
1	Excavated mine pit	30	18	6	3240,000
2	Concrete tank	8	4	4	128,000
3	Check Dam	20	30	2	1200000

Condition 2)

Environment monitoring cell as agreed under the affidavit filed by the proponent should be formed and made functional.

Compliance

- **An environmental monitoring cell was formed with Mr. Binu K. Mathew (Managing Director of the Company) as head of the monitoring cell and made functional. Meeting of monitoring cell is arranged monthly and discuss the status of the compliance of the specific and general conditions stated in the Environmental clearance order. The details of the monitoring cell members are given below.**

Sl. No.	Post	Name
1	Head of the monitoring cell (Managing Director of the Company)	Mr. Binu K. Mathew
2	Head in charge (Environment)	Mr. VT Thomas
3	Senior Environmental Officer	Mr. Rinoy Varghese
4	Environmental Officer	Mr. Navin Xavier
5	Name of the environmental officer in charge at site	Mr. Ramesh Babu K
6	Name of the officer Environment, Health and safety at site.	Mr. Maria Suainathan
7	Name of the Asst. officer of Environment, Health and safety at site	Mr. Chinippi Jeevarathnam
8	Name of the environmental consultant	M/s Enkay Enviro Services Pvt. Ltd. & M/s Environmental Engineers &

		Consultants Pvt. Ltd
9	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.

Condition 3)

Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.

Compliance

- **There is natural vegetation including trees and shrubs in the sides of tarred road and parking areas. We planted the area with less vegetation by tree saplings. Details of the tree species planted along the road side as follows. Photographs showing the same is given Annexure A1**

Sl No.	Scientific Name	Common Name	Family
1	<i>Casuarina equisetifolia</i> L.	Choolamaram	Casuarinaceae
2	<i>Acacia mangium</i> Wild	Mangium	Leguminosae
3	<i>Mimusops elengi</i> L.	Spanish Cherry/ Elanji	Sapotaceae

Condition 4)

The project shall incorporate devices for solar energy generation and utilization wherever possible.

Compliance

- **Solar energy devices are installed in the project area. Ten solar lights having the capacity were installed in the road side, magazine area, office area, crusher units etc. A Biogas plant and associated small scale cattle, duck and chicken farm is also maintained in the project site. This all makes the site a good eco friendly area. Photographs showing Solar energy devices are given in Annexure A2**

Condition 5)

Sprinklers shall be installed and used in the project site to contain dust emissions.

Compliance

- Fixed sprinklers are installed in the crusher unit to contain dust emission generated during Crushing & Screening operation. Other areas (tarred road and project area) are watered by sprinkler system installed in Tanker Lorries at regular intervals.

Condition 6)

The eco-restoration plan submitted with the proposal should be fully implemented.

Compliance

- Following the shutting of the mine, ten percent of the excavated pit area will maintained as water storage area. It is proposed to develop a green belt in the remaining area with plant species after reclaimed with stacked dumping and overburden. List of some of the selected indigenous plants for green belt development is given below.

Sl No.	Scientific Name	Common Name	Family
1	<i>Aegle marmelos</i> (L.) Corrêa	Bael Tree/Stome apple/ Koovalam	Rutaceae
2	<i>Alstonia scholaris</i> (L.) R. Br.	Ezhilampala/ Devil Tree	Apocynaceae
3	<i>Artocarpus hirsutus</i> Lam.	Wild Jack Fruit Tree/Anjili	Moraceae
4	<i>Cinnamomum malabattrum</i> (Burm.f.) J.Presl	Cinnamon/ Vazhana	Lauraceae
5	<i>Mimusops elengi</i> L.	Elenji	Sapotaceae
6	<i>Saraca asoca</i> (Roxb.) Willd.	Ashoka tree/ Asokam	Fabaceae

Condition 7)

At least 10 percent of the excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumping and overburden and planted with indigenous plant species that are eco-friendly.

Compliance

- Following the closure of the mine, ten percent of the excavated pit area will retained as water storage area. In the remaining area, it is planned to develop a green belt with indigenous vegetation after reclaimed with stacked dumping

and overburden. Grass and Shrub species with strong root system will be planted in the areas prone to erosion especially at the foot of the hill.

Condition 8)

Rain water harvesting capacity should be installed as per the prevailing provisions of KMBR/KPBR

Compliance

- **Would be complied. The present project consists of an area of 4.8240 hectare and the entire project requires close to 5,000 liters of water per day. Rain water harvesting system is provided in the project site. One excavated pit, Check Dam and a concrete tank is used as rainwater harvesting system having the capacity of 3,368,000 liters. The pits can store water for all the years, and makes the company self-sufficient in its water needs.**

Condition 9)

Corporate Social Responsibility agreed upon by the proponent should be implemented in tune with the conditions specified in Companies Bill, 2011.

Compliance

- **As part of the Corporate Social Responsibility, the amount proposed by the company is spending for various social activities. A total of Rs. 2, 39,187/- is spent for CSR activities during the present 6 month. Some of the activities done under CSR programme and the amount spent are given below.**

Sl. No.	Activities	Date	Amount	Annexure
1	AIYF Thokkad Unit (Cash Donation Paid For Conducting Onam Event At Thottakadu	01/09/14	1000/-	2A
2	Anganavadi Gothambu Road (06 Mm Metal For Anganavadi Rebuilding)	02/09/14	2112/-	2B
3	Marriage Donation paid to Radhakrishnan	03/09/14	7000/-	2C
4	Mahila Club Gothambu Road (Cash Donation Paid For Conducting Event At Gothambu Road)	04/09/14	2500/-	2D
5	Donation Paid to Universal Brothers Arts And Sports Club, Mukkam	05/09/14	1000/-	2E
6	Donation Paid to Vasco Arts And Sports Club Mattumuri Nellickaparambu	06/09/14	300/-	2F

7	Yogakshema Sabha Uchakkavu Unit Pannikkode Kozhikkode (Cash Donation)	11/09/14	4000/-	2G
8	Majeed Palat Gothambu Road Mukkam (M Sand Given For House Construction)	13/09/14	7050/-	2H
9	Vinod C M (Marriage Donation)	15/09/14	7000/-	2I
10	Bala Gokulam Kodyathoor (Cash Donation For Conducting "Sreekrishna Jayanthi" Event At Kodyathoor	17/09/14	3500/-	2J
11	Aisha Gothambu Road, Nellickaparambu Po Mukkam, Calicut (Material Contribution)	18/09/14	6250/-	2K
12	Priyadarshani Club Nellickaparambu P O Gothambu Road Mukkam, Calicut (Cash Donation Paid For Ramzan Relief)	19/09/14	7580/-	2L
13	Bishop House Thamarasery ,Calicut (Material Contribution)	22/09/14	2450/-	2M
14	Muhammed Shi House Kodavangaed Kuttooli (Marriage Donation)	22/09/14	1000/-	2N
15	N.K Asharaf Mukkam (Material Contribution)	24/09/14	2500/-	2O
16	Comunist Parti Of India, Branch Committee, Gothambu Road (Cash Donation)	25/09/14	2500/-	2P
17	Daya Centre Medical College (Cash Donation)	26/09/14	300/-	2Q
18	C.T Muneer Cheruvadi, Mukkam Calicut	26/09/14	10400/-	2R
19	Foreign Liquir Cunsumers Rehabilitation And Welfare Charitable Society Thonakkal P O , Tvm (Cash Donation)	27/09/14	2000/-	2S
20	Haythul Islam Kutooli (Cash Donation)	09/10/14	750/-	2T
21	Donation Paid to Malabar Sambathika Pinnokka Kshema Society Red No 25 /2009 Thamarasery Kozhikkode	11/10/14	500/-	2U
22	Polukunnu Anganavadi Pannikkode (Cash Donation)	15/10/14	20000/-	2V
23	Hindhu Mahasabha Chottanikkara Bavan Thathamangalam Palakkad (Cash Donation)	16/10/14	1000/-	2W
24	Nishad Pannikkode (Material Contribution)	17/10/14	3525/-	2X
25	Hindhu Parlieament Uthataramekhala Committee Kozhikkode (Cash Donation)	18/10/14	1000/-	2Y
26	Govt High School Vettalapara (Cash Donation)	20/10/14	500/-	2Z
27	Dr. Kr Narayan Foundation Charitable	23/10/14	500/-	2Z1

	Society Ho Tvm Subha Nilayam Thiruvallam P.O (Cash Donation)			
28	Daya Centre Medical College (Cash Donation)	28/10/14	300/-	2Z2
29	Sajeena KK Mattumurikkal Nellickaparambu P.O	28/10/14	1000/-	2Z3
30	Friends Arts And Sports Club Thottumukkam (Cash Donation)	10/11/14	1000/-	2Z4
31	Mukkam Subdistrict Youth Festival St Sebastian Higher Secondary School Koodaranji (Cash Donation)	11/11/14	1500/-	2Z5
32	Udyagiri Sri Dharmasastha Kshetram Koombara Basar Kozhikkode (Cash Donation)	12/11/14	500/-	2Z6
33	Sanilkumar Thiruvananthapuram (Medical Expencc Paid)	13/11/14	14000/-	2Z7
34	Cybo Cheruvadi (Cash Donation)	14/11/14	2000/-	2Z8
35	Sanil Kumar Thiruvananthapuram (Medical Expencc Paid)	15/11/14	11000/-	2Z9
36	Sayed Muhammed Ali Shihab Thangal Memorial Building Pannikkode P.O Mukkam, Clt - 673 602 (Cash Donation)	15/11/14	2500/-	2Z10
37	National Alliance Of SCST Organization Kozhikkode	19/11/14	1000/-	2Z11
38	Sasi Nellickaparambu Po Gothambu Road (Medical Expencc Paid)	20/11/14	10000/-	2Z12
39	Akhila Kerala Ayyappa Seva Sangham Thottumukkam, Madambi (Cash Donation)	24/11/14	3000/-	2Z13
40	Koottayma Arts And Sports Club Mattumurikkal Nellickaparambu P.O Mukkam(Cash Donation)	28/11/14	1000/-	2Z14
41	Pannikkode Sri Ayyappa Bhajanamadam Pannokkcode P.O Mukkam [Via] , Clt(Cash Donation)	29/11/14	2000/-	2Z15
42	Cash Paid To Daya Centre Medical College	29/11/14	300/-	2Z16
43	M-Sand Given To Rasheed Kozhikode (Bill No.29544)	29/11/14	7800/-	2Z17
44	Salafi Juma Masjid Knm Eranjimavu, Pannikkode, Mukkam(Cash Donation)	01/12/14	5000/-	2Z18
45	Shinto Thottumukkam Gothamburoad Mukkam, Calicut (Material Contribution)	01/12/14	6620/-	2Z19
46	Thrikkalayoor Sri Mahadeva Kshethram	03/12/14	3000/-	2Z20

	Thrikkalayoor Mukkam(Cash Donation)			
47	Prakrithi Samrakshana Samithi (Cash Donation)	04/12/14	2000/-	2Z21
48	Youva Prathibha Club Karuthaprambu Mukkam, Calicut(Cash Donation)	08/12/14	1000/-	2Z22
49	Darul Ihsan Islamic Academy Nannammukku P.O(Cash Donation)	08/12/14	1000/-	2Z23
50	Sree Vettaykkorumakan Kshetram,Thottekadu(Cash Donation)	19/12/14	500/-	2Z24
51	Bhagavathi Muthappan Kshetram Parappil, Pannikkode (Cash Donation)	22/12/14	2000/-	2Z25
52	Kuttan Gothambu Road Mukkam, Calicut (Material Contribution)	23/12/14	2500/-	2Z26
53	Munavirul Islam Juma Mazjid Puthiyanidam Thottumukkam P.O Areekkode(Cash Donation)	24/12/14	2000/-	2Z27
54	Youth League Kakkad (Cash Donation)	27/12/14	500/-	2Z28
55	National Dalith Federation Kusumagiri, Ekm Kerala(Cash Donation)	27/12/14	500/-	2Z29
56	Sanilkumar Amrutha Kuriod P.O Chadayamangalam Kollam, Kerala(Medical Expense Paid)	27/12/14	10000/-	2Z30
57	Daya Center Charitable Trust Medical College P.O Kozhikkode (Cash Donation)	30/12/14	300/-	2Z31
58	Muneer Gothamburoad Nellickaprambu P.O Calicut(M-Sand Given To Muneer C.T (Bill No.33981)	30/12/14	8550/-	2Z32
59	Ayyappan Nellickaparambu Po Gothambu Road M-Sand Given To Ayyappan (Bill No.34322)	01/01/15	6300/-	2Z33
60	Black Cobras Arts & Sports Club Kodyathur (Cash Donation)	02/01/15	1500/-	2Z34
61	Sri Orunigi Para Devi Kshethram Thekkum Kutti Reg No 1875(Cash Donation)	09/01/15	1000/-	2Z35
62	Pannikkode Sri Kandath Raman Kavu Pannikkode(Cash Donation)	13/01/15	1500/-	2Z36
63	Ch Memmorial L P School Nellickaparambu P.O Mukkam, Kozhikkode(Material Contribution)	13/01/15	5500/-	2Z37
64	Sri Maha Arunya Devatha Chaithanya Kshethram Karassery Mayangal Mysoor Mala, Kozhikkode(Cash Donation)	14/01/15	2000/-	2Z38

65	Gurumuthappan Bhagavathi Kshethram Theyyathum Kavu (Cash Donation)	14/01/15	1500/-	2Z39
66	Donation Paid to Sri Bhagavathi Gurudeva Kshethram Valayannoor Kuttikkadavu Cherooppa (Cash Donation)	19/01/15	1000/-	2Z40
67	Orunigipara Sri Bhagavathi Kshetram Thekkumkutti Reg No 1875 Alli Mukkam(Cash Donation)	19/01/15	1000/-	2Z41
68	B J Biju Gothambu Road Nellickaparambu P.O Mukkam (Material Contribution)	21/01/15	8550/-	2Z42
69	Madam Prambu Karuvan Kariyathan Kshethram Kalpoor P O Kumaranelloor Mukkam (Cash Donation)	22/01/15	1000/-	2Z43
70	Aisha Gothambu Road Nellickaparambu P.O Mukkam(Material Contribution)	26/01/15	3950/-	2Z44
71	Abhilash Arts And Sports Club Poovattuparambu Kozhikode (Cash Donation)	30/01/15	500/-	2Z45
72	Daya Centre Medical College P O Kozhikkode (Cash Donation)	31/01/15	300/-	2Z46
73	Cheruvadi Sri Manakkad Gurumuthappan Kshethram Cheruvadi (Cash Donation)	31/01/15	500/-	2Z47
74	Vasco Mattumuri Muttumuri(Cash Donation)	31/01/15	500/-	2Z48
	Total		239187/-	

Condition 10)

Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that the falling of animals/human/belongings/dumping of garbage's etc. does not happen.

Compliance

- **Barbed metal wire fence is constructed around the mining area with a height of 5 ft so that the falling of animals/human/belongings/dumping of garbage's etc. does not happen.**

Condition 11)

Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of explosive department.

Compliance

- Warning alarm is installed in the project area. The blasting time is fixed and the blasting is conducted during 10.00 am, 01.00 pm and 04.30 pm. A danger board with blasting time is installed in the project site. The photographs showing the danger board and warning alarm as enclosed as Annexure B

Condition 12)

Controlled measures on noise and vibration prescribed by KSPCB should be implemented.

Compliance

Noise pollution

Mitigation measures Implemented

The major noise generating source from the proposed activity is working machinery, drilling, blasting and plying of vehicles. The following control measures are undertaken to bring down the noise levels:-

- Proper maintenance of machinery, equipments and improvement of design of machines.
- Use of personal protective devices i.e., earmuffs and ear plugs by workers, working in high noise areas.
- Wide green belt of dense foliage between mine areas and residential colonies.
- The mine is working only during day times.
- Noise quality is checked periodically. The sound levels are monitored through an NABL accredited laboratory during the quarry in operation and the monitored results are well within the permissible limits.

Blast vibrations and control measures

- Controlled blasting technique is adopted in this project in order to reduce blast vibrations.
- The maximum charge per delay is not more than 10kg to limit the PPV values to 10mm/sec.
- Optimum delay sequence and stem to column ratio is maintained to minimize the ground vibration intensity.

Condition 13)

Quarrying activities should be limited to daytime as per KSPCB guidelines.

Compliance

- **Quarry is running only during day time as per KSPCB guidelines.**

Condition 14)

Blasting should be done in controlled manner as specified by the regulations of explosives department or any other concerned agency.

Compliance

Blasting

- ❖ **The controlled blasting is proposed by adopting all the safety measures as per “MMR 1961” and with the permission of DGMS.**
- ❖ **Blasting is carried out for the fragmentation of the granite within the project area. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32mm drill rod, Jack Hammer and air compressor of 100 cm capacity.**
- ❖ **It is estimated about 250g of explosives per hole is required. About 30-50 holes per blast are proposed. Therefore the requirement of explosive will be about 10kg/ blast.**

Blasting safeguard

- ❖ **Blasting in the open cast is done only during day time at designated hours.**
- ❖ **Only competent blasters are appointed to handle explosives.**
- ❖ **Explosives are stored in approved and licensed magazine as per explosive Act/ Rules.**
- ❖ **Explosives are brought from magazine to blasting site under the care of blaster.**
- ❖ **Sufficient warning signals are given before blasting the holes.**
- ❖ **Guards are posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during the blasting hour.**
- ❖ **Controlled blasting is practiced to control vibrations and flying fragments.**
- ❖ **Optimum charge is used, while blasting near office complex/ infrastructure site.**
- ❖ **Maximum charge per delay is always being less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.**

Condition 15)

A licensed person should supervise/ control the blasting operations.

Compliance

- **Licensed person is supervising/controlling the blasting operations.**

Condition 16)

Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.

Compliance

- **Access roads to the quarry are tarred to contain dust emissions that may arise during transportation of materials. The photographs showing the same is attached at Annexure C**

Condition 17)

Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.

Compliance

- **The excavated top soil is managed within the site for plantations and remaining soil is stored separately in a prefixed location. A fraction of the soil is used for organic farming. The photos showing the same are enclosed as Annexure D.**

Condition 18)

Height of the benches should not exceed 5m and width should not be less than 5m.

Compliance

- **Quarrying activity in the mine is in the form of benches. The proposed height and width of the bench will attain shortly. The photograph showing the bench type mining is enclosed as Annexure E.**

Condition 19)

Mats to reduce fly rock blast to a maximum of 15 PPV should be provided.

Compliance

- **Mats to prevent fly rock during blasting will arranged shortly.**

Condition 20)

Mining depth should not exceed beyond 40m, unless otherwise specified or not below the level of nearest stream bed whichever is less.

Compliance

- **Mining depth will not exceed beyond 40m. There is no nearest stream bed above the specified depth**

Condition 21)

No mining operations should be carried out at places having a slope greater than 45°.

Compliance

- **Pit slope will be kept at 45°.**

Condition 22)

Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of greenbelt and hollow brick envelope for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.

Compliance

- **The crusher unit is encircled by thick green belt. The photos showing the same is enclosed Annexure F.**

Condition 23)

The workers on the site should be provided with the required protective equipments such as ear muffs, Helmet, etc.

Compliance

- **Workers are using personal protective devices such as earmuffs, ear plugs in high noise areas.**

Condition 24)

Assurance in the form of affidavit should be given to SEIAA that eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.

Compliance

- **Assurance in the form of affidavit stating that eco-restoration including the mine closure plan shall be done at the own cost of the project proponent was submitted to SEIAA on March 2014 and the copy of the same is attached at Annexure G.**

Condition 25)

Assurance in the form of affidavit should be given to SEIAA that only a maximum of 10 percent of the total mine area shall be retained as water body, which shall be lined properly and further provided with protective wall to prevent accidents.

Compliance

- Assurance in the form of affidavit stating that a maximum of 10 percent of the total mine area will be retained as water body, which will be lined properly and further provided with protective walls to prevent accidents was submitted to SEIAA on March 2014 and the copy of the same is attached at Annexure H.

Condition 26)

Garland drains to be provided in the lower slopes around the core area to channelize storm water.

Compliance

- Garland drains are provided at the lower slopes around the core area to channelize storm water. The photographs showing the construction of Garland drains is provided at Annexure I

Condition 27)

Debris/ slit traps to be provided to prevent entry of dust and quarry wastes entering the main streams.

Compliance

- Storm water from entire project area is channelized in to check dam and stored the storm water in it. During this storage all the Debris/slit in the storm water are sedimented. Sediment from the pit is removed and disposed annually. Overflow from the check dam is opened in to Garland drains which entering to the main stream and these garland drains also contain Check dam model silt trap. This arrangement will prevent the passage of waste from the quarry site to the main streams.

Condition 28)

All statutory clearances should have been obtained, as applicable, by the project proponents from the respective competent authorities including that for blasting and storage of explosives.

Compliance

- **All other statutory approvals required for the quarrying activity is obtained for the project. The details regarding the same along with the copy of the statutory approvals is provided at Annexure J1, J2 & J3.**

Sl. No.	Annexure	Statutory approvals
1	J1	License to possess: (c) for use, explosives of class 1, 2, 3, 4, 5, 6 or 7.
2	J2	Integrated consent to operate issued under Air act, 1981 and Environment act 1986.
3	J3	License from Panchayat

Condition 29)

In case of any change(s) in the scope of the project, the project would require a fresh appraisal by this authority.

Compliance

- **Would be complied**

Condition 30)

The authority reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

Compliance

- **Would be complied**

Condition 31)

The stipulations by Statutory Authorities under different Acts and notifications should be complied with, including the provisions of Water (Prevention and control of pollution) Act,

1974, the Air (Prevention and control of pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.

Compliance

- **Would be complied**

Condition 32)

The project proponent should advertise in at least two local newspapers widely circulated in the region. One of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Department of Environment and climate change, Govt. of Kerala and may also be seen on the website of the authority at www.seiaaKerala.org. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same should be forwarded to the office of this authority as confirmation.

Compliance

- **An advertisement in two local newspapers regarding the according of environmental clearance to the quarrying activity was carried out and the copy of the same was submitted at SEIAA Kerala. The copy of the advertisement is provided at Annexure K1 and K2. Details of the news paper advertisements are given below.**

Sl. No.	Annexure	Name of the News paper and edition	Dated
1	K1	The New Indian Express	9/11/2013
2	K2	Mathrubhumi	9/11/2013

Condition 33)

A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat / District panchayat / Municipality / Corporation / Urban local Body and also to the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

Compliance

- **A copy of the environmental clearance order was submitted to the Panchayat office. The acknowledgment received is enclosed as Annexure L. There is no suggestion/ representation received so far from anybody. The environmental clearance order is uploaded in the website of the company (www.msand. in.)**

Condition 34)

The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hand copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions including results of monitored data on their website and shall update the same periodically, it can simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also the Directorate of Environment and Climate Change, Govt. of Kerala.

Compliance

- **First and second compliance report was submitted to the Directorate of Environment and Climate Change, Govt. of Kerala and also the Regional Office of MoEF, Govt. of India. Third compliance report is being submitted to Department of Environment and Climate change, Govt. of India both in hard copy as well as soft copy (CD).**

Condition 35)

The conditions of the environmental clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font size of not less than 40.

Compliance

- **The conditions of the environmental clearance prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font was installed. The photographs showing the metallic board is given in Annexure M.**

Condition 36)

The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.

Compliance

- **Notarized affidavit stating that all the conditions stipulated in the Environmental clearance will be scrupulously followed was submitted to Department of Environment and climate change on 18.09.2013 and the copy of the same is given in Annexure N.**

Condition 37)

Time schedule for completion of project should be informed to SEIAA.

Compliance

- **The expected life of the mine is 6.74 Years.**


ANNEXURE 2A

September 2014

AIYF
THOKKAD UNIT

01/09/14

CSR - 57



CASH DONATION PAID TO CONDUCTING "Onam" EVENT AT THOTTAKKADU

2015

Roundcube Webmail :: RECEIPTS.pdf

ANNEXURE 2F

**VASCO ARTS AND
SPORTS CLUB
MATTUMURI
NELLICKAPARAMBU**

06/09/14

C S R - 62



CASH DONATION PAID FOR CONDUCTING "ONAM" EVENT AT MATTUMURI

**BALA GOKULAM
KODIYATHOOR**

17/09/14

CSR - 66



സംസ്കൃതം
ശ്രീകൃഷ്ണ ജയന്തം
17/09/14
300/-

മഹാശാസ്ത്രം
ശ്രീകൃഷ്ണ ജയന്തം
17/09/14
300/-

ശ്രീകൃഷ്ണ ജയന്തം
17/09/14
300/-

CASH DONATION FOR CONDUCTING "SREEKRISHNA JAYANTHI" EVENT AT KODIYATHOOR

ANNEXURE 2K

**AISHA
GOTHAMBU ROAD,
NELICKAPARAMBU PO
MUKKAM, CALICUT**

18/09/14

CSR - 67

[illegible]

COST OF METAL & MSAND PAID TO AYSHA GOTHAMBUROAD

ANNEXURE 2L

**PRIYADARSHANI CLUB
NELLIKAPARAMBU P
O
GOTHAMBU ROAD
MUKKAM, CALICUT**

19/09/14

CSR - 68

alif
RICE TRADERS
B.P. 17481-A, Amambadi Road, MUKKAM, CALICUT

CASH BILL

No. 224
DATE: 19/09/14
AMOUNT: 1425

1425

No.	Description	Qty	Weight	Rs.	Total
1	White Rice	25	25	1425	1425
TOTAL					1425

Handwritten signature: Ramesh

**BISHOP HOUSE
THAMARASERY
,CALICUT
PH : 8086100730**

CSR - 69

[illegible]

http://poabs.co.in:2095/cpsess66485655934/3rdparty/roundcube/index.php?task=mail&_action=get&_mbox=INBOX&_uid=1534&_part=3&_mimewarning=1& 1/1

**MUHAMMED
SHI HOUSE
KODAVANGAED
KUTTOOLI PH :
9495613259**

ചോദ്യം 1: ചോദ്യം 1	ഉത്തരം 1: ഉത്തരം 1
ചോദ്യം 2: ചോദ്യം 2	ഉത്തരം 2: ഉത്തരം 2
ചോദ്യം 3: ചോദ്യം 3	ഉത്തരം 3: ഉത്തരം 3
ചോദ്യം 4: ചോദ്യം 4	ഉത്തരം 4: ഉത്തരം 4
ചോദ്യം 5: ചോദ്യം 5	ഉത്തരം 5: ഉത്തരം 5
ചോദ്യം 6: ചോദ്യം 6	ഉത്തരം 6: ഉത്തരം 6
ചോദ്യം 7: ചോദ്യം 7	ഉത്തരം 7: ഉത്തരം 7
ചോദ്യം 8: ചോദ്യം 8	ഉത്തരം 8: ഉത്തരം 8
ചോദ്യം 9: ചോദ്യം 9	ഉത്തരം 9: ഉത്തരം 9
ചോദ്യം 10: ചോദ്യം 10	ഉത്തരം 10: ഉത്തരം 10

2014 మార్చి-2015 మార్చి వరకు 2 వ సంవత్సరం

[illegible] Springer

RESULTS

800.867.8271 • 949.414.3700

Summary of results:

Richard J.
949561259

940050

http://poabs.co.in:2095/cpsess6648565834/3rdparty/roundcube/index.php?_task=mail&_action=get&_mbox=INBOX&_uid=1534&_part=3&_mimewarning=1&... 1/1

3/6/2015

Roundcube Webmail : RECEIPTS1.pdf

ANNEXURE 2

COMMUNIST PARTI OF
INDIA, BRANCH
COMMITTEE,
GOTHAMBU ROAD

കമ്മ്യൂണിസ്റ്റ് പാർട്ടി ഓഫ് ഇന്ത്യ (മാർക്സിസ്റ്റ്)
ബ്രാഞ്ച് കമ്മിറ്റി, ഗോതമ്പുറം റോഡ്

25/09/14

CSR - 72

The General Manager
Public Service Bank
Gothambu Road

Respected Sir,
I am writing to you regarding the donation of Rs. 72/- for the medical expenses of Mr. Gopinath, who is a member of the Communist Party of India (Marxist) Branch Committee, Gothambu Road. The donation is being made from the CSR account of the branch. I am enclosing the receipt for the same. Please let me know if you need any further information.



CASH DONATION PAID FOR MEDICAL EXPENCE FOR MR. GOPINATH

**DAYA CENTRE
MEDICAL COLLEGE
PH: 9048648092**

26/09/14

CSR - 73



ANNEXURE 2A

C.T MUNEER
CHERUVADI, MUKKAM
CALICUT

26/09/14

CSR - 74

POBASS ROCK PRODUCTS PVT. LTD.

POBASS

Sl. No.	Particulars	Qty	Unit	Rate	Amount
1	3mm (P) SAND	100	MT	74	7400
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					

3mm (P) SAND PAID FOR HOUSE CONSTRUCTION

ANNEXURE 25

FOREIGN LIQUOR
CONSUMERS
REHABILITATION AND
WELFARE
CHARITABLE SOCIETY
THONAKKAL P O , TVM

27/09/14

CSR - 75



CASH DONATION PAID

ANNEXURE 2T

October 2014

HAYTHUL ISLAM
KUTOOLI

09/10/14

CSR - 76



CASH DONATION PAID FOR CONDUCTING EVENT AT KOOTTOOLI

**MALABAR
SAMBATHIKA
PINNOKKA KSHEMA
SOCIETY
RED NO 25 /2009
THAMARASERY
KOZHIKKODE**

CSR - 77

മലബാർ സാമ്പത്തിക പിന്നോക്ക സംഘടന
ഭാരതം കൺസ്യൂമർ-കോഴിക്കോട്
2014 ഓഗസ്റ്റ് 11 ശനിയാഴ്ച

[illegible]

4978

$$m_{\text{eff}} = m_0 \left(1 + \frac{1}{2} \frac{v^2}{c^2} \right)$$

¹ <http://poabs.co.in:2095/cpsess6648565934/3rdparty/roundcube/index.php?task=mail&action=detail&mbox=INBOX&uid=1535&part=2&mimewarning=1&...> 1/1

ANNEXURE 2V

POLUKUNNU
ANGANAVADI
PANNIKKODE
9048128587

15/10/14

CSR - 78

കൊടിയത്തൂർഗ്രാമപഞ്ചായത്ത്

പൊതുക്കൂത്ത് അംഗീകാര സമരക്കമ്മിറ്റി ഫണ്ട്

പ്രദേശം	പ്രദേശം	പ്രദേശം
പ്രദേശം	പ്രദേശം	പ്രദേശം

പ്രദേശം

കൊടിയത്തൂർ ഗ്രാമപഞ്ചായത്ത്
പ്രദേശം (പ്രദേശം) പ്രദേശം (പ്രദേശം)
പ്രദേശം (പ്രദേശം) പ്രദേശം (പ്രദേശം)
പ്രദേശം (പ്രദേശം) പ്രദേശം (പ്രദേശം)
പ്രദേശം (പ്രദേശം) പ്രദേശം (പ്രദേശം)

പ്രദേശം

പ്രദേശം

പ്രദേശം

15/10/14

പ്രദേശം

പ്രദേശം

പ്രദേശം

CASH DONATION PAID FOR LAND AQUARING FOR ANGANAVADI BUILDING CONSTRUCTION

ANNEXURE 2W

October 2014

HINDHU MAHASABHA
CHOTTANIKKARA
BAVAN
THATHAMANGALAM
PALAKKAD
96335 95885

16/10/14

CSR - 79



CASH DONATION PAID FOR CONDUCTING AN EVENT AT PALAKKAD

**NISHAD
PANNIKKODE**

17/10/14

CSR - 80

[illegible]

M SAND PAID FOR CONSTRUCTING NEW BUILDING - 23733

HINDHU PARLIAMENT
UTHATARAMEKHALA
COMMITTEE
KOZHIKKODE - 673
002
8156975613

18/10/14



CSR - 81

CASH DONATION PAID FOR CONDUCTING CONVENTION AT CALICUT

ANNEXURE 2Z

GOVT HIGH SCHOOL
VETILAPARA

20/10/14

CSR - 82




ANNEXURE 2Z

DR KR NARAYAN
FOUNDATION
CHARITABLE SOCIETY
HO TVM SUBHA
NILAYAM
THRUVALLAM P.O
9645321167 /
8594080172

23/10/14

CSR - 83



ANNEXURE 222

DAYA CENTRE
MEDICAL COLLEGE
PH: 9048648092

28/10/14

CSR - 84



CASH DONATION

ANNEXURE 223

SAJEENA KK
MATTUMURIKKAL
NELLICKAPARAMBU
P.O

A U P SCHOOL PANNICODE

PANNICODE P.O. MURKAM SUB DISTRICT - 679602

Ph : 0495 - 2307295 (8541294458)

28/10/14

CSR- 85

Ref: CSR-85 Date: 28.10.14

To: The Headmaster,
Vennikkadu A.U.P. School,
Kannur.

[Handwritten text in Malayalam script follows, partially illegible]

[Signature]
Principal
Approved A.U.P. School

Copy to

[Handwritten notes]

CASH DONATION FOR MEDICAL TREATMENT

ANNEXURE 2Z4

November 2014

**FRIENDS ARTS AND
SPORTS CLUB
THOTTUMUKKAM
PH
9747202260/8086354
242**



10/11/14

CSR -86



CASH DONATION FOR CONSTRUCTING AN EVENT AT THOTTUMUKKAM

ANNEXURE 2Z¹⁵

**MUKKAM
SUBDISTRICT YOUTH
FESTIVAL
ST SEBASTIAN HIGHER
SECONDARY SCHOOL
KOODARANJI
PH 9447541818**

11/11/14

CSR - 87

10. permeability - crustal

മുക്കം ഉപജില്ലാ കലാഭരണം 2014-15

നവംബർ 17, 18, 19 തീയതികളിൽ

ഡബ്ല്യു. ബെഞ്ചാമിൻ

not

ഇന്ത്യ സർക്കാർ മുൻപ് പ്രഖ്യാപിച്ച സിംഗിൾ കമ്മ്യൂണിറ്റി ക്ലബ്ബിന്റെ താല്പര്യം സംരക്ഷിക്കുന്നതിന് ഹാർഡ് കോപ്പിയിൽ പരിമിത 19 പേർക്ക് മാത്രമായി സിംഗിൾ ക്ലബ്ബ് സർട്ടിഫിക്കറ്റു നൽകുമെന്ന് 2014 നവംബർ 17,18,19 തീയതികളിൽ വിജയകൃഷ്ണ ഇന്റർ സ്റ്റേറ്റ് അക്കാദമിയിൽ ആയിരം പേർക്ക് കയ്യൊപ്പിച്ച് ഉത്തരവ് പുറപ്പെടുവിപ്പിച്ചു. അതേ തീയതിയിൽ തന്നെ ഏകദേശം 200 പേർക്ക് (ഗ്രാമീണ) 5,000 പേർക്ക് (നഗര) കയ്യൊപ്പിച്ച് സർട്ടിഫിക്കറ്റുകൾ നൽകാൻ തീരുമാനിച്ചു. ഇതിന്റെ ഭാഗമായി ഫർമിറ്റേഷൻ നൽകുന്ന സാമ്പത്തിക നിരപ്പ് കുറയ്ക്കുകയും ക്ലബ്ബിന്റെ പ്രവർത്തനം സർക്കാർ തടയാൻ സാധിക്കാതെ തന്നെ നടത്താൻ അനുമതി നൽകുകയും ചെയ്തു.

1. The first step is to identify the problem.
 2. The second step is to define the problem.
 3. The third step is to analyze the problem.
 4. The fourth step is to develop a solution.
 5. The fifth step is to implement the solution.
 6. The sixth step is to evaluate the solution.

2004-754 18 18

1. The first step is to identify the problem.
 2. The second step is to define the problem.
 3. The third step is to analyze the problem.
 4. The fourth step is to develop a solution.
 5. The fifth step is to implement the solution.
 6. The sixth step is to evaluate the solution.

உள்ளிப்பினால்
புதுமை நகரம்

CASH DONATION PAID

v2015

Roundcube Webmail :: nov.pdf


ANNEXURE 276

UDYAGIRI SRI
DHARMASASTHA
KSHETRAM
KOOMBARA BASAR
KOZHIKKODE

12/11/14

CSR -88

ഉദ്യഗിരി സ്രീ ധർമ്മ സാസ്താ ക്ഷേത്രം
എല്ലാ വർഷം നടത്തുന്ന
123 പണം പരമാർത്ഥമായി
പണം പരമാർത്ഥമായി
500/-



DONATION PAID TO UDHAYAGIRI SRIDHARMMMA SASTHA TEMPLE ,KOOMPARA

ANNEXURE 2170

Date: 11-11-2014

Page: 8/10

10
 வினாக்கள்
 உடலுக்கு தூய்மை கொடுக்க சீரான
 உணவுகளை உட்கொள்ளி
 உறக்கம் கொள்ளி

FROM
 ...
 ...

1. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 2. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 3. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 4. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 5. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 6. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 7. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 8. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 9. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
 10. $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

ANNEXURE 228

CYBO
CHERUVADI

14/11/14

CSR -90



3/6/2015

ANNEXURE 2Z

SAYED MUHAMMED
ALI SHIHAB THANGAL
MEMMORIAL BUILDING
PANNIKKODE P.O
MUKKAM,CLT - 673
602

15/11/14

CSR - 92



DONATION PAID TO SYED MUHAMMED ALI SHIHAB THANGAL MEMORIAL,PANNICODE

ANNEXURE 2Z11

January 2015

**SRI BHAGAVATHI
GURUDEVA
KSHETHRAM
VALAYANNOOR
KUTTIKKADAVU
CHEROOPPA**

19/01/15

CSR - 123



CASH DONATION PAID FOR CONDUCTING "ULSAVAM"


ANNEXURE 2Z11

November 2014

**NATIONAL ALAINCE
OF S C S T
ORGANISATION
KOZHIKKODE**

19/11/14

CSR - 93



CASH DONATION PAID TO NASSO CLT

**AKHILA KERALA
AYYAPPA SEVA
SANGHAM
THOTTUMUKKAM,
MADAMBI**



1. Chlorophyll
 2. Photosynthesis
 3. Stomata

24/11/14

CSR - 95

1. Slack :- Difference between demand and supply is called as slack.
 When supply is more than demand, then there is slack. When demand is more than supply, then there is shortage.
 Difference between demand and supply is called as slack. When supply is more than demand, then there is slack. When demand is more than supply, then there is shortage.

56-202

DONATION PAID TO AKHILA BHRATH AYYAPPA SEVA SANGAM, THOTTUMUKKAM

6/2015

Roundcube Webmail :: nov 1 .pdf

ANNEXURE 2214

KOOTTAYMA ARTS
AND SPORTS CLUB
MATTUMURIKKAL
NELLIKKAPARAMBU
P.O
MUKKAM

28/11/14

CSR - 96



CASH PAID TO KOOTAYMA ARTS & SPORTS CLUB NELLIKKAPARAMBU

ANNEXURE 22

PANNIKKODE SRI
 AYYAPPA
 BHAJANAMADAM
 PANNOKKODE P.O
 MUKKAM [VIA] , CLT -
 673 602
 PH 9745129257

29/11/14

CSR - 97

പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,

അയച്ചുകൊടുക്കുന്നതിനായി,

അയച്ചുകൊടുക്കുന്നതിനായി,

അയച്ചുകൊടുക്കുന്നതിനായി,

അയച്ചുകൊടുക്കുന്നതിനായി,

അയച്ചുകൊടുക്കുന്നതിനായി,

TO: അയച്ചുകൊടുക്കുന്നതിനായി,
 അയച്ചുകൊടുക്കുന്നതിനായി,
 അയച്ചുകൊടുക്കുന്നതിനായി,

പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,
 പ്രതി അയച്ചുകൊടുക്കുന്നതിനായി,

Pr 9745129257

9745129257

9745129257

DONATION PAID TO PANNIKODE SRI AYYAPPA BHAJANAMADAM

http://poabs.co.in:2095/cpsess6648665934/3rdparty/roundcube/index.php?_task=mail&_action=get&_mbox=INBOX&_uid=1536&_part=2&_mimewarning=1&... 1/1

ANNEXURE 2Z16

DAYA CENTRE

29/11/14

CSR - 98



CASH PAID TO DAYA CENTRE MEDICAL COLLEGE

ANNEXURE 21

FOSS ROCK PRODUCTS PVT. LTD.,
Siddhaganga P.O., Ghatampur Road, Bhopal, Madhya Pradesh - 472002
Sales Offices: 236204, 236205, 236206, 236207, 236208, 236209, 236210, 236211, 236212, 236213, 236214, 236215, 236216, 236217, 236218, 236219, 236220, 236221, 236222, 236223, 236224, 236225, 236226, 236227, 236228, 236229, 236230, 236231, 236232, 236233, 236234, 236235, 236236, 236237, 236238, 236239, 236240, 236241, 236242, 236243, 236244, 236245, 236246, 236247, 236248, 236249, 236250, 236251, 236252, 236253, 236254, 236255, 236256, 236257, 236258, 236259, 236260, 236261, 236262, 236263, 236264, 236265, 236266, 236267, 236268, 236269, 236270, 236271, 236272, 236273, 236274, 236275, 236276, 236277, 236278, 236279, 236280, 236281, 236282, 236283, 236284, 236285, 236286, 236287, 236288, 236289, 236290, 236291, 236292, 236293, 236294, 236295, 236296, 236297, 236298, 236299, 236300, 236301, 236302, 236303, 236304, 236305, 236306, 236307, 236308, 236309, 236310, 236311, 236312, 236313, 236314, 236315, 236316, 236317, 236318, 236319, 236320, 236321, 236322, 236323, 236324, 236325, 236326, 236327, 236328, 236329, 236330, 236331, 236332, 236333, 236334, 236335, 236336, 236337, 236338, 236339, 236340, 236341, 236342, 236343, 236344, 236345, 236346, 236347, 236348, 236349, 236350, 236351, 236352, 236353, 236354, 236355, 236356, 236357, 236358, 236359, 236360, 236361, 236362, 236363, 236364, 236365, 236366, 236367, 236368, 236369, 236370, 236371, 236372, 236373, 236374, 236375, 236376, 236377, 236378, 236379, 236380, 236381, 236382, 236383, 236384, 236385, 236386, 236387, 236388, 236389, 236390, 236391, 236392, 236393, 236394, 236395, 236396, 236397, 236398, 236399, 236400, 236401, 236402, 236403, 236404, 236405, 236406, 236407, 236408, 236409, 236410, 236411, 236412, 236413, 236414, 236415, 236416, 236417, 236418, 236419, 236420, 236421, 236422, 236423, 236424, 236425, 236426, 236427, 236428, 236429, 236430, 236431, 236432, 236433, 236434, 236435, 236436, 236437, 236438, 236439, 236440, 236441, 236442, 236443, 236444, 236445, 236446, 236447, 236448, 236449, 236450, 236451, 236452, 236453, 236454, 236455, 236456, 236457, 236458, 236459, 236460, 236461, 236462, 236463, 236464, 236465, 236466, 236467, 236468, 236469, 236470, 236471, 236472, 236473, 236474, 236475, 236476, 236477, 236478, 236479, 236480, 236481, 236482, 236483, 236484, 236485, 236486, 236487, 236488, 236489, 236490, 236491, 236492, 236493, 236494, 236495, 236496, 236497, 236498, 236499, 236500, 236501, 236502, 236503, 236504, 236505, 236506, 236507, 236508, 236509, 236510, 236511, 236512, 236513, 236514, 236515, 236516, 236517, 236518, 236519, 236520, 236521, 236522, 236523, 236524, 236525, 236526, 236527, 236528, 236529, 236530, 236531, 236532, 236533, 236534, 236535, 236536, 236537, 236538, 236539, 236540, 236541, 236542, 236543, 236544, 236545, 236546, 236547, 236548, 236549, 236550, 236551, 236552, 236553, 236554, 236555, 236556, 236557, 236558, 236559, 236560, 236561, 236562, 236563, 236564, 236565, 236566, 236567, 236568, 236569, 236570, 236571, 236572, 236573, 236574, 236575, 236576, 236577, 236578, 236579, 236580, 236581, 236582, 236583, 236584, 236585, 236586, 236587, 236588, 236589, 236590, 236591, 236592, 236593, 236594, 236595, 236596, 236597, 236598, 236599, 236600, 236601, 236602, 236603, 236604, 236605, 236606, 236607, 236608, 236609, 236610, 236611, 236612, 236613, 236614, 236615, 236616, 236617, 236618, 236619, 236620, 236621, 236622, 236623, 236624, 236625, 236626, 236627, 236628, 236629, 236630, 236631, 236632, 236633, 236634, 236635, 236636, 236637, 236638, 236639, 236640, 236641, 236642, 236643, 236644, 236645, 236646, 236647, 236648, 236649, 236650, 236651, 236652, 236653, 236654, 236655, 236656, 236657, 236658, 236659, 236660, 236661, 236662, 236663, 236664, 236665, 236666, 236667, 236668, 236669, 236670, 236671, 236672, 236673, 236674, 236675, 236676, 236677, 236678, 236679, 236680, 236681, 236682, 236683, 236684, 236685, 236686, 236687, 236688, 236689, 236690, 236691, 236692, 236693, 236694, 236695, 236696, 236697, 236698, 236699, 236700, 236701, 236702, 236703, 236704, 236705, 236706, 236707, 236708, 2367

[illegible]

1. இராமசுப்பிரமணியன் - இராமன் பிள்ளை பற்றி கருவாய்க்குடியில் மரபுவழியில்
 புகழ் பெற்றிருக்கிறார். இவர்பற்றி சுமார் 150 வருஷம் காலமாக இராமசுப்பிரமணியன் சுமார்
 150 வருஷம் காலமாக இராமன் பிள்ளை பற்றி கருவாய்க்குடியில் மரபுவழியில்

இராமன்
 இராமன்

20.12.2014 இல் சுமார் 150 வருஷம் காலமாக இராமசுப்பிரமணியன் சுமார் 150
 வருஷம் காலமாக இராமன் பிள்ளை பற்றி கருவாய்க்குடியில் மரபுவழியில்

இராமன்
 இராமன்

http://poabs.co.in:2095/cpsess6648565934/3rdparty/roundcube/index.php?_task=mail&_action=get&_mbox=INBOX&_uid=1536&_part=2&_mimewarning=1&... 1/

ANNEXURE 2233

January 2015

ATTYAPPAN
NELICKAPARAMBU PO
GOTHAMBU ROAD

01/01/15

CSR - 115




M-SAND PAID TO ATTYAPPAN BILL NO.34322

ANNEXURE 2Z3

**BLACK COBRAS
KODIYATHUR****02/01/15****CSR - 116**

SRI ORUNIGI PARA
DEVI KSHETHRAM
THEKKUM KUTTI
REG NO 1875

CSR - 118




3/6/2015

ANNEXURE 22

PANNIKKODE SRI
KANDATH RAMAN
KAVU
PANNIKKODE

13/01/15

CSR - 119



CASH DONATION PAID FOR CONDUCTING 'TULSA' 4M

ANNEXURE 213

CH MEMMORIAL L P
SCHOOL
WELICKAPARAMBU
P.O
MUKKAM,
KOZHIKKODE - 673
602
PH : 9946228253

13/01/15

CSR - 120



3/6/2015

Roundcube Webmail - jan1.pdf

ANNEXURE 2Z3

**SRI MAHA ARUNYA
DEVATHA
CHAITHANYA
KSHETHRAM
KARASSERY
MAYANGAL
MYSOOR MALA,
KOZHICKODE - 673
602**

14/01/15

CSR - 121



CASH DONATION PAID FOR CONDUCTING "ULSAVAM"

6/2015

Roundcube Webmail :: jan1.pdf

ANNEXURE 2Z3

GURUMUTHAPPAN
BHAGAVATHI
KSHETHRAM
THEYTATHUM KAVU

14/01/15

CSR - 122



CASH DONATION PAID FOR CONDUCTING "ULSAVAM"

ORUNIGIPARA SRI
BHAGAVATHI
KSHETRAM
THEKKUMKUTTY REG
NO 1875
ALLI MUKKAM

20/01/15

CSR - 124



CASH DONATION PAID FOR CONDUCTING "ULSAVAM"

6/2015

Roundcube Webmail :: Jan.pdf

ANNEXURE 2242

B J BIJU
GOTHAMBU ROAD
NELLIKAPARAMBU
P.O
MUKKAM

21/01/15

CSR - 124



M SAND PAID TO B J BABU

3/6/2015

Roundcube Webmail :: jan.pdf

ANNEXURE 2Z43

MADAM PRAMBU
KARUVAN
KARIYATHAN
KSHETHRAM
KALPOOR P O
KUMARANELLOOR
MUKKAM - 673 602


22/01/15

CSR - 126



ANNEXURE 27A

CSR - 127



18 CAME DATA END CONTROL CODES ARE LISTED

3/6/2015

Roundcube Webmail - jan.pdf

ANNEXURE 2245

**ABHILASH ARTS AND
SPORTS CLUB
POOVATTUPARAMBU**

30/01/15

CSR - 128



CASH DONATION PAID TO CONDUCTING FOOT BALL TOURNAMENT AT POOVATTUPARAMBU

3/5/2015

Roundcube Webmail :: jan.pdf

ANNEXURE 2Z46

**DAYA CENTRE
MEDICAL COLLEGE P O
KOZHIKKODE
PH
9048648092/8086864
499**

31/01/15

CSR - 129



CASH DONATION PAID FOR SUPPLYING RICE SOOP AT MED. CLG

ANNEXURE A



Photographs showing the rainwater harvesting system within the project area

ANNEXURE 1



Photographs showing the storm water collecting pit

ANNEXURE 2



Photographs showing the upper region of the lease area covered by natural trees with deep root system

ANNEXURE 3



Photographs showing the protective walls at the foot hills to prevent soil erosion

ANNEXURE A1



Photographs showing tree saplings planted within the project area

ANNEXURE A2



Solar energy devices installed in the project area

ANNEXURE B



Photographs showing the danger board (Blasting zone) and warning alarm

ANNEXURE C



Photographs showing tarred access road to the quarry

ANNEXURE D



Photograph showing the stacked overburden and top soil

ANNEXURE E



The photograph showing the bench type mode of mining

ANNEXURE F



Photograph showing the crusher unit encircled by thick green belt

AF 099978

1. **Binu K. Mathew**, Managing Director & authorized signatory of M/s POABS Rock Products Pvt. Ltd. having its correspondence office at Kodyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala do hereby affirm and confirm as follows:-

1. That, M/s. POABS Rock Products Pvt. Ltd. running a Quarry Project at Sy. No. 172 at Kodyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala.
2. That, the eco-restoration including the mine closure plan will be done at our expenses.

DEPONENT

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

Solemnly affirmed and signed
before me by the deponent who

Place: Tiruvalla personally known to me in
Date: 28.03.2014 my office at Thiruvalla on this
28.03.2014

1968 May 14
 H.D. M.J. Deane Rock Dr
 CP) N. P. G. Chardron D. L. L. L.
 Advocate & Notary
 G. H. M. J. Deane.

P. KRISHNAN KUTTY NAIR
THIRUVALLA VENDOR



ANNEXURE H



കേരളം KERALA

AF 099977

AFFIDAVIT

Binu K. Mathew, Managing Director & authorized signatory of M/s POABS Rock Products Pvt. Ltd. having its correspondence office at Kodyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala do hereby affirm and confirm as follows:-

1. That, M/s. POABS Rock Products Pvt. Ltd. running a Quarry Project at Sy. No. 172 at Kodyathoor Village and Panchayat, Kozhikode Taluk, Kozhikode District, Kerala.
2. That, a maximum of 10% of the total mined area will be retained as water body, which will be lined properly and provided with protective wall to prevent accidents.

DEPONENT

Verification:

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

Solemnly affirmed and signed before me by the deponent who is personally known to me in

Place: Tiruvalla my office at Thiruvalla on this the 28th day of March 2014

Date: 28.03.2014

DEPONENT




55531
26/3/2014

Binu K. Mathew
Managing Director
M/s POABS Rock Products
Neelicheparambath
P. KRISHNAN KUTTY NAIR
TIRUVALLA VENDOR



ANNEXURE I



Photographs showing the Garland drains within the project area

ANNEXURE J1

GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION(PESO)
(Formerly Department of Explosives)
Kendriya Bhavan, Block C-2, 3rd Floor
CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037
Tele: 2427286 Fax: 2427276
Email: dycceernakulam@explosives.gov.in

No.: E/SC/KL/22/268(E11682)

Dated:03/10/2013

By Managing Director M/s. POABS ROCK PRODUCTS PRIVATE LTD.,
Kothanmbu Road, Nellickaparamb. PO, Mukkom, Kozhikode District, Kerala State, Town/Village -
District-, State-, Pincode - 6736002

Subject: Possession for Use of Explosives from magazine situated at Survey No(s):172,
KODIYATHOOR, Dist. KOZHIKODE, Kerala -Licence No.: E/SC/KL/22/268(E11682) granted in
Form LE-3 of Explosives Rules, 2008 -
Amendment of Quantity of Explosives/Monthly Purchase Limit.

r(s).

Please refer to your letter No. Nil dated 20/09/2013 on the subject cited above.

The Licence No.: E/SC/KL/22/268(E11682) is duly amended in respect of;

Quantity of Explosives/Monthly Purchase Limit

with condition VALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENCEE FOR
BLASTING OPERATIONS AT SY.NO.172 KODIYATHOOR(V), KOZHIKODE(T),KOZHIKODE (DISTRICT)
AND LOCAL STATE GOVT. AUTHORITIES APPROVAL AS APPLICABLE RENEWED FROM TIME TO
TIME SHALL BE IN POSSESSION. and forwarded herewith;

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below ;

No	Explosive(s)	Class	Div	Sub Div	Capacity	Unit
1	Nitrate Mixture	2	0	0	500	Kg.
2	Safety Fuse	6	1	0	5000	Mtrs
3	Electric and/or Ordinary Detonators	6	3	0	10000	Nos.

Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 20
as above.

This Licence shall remain valid till 31st day of March 2016.

For further renewal of licence, please follow the procedure under Rule 112 of Explosives Rules, 2008.
Receipt of this letter may please be acknowledged.

Closures :

Yours faithfully,

LICENCE FORM LE-3

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a m

Licence No. : E/SC/KL/22/268(E11682)

Annual Fee Rs:2000/-



1. Licence is hereby granted to : **The Managing Director M/s. POABS ROCK PRODUCTS PRIVATE LTD. (Occupier : Shri Binu K. Mathew)**
Gothanmbu Road, Nellickaparambu P.O. Makkam,
Kozhikode District, Kerala State, Town/Village -
District-, State-, Pincode - 6736002

2. Status of licensee : **Company**3. Licence is valid only for the following purpose : possess for use of **Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators,**

4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2,0	0	500 Kg.
2.	Safety Fuse	6,1	0	5000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	10000 Nos.

(b) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] : **20 times as above.**

5. The licensed premises shall conform to the following drawing(s):

Drawing No : E/SC/KL/22/268(E11682) dated : 03/10/2013

6. The licensed premises are situated at following address:

Survey No(s). **172**, Town/Village : **KODIYATHOOR**Police Station : **MUKKOM**District : **KOZHIKODE**State : **Kerala**

PinCode :

Phone :

E-Mail :

Fax :

7. The licensed premises consist of following facilities : **NIL**

8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

(1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

(2) Conditions and Additional Conditions of this licence signed by the licensing authority.

(3) Distance Form DE-2

9. This licence shall remain valid till **31st day of March 2006**

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed

10/3/2013

(Set VIII)

The following are the conditions of licence number E/SC/KL/22/268(E11682) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

1. The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
2. The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
3. The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
4. The opening of packages and the weighting and packing of explosives shall not be carried on in the magazine.
5. Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
 - (d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;
 - (e) Detonators belonging to Class 6 Division 3 shall be kept separately.
 - (f) Gun powder belonging to Class 1 shall be kept separately.
6. Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
7. Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
 - (i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
 - (ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
8. The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;

Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
9. If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.
10. Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.
11. The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules,

2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.

12. No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.
14. The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
15. Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
16. The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
17. The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package. The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
18. The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
19. A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
20. Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
21. Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
22. Empty packages of the explosives shall be removed at the earliest and destroyed.
23. The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
24. Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
25. If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
26. The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
27. The possession and sale of fire-crackers generating noise level exceeding;
 - a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
 - b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by $5 \log_{10} (N)$ dB, where N = number of crackers joined together.
28. Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

For Joint Chief Controller of Explosives
South Circle, Chennai

D. C. C. E. Emakulam
உ. ச. ச. இ. ஏ. மகலம்

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/268(E11682) in form LE-3 granted to The Managing Director M/s. POABS ROCK PRODUCTS PRIVATE LTD., Gothanmbu Road, Nellickaparambu PO, Mukkom, Kozhikode District, Kerala State, Kerala.

Type of Structure(s)		Safety distances meters	
Inside Safety Distances(ISD)		M	UN
1	Room or Workshop used in Connection with the Magazine	19	29
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
Middle Safety Distances(MSD)			
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road	48	
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmill or Solar panel for Power Generation		
Outside Safety Distances(OSD)			
13	Dwelling House		
14	Govt. and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances	95	
19	Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		
20	Aerodrome		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
Overhead Electric lines			
27	Electric Power over head Transmission Lines above 440V	90	
28	Electric Power over head Transmission Lines Below 440V	15	

The Date : 15/03/2001

For Joint Chief Controller of Explosives
 South Circle, Chennai

C. C. E. Emakulam
 10/3/2013

10/3/2013

ANNEXURE J2

FILE No: PCB/RO/KKD/IC/112/2012



KERALA STATE POLLUTION CONTROL BOARD

INTEGRATED CLEARANCE TO OPERATE – Renewal

UNDER

Water (Prevention & Control of Pollution) Act, 1974
Air (Prevention & Control of Pollution) Act, 1981
&
Environment (Protection) Act, 1986

TO

Sri. Binu K Mathew
Palliyambil House
West Othara (P.O.), Thiruvalla,
Pathanamthitta-689 551


(For Poabs Rock Products (P) Ltd
Nellikaparamba (P.O.)
Gothambu Road, Mukkam,
Kozhikode-673602)

Consent No: PCB/RO/KKD/ICO-R/04/2012
Date of issue: 17.07.2012

Validity: 30.06.2015

Copy to:

1. The Member Secretary, HO, Thiruvananthapuram
2. The EE, District Office, Kozhikode
3. The Secretary, Kodyathur Grama Panchayat, Kozhikode
4. Stock file



1. GENERAL

1	VALIDITY	30.06.2015
2	Due date for submission of consent renewal application	March 2015
3	Name and address of establishment	Poabs Rock Products (P) Ltd Nellikaparamba (P.O.) Gothambu Road, Mukkam, Kozhikode-673 602
4	Communication	Ph: 0495 2209304
5	Occupier details	Sri. Binu K Mathew Palliyambil House West Othara (P.O.), Thiruvalla, Pathanamthitta-689 551
6	Survey Number	172
7	Village	Kodiyathur
8	Taluk	Kozhikode
9	District	Kozhikode
10	Panchayat & Ward	Kodiyathur IV
11	Category	Red
12	Scale	Medium
13	Annual Fee	Rs.35000/-
14	Fee remitted	Rs.108420/-
15	Capital Investment	Rs.641.3 Lakhs
16	Water Consumption	21000l/day
17	Production Capacity	Stone Aggregates 1000 tonnes/day Quarrying in 0.5 hectares of land
18	Machinery	Primary crusher(2 Nos) -40 HP each Secondary Crusher(3Nos) - 40HP each Accessories-185.8 HP Super Primary crusher- 200 HP Tractor cum compressor for quarrying.
19	Total horse power	585.8HP
20	D.G. set	160 KVA, 125 KVA and 10 KVA

- 2.1 This consent is granted subject to the power of the Board to revoke, review and make variation in all or any of the conditions specified here under.
- 2.2 The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention and control of air, water, land and noise pollution.
- 2.3 For continuing to operate beyond the validity date application for the renewal has to be submitted in the prescribed form during the month specified in condition 1.2.
- 2.4 Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.
- 2.5 Arrangements shall be provided for the reuse of water and for rain water harvesting.
- 2.6 If operations are done with backup power, the generator shall have adequate capacity to run all associated pollution control devices.
- 2.7 In case of process disturbance/failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.
- 2.8 In case of discharge/apprehended discharge of any water/air pollutant or hazardous waste due to any accident or other unforeseen act or event, it shall be immediately intimated to the Board and the consentee/authorisee shall make all possible efforts to mitigate/ prevent/remediate the discharge.
- 2.9 Periodical monitoring reports comprising of effluent and emission analysis reports and such other information as may be called for shall be submitted to Head/Regional/District Office as and when called for.
- 2.10 Location of the crusher and quarry shall be as shown in the drawing attached. No change or alteration shall be made without the prior permission of the Board.
- 2.11 Quarrying operations shall be started only after obtaining the D&O license under the Kerala Panchayath Raj Act for the concerned Local Self Government Institutions and submitting a copy of the same to the District Office of the board.

Air (Prevention & Control of Pollution) Act

- 3.1 Boundary of the quarry shall be fenced before operation of the quarrying activity.



- 3.2. The following pollution control facilities shall be operated and maintained to prevent and control pollution
- a) Crushers, classifiers, screens and other noise and/or dust producing units shall be housed in building with solid wall (not hollow block) of minimum 23 cm thickness with false roofing and dust extraction system.
 - b) Conveyors shall be enclosed with metal sheets or wooden planks.
 - c) Dust suppression system with water spray and sprinkling shall be provided and operated satisfactorily.
 - d) Water storage facility of at least 2 days capacity shall be provided.
 - e) Facilities for regular cleaning and wetting of the ground shall be provided.
 - f) The roads inside the crusher premises shall be tarred or concreted.
 - g) Minimum distance from the centre of the crusher unit to the periphery of the structure of any residence, public building or place of worship, except for store room and office, shall be 200 m.
 - h) Minimum distance from the centre of the crusher unit to the centre of the crusher unit of another industry shall be 100 m.
 - i) Each of the crushers shall be located at least 50m away from the boundary of the site. Distance to State or National Highway shall be more than 200 m.
 - j) The concentration of suspended particulate matter in ambient air measured at a distance of 40 m away from the crusher shall not exceed 600 micro grams per cubic metre.
- 3.3. The occupier shall at his own cost get the ambient air monitored for suspended particulate matter at least once in three months.
- 3.4. Records of such monitoring shall be maintained and shall be made available to the inspecting officers of the Board whenever called for.
- 3.5. The particulate matter and sound level at the boundary of the premises shall not exceed the limit specified for that area under the 'National Ambient Air Quality Standard' and 'Ambient Air Quality Standard in respect of Noise' respectively.
- 3.6. After excavation at the site is completed, the land may be used for rain water harvesting with protective barriers / any other suitable approved purpose or may be reclaimed.
- 3.7. The consent issued is subject to the conditions specified in the clearances issued by the Mining and Geology Department and Explosive Department as per the provisions of the relevant statutes.
- 3.8. All activities related to crushing shall not be carried out between 6:00 pm and 6:00 am.
- 3.9. There shall not be any fugitive emission from the crusher and its premises
- 3.10. Raw materials and products shall be loaded, unloaded or transported with

- 3.11. DG sets shall have acoustic enclosure so that noise measured 1 m outside the enclosure does not exceed 75 dB (A).


Emission shall be made only through the following Chimneys:

Sl No.	Capacity of DG set	Description of chimney	Control measures	Minimum distance from the nearest residence/Worship centre/Public place
1	160 KVA	Exhaust chimney height of minimum 3m above the roof level	Acoustic Enclosure	9m
2	125 KVA	Exhaust chimney height of minimum 3m above the roof level	Acoustic Enclosure	8m
3	10 KVA	Exhaust chimney height of minimum 2m above the roof level	Acoustic Enclosure	3m

4. ADDITIONAL CONDITIONS

- 4.1. This consent is granted to operate machineries and its accessories of 585.8 HP.
- 4.2. Adequate fire protection equipment in accordance with the fire safety regulations shall be installed at salient places within the unit and for ensuring the same, necessary certificate from Fire & Rescue Services Department regarding fire safety shall be obtained. The unit shall have valid certificate from Fire & Rescue Services Department during its operation.
- 4.3. The applicant shall put up two sign boards of size 1.8 x 1.2 m near the main entrance of the plant. One board shall display condition no. 1.3 and 1.17 and the other shall display the latest air, water, and noise monitoring data against the standards specified.
- 4.4. This consent for the quarry shall be valid up to the date up to which quarry permit issued by mining and geology department is valid.
- 4.5. The sand making unit shall furnish a copy of the sales tax return submitted to the Commercial Taxes Department to the Board before the 15th of April every year.

DATE: 17.07.2012



SENIOR ENVIRONMENTAL ENGINEER
REGIONAL OFFICE, KOZHIKODE

1/m

- 3.11. DG sets shall have acoustic enclosure so that noise measured 1 m outside the enclosure does not exceed 75 dB (A).


Emission shall be made only through the following Chimneys:

Sl No.	Capacity of DG set	Description of chimney	Control measures	Minimum distance from the nearest residence/Worship centre/Public place
1	160 KVA	Exhaust chimney height of minimum 3m above the roof level	Acoustic Enclosure	9m
2	125 KVA	Exhaust chimney height of minimum 3m above the roof level	Acoustic Enclosure	8m
3	10 KVA	Exhaust chimney height of minimum 2m above the roof level	Acoustic Enclosure	3m

4. ADDITIONAL CONDITIONS

- 4.1. This consent is granted to operate machineries and its accessories of 585.8 HP.
- 4.2. Adequate fire protection equipment in accordance with the fire safety regulations shall be installed at salient places within the unit and for ensuring the same, necessary certificate from Fire & Rescue Services Department regarding fire safety shall be obtained. The unit shall have valid certificate from Fire & Rescue Services Department during its operation.
- 4.3. The applicant shall put up two sign boards of size 1.8 x 1.2 m near the main entrance of the plant. One board shall display condition no. 1.3 and 1.17 and the other shall display the latest air, water, and noise monitoring data against the standards specified.
- 4.4. This consent for the quarry shall be valid up to the date up to which quarry permit issued by mining and geology department is valid.
- 4.5. The sand making unit shall furnish a copy of the sales tax return submitted to the Commercial Taxes Department to the Board before the 15th of April every year.

DATE: 17.07.2012



SENIOR ENVIRONMENTAL ENGINEER
REGIONAL OFFICE, KOZHIKODE

1/m

1.19	Total Horse Power	2300 HP
1.20	D.G.set	625 KVA, 600 KVA, 320 KVA, 62.5 KVA

- 3.11. DG sets shall have acoustic enclosure so that noise measured 1 m outside the enclosure does not exceed 75 dB (A). The height of chimney shall be 5m, 4.9 m, 3.6 m & 1.6 m above the roof level of the building for 625KVA, 600 KVA, 320KVA & 62.5KVADG sets respectively.

All the other conditions in the 'Consent to Operate Renewal' remain unchanged.



OFFICE SEAL

Signature

SENIOR ENVIRONMENTAL ENGINEER
REGIONAL OFFICE, KOZHICODE

1/5

To

M/s. Poabs Rock Products Pvt Ltd,
Nellikaparamba P.O,
Gothambu Road, Mukkam,
Kozhikode - 673 602

- Copy to:
1. The Member Secretary, Head Office, Thiruvananthapuram
 2. Environmental Engineer, District Office, Kozhikode
 3. The Secretary, Kodyathur Grama Panchayat, Kozhikode
 4. Stock file

PR No: 13/13-10
 dt. 29/4/13

ലൈസൻസുടമസ്ഥൻ താഴെ പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

1. പഞ്ചായത്ത് രാജ് ആക്ടും അതേ തുടർച്ചയുള്ള ചട്ടങ്ങളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. തൊഴിൽ സീമലവും പരിസരങ്ങളും വെടിപ്പായും വൃത്തിയുമായും സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വച്ചിട്ടുള്ള കേടുന്നപദാർത്ഥങ്ങൾ ഈട്, അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
3. തൊഴിൽ സീമലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ/സെക്രട്ടറി അധികാരപ്പെടുത്തുന്നമറ്റ് ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസുടമസ്ഥൻ വേണ്ട സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
4. പഞ്ചായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമല്ലാതെ തൊഴിൽ സീമലും മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നൽകുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
5. ഏതൊരു പ്രവർത്തി ദിവസത്തിന്റെയും ഒട്ടുവിൽ സീമലും വൃത്തിയാക്കേണ്ടതാണ്.
6. ആ സീമലത്തിന്റെയോ പുരയിടത്തിന്റെയോ ഏതെങ്കിലും ഭാഗത്ത് വിഴുക്യോ നിക്ഷേപിക്കപ്പെടുകയോ ചെയ്യുന്ന ചപ്പുചവറോ, മൃഗങ്ങളുടെ തൂങ്ങുകളോ മറ്റ് പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കേണ്ടതാണ്.
7. ലൈസൻസുകാരൻ ഏതൊരു കെട്ടിടത്തിന്റെയോ ചുമരുകളുടെ അകവശത്തിന്റെ ഏതൊരു ഭാഗവും മേൽപറഞ്ഞ പുരയിടത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ച്ചുവിഴാനിയുള്ള ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ ചപ്പുചവറോ, അസഹ്യമോ, ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തടയത്തക്കവിധം ഏറ്റെടുക്കുന്നതായും കേടുപാട് തീർത്തും വയ്പിക്കേണ്ടതാണ്.
8. ലൈസൻസുകാരൻ മേൽപറഞ്ഞ പുരയിടത്തിലോ, അതോടു ചേർന്നോ ഉള്ള ഏതൊരു ഓവുചാലും, അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും ഏറ്റെടുക്കുന്നതായും കേടുപാടുകൾ തീർത്തും വയ്പിക്കേണ്ടതാണ്.
9. ഏതെങ്കിലും തരത്തിലുള്ള താക്ക് രോഗമോ ക്വഷിം രോഗമോ പ്രണമോ ഉള്ള യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
10. ഏത് സീമലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സീമലത്ത് ഏല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസുകാരൻ തന്റെ പേരും, ലൈസൻസിന്റെ നമ്പരും ഉദ്യോഗവും കാണിക്കുന്ന ഒരു അടയാളവുൾ വച്ചിരിക്കേണ്ടതാണ്.
11. അധിമതം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.
12. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളിൽ ഏതെങ്കിലും കടം വീടാക്കുന്ന പക്ഷം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.



(Handwritten signature and date)
 29/4/13

KALA

5



at the book-releasing function in
re also seen | MANU R. MAVELIL

'Govt Considering Panel Report on Endosulfan-hit'

Express News Service

Kochi: The Kasargod District Collector, who is the convenor of the district-level cell for the rehabilitation of endosulfan victims, on Wednesday submitted before the Kerala High Court that the Justice Ramachandran Nair committee's recommendations, including setting up of a tribunal for taking decisions on payment of compensation to the victims is under active consideration of the government.

In an affidavit, District Collector Muhammed Sagir submitted that several steps have been taken by the government to augment the package of services already provided to the victims. The Collector made the submis-

sion in response to a petition by B C Kumaran of Kasargod seeking to pay compensation to the entire 5,500 victims already identified.

It submitted that there are 5,500 persons in the list of victims and that 2,046 victims have been paid the first instalment of the compensation recommended by the National Human Rights Commission. Categorisation of victims eligible for compensation has been made by doctors designated by the Health Department. All the patients in the list were given a package of services. Though all the persons in the list are eligible for the package of services, payment of compensation was limited only to the completely bed-ridden, mentally retarded and

other disable victims as recommended by the NHRC. A compensation of ₹3 lakh was paid to disabled persons while ₹5 lakh was paid to completely bed-ridden and mentally-retarded persons. The category to which the patients in the list belong to has been identified by the medical officers.

According to the Collector, the govt has been providing a comprehensive package of services to all the victims. The relatives of 594 victims have already been paid the first instalment of compensation of ₹1.5 lakh. The govt has earmarked ₹17.875 crore for payment of compensation to the next of-kin of those who died, out of which ₹8.91 crore has already been paid.

Firoz Released from Custody

T'Puram: Suspended Information and Public Relations Department director A Firoz was released on bail from judicial custody here on Tuesday. He was granted bail by the High Court the other day.

He was released after furnishing ₹1 lakh as bond and two sureties for the same amount. He has also been asked not to leave the district for three months and the state until the probe is completed. Tension prevailed for some time on the Poojappura prison premises when some relatives of Firoz as well as prison officials prevented mediapersons from taking photographs of the release of Firoz. ENS

NOTICE

This is to inform to the General Public that the proposed quarry project at Kozhikode Taluk, Kozhikode District, Kerala being developed by M/s. Poobas Rock Products Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. 48 / SEIAA / KL / 7176 / 2012 dt. 02.09.2013 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org

NOTICE

This is to inform to the General Public that the proposed quarry project at Kariavattom Village, Vettathoor Panchayat, Perinthalmanna Taluk, Malappuram District, Kerala being developed by M/s. Poobas Granite Products Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. 50 / SEIAA / KL / 7241 / 2012 dt. 02.09.2013 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org

PUBLIC NOTICE

This is to inform the consumers that signals of the MEDIA PRO Channels (comprising of Zee 24 Gantulu, 24 Ghanita, Zee 24 Taas, Cartoon N/W, CNN, ETC, Zee ETC Punjabi, HBO, Pogo, Warner Brothers, Zee Action, Zee Bangla, Zee Business, Zee Cafe, Zee Cinema, Zee Classic, Zee Jagran, Zee Kannada, Zee Marathi, Zing, Zee News, Zee UP UK, Zee Premier, Zee Punjab Haryana Himachal Pradesh, Zee Salaam, Zee Smile, Zee Studio, Zee Talkies, Zee Tamil, Zee Telugu, Zee Trendz, Zee TV, Star Movies, Star Plus, Star World, Star Gold, National Geographic Channel, Fox Traveller, Life OK, Star Vijay, Channel V, MGM, ABP Ananda, Star Jalsa, FX, Fox Crime, Nat Geo Wild, Nat Geo Adventure, Nat Geo Music, Baby TV, NDTV 24x7, NDTV Profit, NDTV Good Times, NDTV India, Suvarna, Star Utsav, ABP News, Zee Khana Khazana, Movies OK, Star Pravah, ABP Majha, Asianet, Asianet Plus, Star Movies Action (erstwhile Fox Action Movies), Zee Bangla Cinema, ZeeQ, Star Jalsa Movies, 9x, Asianet Movies, Zee Madhya Pradesh Chhattisgarh, Suvarna Plus, Zee Rajasthan Plus, "6 Pictures" and Zee Anmol) are likely to be disconnected after three weeks from today on account of Non-payment of outstanding subscription fees and Non-signing of fresh subscription agreement for these channels, in respect of the following cable operator(s):

Cable Operator(s) Name	Address
• M/s. Century Satellite Communication	Century Complex, Mukkam Bus Stand, Mukkam, Calicut- 673602, Kerala.
• M/s. Hi Vision	Peravoor Post, Peravoor, Kannur- 670673, Kerala.
• M/s. Zeal Cable Network	Kanul PO, Chaimasala, Kannur- 670564, Kerala.
• M/s. A J Network	Edoor, Irity, Kannur- 670703, Kerala.
• M/s. Malabar Satellite Communication	Chungam, Thamarassery, Calicut- 673573, Kerala.

All the areas serviced by the Operator (s) and its franchisees will be affected.

Issued by: Media Pro Enterprise India Private Limited
7th Floor, Blue Wave, Behind Kuber Chambers,
Off Link Road, Andheri(W), Mumbai - 400 053.

മു. പാതയിലെ യാത്രാമേൽപ്പം പതിക്കുന്നതിനായി തിരുവനന്തപുരം റെയിൽവേ ഡിവിഷൻ അധികൃതരാണ് സബ്സിഡി റെയിൽവേ എന്ന ആശയം മുന്നോട്ടുവച്ചത്.

നിലവിലുള്ള പാതയിൽ കോട്ടാമംലിക് സിപാൻ ഏരിയപ്പുറത്തിൽ കൂടുതൽ റെജു സർവീസുകൾ ലഭിക്കുകയാണ് പദ്ധതി. ഇതിനായി 3000 കോടി രൂപയാണ് ചെലവിടാനുണ്ട്.

This is to inform to the General Public that the proposed quarry project at Kodiyathoor Village and Panchayats, Kozhikode Taluk, Kozhikode District, Kerala developed by M/s. Poabs Rock Products Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority/ Kerala vide Order No. 48 / SEIAA / K / 1718 / 2012 dt. 02.09.2013 and the copy of the Environmental Clearance available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org

Payment
9,999/-

(ബസ്) ബസ് ലി.ബസ്
നാല്. ബസ്-ഫ്രീ നമ്പർ : 1800 1022 348

പതിനേഴാം വയസ്സിലാണ് ഐക്യം ജനിച്ചത്. അന്ന് അമ്മയുടെ പേര് ഐക്യമല്ല, മറിയം. അമ്മയുടെ പേര് മാറ്റിയത് അന്നത്തെ കമ്മ്യൂണിസ്റ്റ് ഭരണത്തിന്റെ ആജ്ഞാപ്രകാരമാണ്. അമ്മയുടെ പേര് മാറ്റിയത് അന്നത്തെ കമ്മ്യൂണിസ്റ്റ് ഭരണത്തിന്റെ ആജ്ഞാപ്രകാരമാണ്.

7824

9349531801; (Branch) **Kallachi**: 0496-
95-2295532/9846101370 **Koduvally**:
93984141 **Kuttiyadi**: 9846708708/
| (New) 04936-228100/ 9605061100/
ur: 9349531806 **Atholi**: 9745471234



ഇന്ത്യയിലെ No.1*
അപ്പയൻസസ് ബ്രാൻഡ് വിട്ടിലെത്തിക്കുന്നു

ബജാജ് സമൃദ്ധി ഓണം ഓഫർ



സ്കോച്ച് ചെയ്യൂ വിജയിക്കൂ



www.ck12.org - Chapter 12

സുരീണ്ണ നാണയങ്ങൾ

നോൺ-സീക്രൈറ്റിംഗിംഗ് പാൻ

(പ്രസ്ഥി കൃഷ്ണൻ)

ഇൻഡക്ടൻ ബ്ലേസ് ആവ

അടുത്ത പരിഷ്കരണത്തിൽ ആകർഷകമായ ഡിസൈൻ

സാക്ഷ്യം - 3 ലിറ്റർ പ്രഷർ കൂടെ തിരഞ്ഞെടുത്ത പ്രാധക്യകൾക്കൊപ്പം



BAJAJ APPLIANCES

നീങ്ങളുടെ പണത്തിനു വാങ്ങാവുന്നതിൽ ഏറ്റവും മികച്ചത്

[illegible]

Available at all leading modern format outlets and malls. For further institutional inquiries contact: Mr. D. Prabhakaran: 09047016875
Helpline No.: 022 41280000

CALICUT: AVAILABLE AT ALL LEADING APPLIANCES & VESSELS OUTLETS. TRADE ENQUIRIES CONTACT- VEEKEY DISTRIBUTORS, CALICUT Ph No. 0495 3018161, 3018171, 9349546474, SKY ASSOCIATES MOB: 9388009669, RIGHT MARKETING MOB: 388009668 HAMILTON INTERNATIONAL MOB:9745733360, FOR SERVICE 9895314048. **WAYANAD:** TRADE ENQUIRIES CONTACT- SKY ASSOCIATES MOB: 9388009669, VEEKEY DISTRIBUTORS, CALICUT Ph No. 0495 3018161, 3018171, 9349546474. For Service - 044 047540318

ANNEXURE L

Annex. A.

By Regd A/D



Government of Kerala

Department of Environment & Climate Change

(The Secretariat of SEIAA & SEAC Kerala)

Pallimukku, Pettah P.O., Thiruvananthapuram- 695 024

Ph: +91471-2742264 (Off); 0471-2742554 (Dir); +91471-2742554 (Fax)

e-mail: environmentdirectorat@gmail.com web: www.envc.kerala.gov.in

No. 48/SEIAA/KL/7176/2012

02-09-2013

From

The Director

To

Mr. Binu K. Mathew

Managing Director

M/s Poabs Rock Products Pvt. Ltd.

Nellikaparambu P.O.

Gothembu Road, Calicut - 673602.

Sir,

Sub: Environment Impact Assessment Authority - Quarry project at Kodiyathoor Village and Panchayath, Kozhikode Taluk, Kozhikode District, Kerala by M/s Poabs Rock Products Pvt. Ltd. - Environmental Clearance under EIA Notification 2006 - Forwarded.

Ref: Proceedings of even no. dt. 23-08-2013 of State Environment Impact Assessment Authority Kerala

I am forwarding herewith the Environmental Clearance (EC) issued by State Level Environment Impact Assessment Authority Kerala (SEIAA Kerala) to Mr. Binu K. Mathew, Managing Director, M/s Poabs Rock Products Pvt. Ltd., for the quarry project at Kodiyathoor Village and Panchayath, Kozhikode Taluk, Kozhikode District, Kerala vide reference cited.

You are requested to comply with the following immediately:


- (i) Return a copy of the EC with due signature of the authorized signatory in all pages in token of acceptance.
- (ii) Forward copies of newspaper advertisements in which the Environmental Clearance issued is published and
- (iii) Forward a NOTARIZED affidavit mentioning the EC proceedings number and date, stating that all the conditions stipulated in the EC shall be scrupulously followed.

Yours faithfully,

P. Sreekanth Nair



ANNEXURE M



Photograph showing specific conditions of the environmental clearance order prominently displayed in a metallic board

ANNEXURE N



കേരളം KERALA

AFFIDAVIT

AB 023968

I, Binu K. Mathew, Authorized Signatory of Poabs Rock Products Pvt. Ltd. having its correspondence office at Kuttoor P.O., Tiruvalla 689 106, Kerala do hereby affirm and confirm as follows:

1. That, the Poabs Rock Products Pvt. Ltd., proposed quarry project in Survey No. 172 at Kodyathoor Village and Panchayath, Kozhikode Taluk, Kozhikode District, Kerala.
2. That, the EC proceedings number and date are 48/SEIAA/KL/7176/2012 dt. 23.08.2013.
3. That, all the conditions stipulated in the Environment Clearance would be scrupulously followed.


DEPONENT

Verification:

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein

Place: Kuttoor
14.09.2013
Solemnly affirmed and signed before me by the deponent who is personally known to me in my office at Tiruvalla on this 14th day of September 2013.


DEPONENT



A. P. Gokula Chandran, B.A; LL.B.
Advocate & Notary
Tiruvalla
P. K. KUTTY NAIR
THIRUVALLA VENDOR



2023973 M100
13/9/2013

Binu K. Mathew MD
Poabs Rock Products Pvt. Ltd.
Kuttoor