



POABS GRANITES PVT. LTD.

Kuttoor P.O, Tiruvalla, Kerala, India - 689 106
Phone : +91 - 469 2743300 Fax : +91 - 469 2743330
E-mail : mail@poabs.com Website : www.msand.in

The Director, DoECC & Secretary SEAC Kerala,
Devi Kripa, Pallimukku, Pettah P.O,
Thiruvananthapuram,
Kerala - 695024.

29/07/2016

Sub: Environmental Clearance - Proposed quarry project Sy. Nos.459/2, 460/10, 460/12,
446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2, 460/2-1 at Peroorkada Village,
Thiruvananthapuram Taluk, Thiruvananthapuram Dist, Kerala - Compliance report - Reg.

Ref: File No. 37/SEIAA/KL/6092/2012 dt. 14-11-12

Respected sir,

Our quarry project was accorded with environmental clearance vide order No.
37/SEIAA/KL/6092/2012 dt. 14-11-12. Seventh compliance report to the specific and general
conditions of the Environmental Clearance (hard copy as well as softcopy (CD)) for the period of
January- June, 2016 is enclosed.

Thanking you

Yours respectfully,
M/s POABS Granites Pvt. Ltd.

Jabu K. Abraham
(Director)

Copy to:

The Regional Director, MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F
Wing, II Block, Koramangala, Bangalore - 560034.

**COMPLIANCE REPORT TO THE CONDITIONS
OF**

ENVIRONMENTAL CLEARANCE ORDER

NO: 37/SEIAA/KL/6092/2012 DT. 14/11/2012

BY

**STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY (SEIAA)
FOR PROPOSED QUARRY PROJECT**

AT

**Sy. Nos. 459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7,
460/2-2 and 460/2-1,**

**PEROORKADA VILLAGE, THIRUVANANTHAPURAM TALUK,
THIRUVANANTHAPURAM DISTRICT, KERALA**

BY

POABS GRANITES PRIVATE LIMITED

KUTHIRAKALAM P.O., TRIVANDRUM, KERALA – 695 543

(January 2016 - June, 2016)

INTRODUCTION

M/s Poabs Granites Pvt. Ltd. is a stone quarry placed at Sy. Nos. 459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2 and 460/2-1, Peroorkada village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala. The quarry project is running according to the environmental clearance order by state Environmental Impact Assessment Authority on 14/11/2012. Six month compliance reports to the conditions of the environmental clearance are to be submitted as part of compliance. The compliance report to the specific and general conditions of the environmental clearance for the period of January 2016 - June, 2016 (Seventh report) is being submitted.

PART - A – SPECIFIC CONDITIONS

➤ Condition 1)

Assurance in the form of affidavit should be given to SEIAA Kerala that eco-restoration including the mine closure plan shall be done at the expenses of the project proponent on completion of mining.

Compliance:

Affidavit stating that eco-restoration including the mine closure plan will be done at our own expenses was submitted to SEIAA Kerala on 22.03.2014. It is planned to build up a green belt in the mined area with indigenous plant species after reclaimed with stacked dumping and overburden. Ten percent of the mined pit area will be preserved as rainwater harvesting pit. Photocopy of the affidavit stated that eco-restoration including the mine closure plan will be done at our expenses is enclosed as Annexure No.1.

➤ Condition 2)

Quantity of overburden and their storage shall be provided to SEIAA Kerala before initiating activities.

Compliance:

Total Quantity of topsoil removed during the present project is expected to be 33,900m³. Quantity of overburden and their storage settings were provided to SEIAA through application pro forma. The top soil is stored separately in an earmarked place and the photographs showing top soil storage area are provided at Annexure No.2.

➤ **Condition 3)**

Plan clearly showing the internal road system within the project site to be submitted to SEIAA Kerala before initiating activities.

Compliance:

Road system inside the project area is maintaining well. There is about 0.3km of roads having 7.0m width is present within the project area. Sides of the road systems not having natural vegetation are planted with indigenous plant species. Details of the plant species planted along the road sides are as follows.

Sl. No	Botanical Name	Common Name	Family	Distribution	Status
1	<i>Mangifera indica</i> L.	Mavu	Anacardiaceae	Evergreen and semi-evergreen forests and also widely cultivated	Indo-Malaysia
2	<i>Cassia fistula</i> L.	Indian Laburnum/ Kanikkonna	Fabaceae		Indo-Malesia
3	<i>Artocarpus heterophyllus</i> Lam.	Plavu	Moraceae	Evergreen and semi-evergreen forests, also widely cultivated	Widely cultivated in the tropics, origin is probably South India
4	<i>Acacia auriculiformis</i> Benth.	Acacia	Leguminosae	Native of Tropical Australia	Exotic

5	<i>Cinnamomum malabatum</i> (Burm.f.) J.Presl.	Idana	Lauraceae	Southern Western Ghats	Endemic to Southern Western Ghats
6	<i>Polyalthia longifolia</i> (Sonn.) Thwaites	Arnanamaram	Annonaceae	Native of Sri Lanka: introduced to many tropical countries	Exotic
7	<i>Casuarina equisetifolia</i> L.	Choolamaram	Casuarinaceae	Native of Malaysian Region	Exotic

The map showing the internal roads within the project site is enclosed as Annexure No. 3.

➤ **Condition 4)**

Specific methodology adopted for drilling and blasting and also the geometry of drill holes to be given to SEIAA Kerala before initiating activities.

Compliance:

Specific methodology adopted for drilling and blasting and also the geometry of drill holes were given to SEIAA Kerala. Mineral is excavated using excavators. The mineral is fractured and simply exploit by rock breakers and excavators. The hard strata are excavated after drilling and blasting. The specific methodology adopted for drilling, blasting and the geometry of drill holes is attached at Annexure No.4.

➤ **Condition 5)**

Garland drains to be provided in the lower slopes around the core area to channelize storm water.

Garland drains to channelize the storm water are provided in the lower slope of the core area and the photographs showing the same is provided at Annexure No.5. Storm water channels are provided with De-siltation traps

which will grab the passage of debris and silt from the mining area to the main streams.

➤ **Condition 6)**

Debris/silt traps to be provided to prevent entry of dust and quarry waste entering the main streams.

Check dam like De-siltation traps are provided in the storm water channels, which arrest the course of debris and silt from project site to the main streams. Silt and debris from the trap were removed periodically. Photographs of the same are provided at Annexure No.6.

➤ **Condition 7)**

Dust and sound level should be as per the prescribed standards applicable to
Dust and sound level should be as per the prescribed standards applicable to the area.

Compliance:

Dust and sound levels are monitored periodically through an NABL accredited laboratory (Polluchem Laboratories (P) LTD) during the quarry in operation and the monitored results are well within the standards applicable. Average Ambient Sound Level in day and night time are 51.8dB and 34.3dB respectively. Value of Particulate matters PM_{10} and $PM_{2.5}$ are $65.3\mu g/M^3$ and $32.4\mu g/M^3$ correspondingly. Sulphur dioxide and Nitrogen dioxide values in the air are $5.1\mu g/M^3$ and $4.5\mu g/M^3$ respectively. Drinking water quality parameters are well within the standards. The copy of the ambient sound monitoring report, ambient air quality monitoring report, and drinking water quality reports are provided at Annexure No. 7, 8 and 9 respectively.

• **Condition 8)**

The conditions of the environmental clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters.

Compliance:

The specific conditions of environmental clearance are prominently displayed in a metallic board of 3 ft x 3 ft as per the specifications instructed by SEIAA Kerala. The photographs of the display board are provided at Annexure No. 10.

PART – B – GENERAL CONDITIONS

➤ **Condition i)**

Rain water harvesting to collect and utilize the entire water falling in the land area should be provided.

Compliance:

Rainwater harvesting systems are maintaining in the project area. Harvesting system consists of two tanks constructed with stone masonry wall having the capacity of 190000 and 144000 liters. Two tanks are separated by a check dam. Photographs of the rainwater harvesting system are enclosed as Annexure A. Details of the rainwater harvesting system are as follows.

Sl. No.	Type	Length (m)	Width (m)	Height (m)	Capacity (L)
1	Tank constructed with stone masonry wall 1	20	6	2	190000
2	Tank constructed with stone masonry wall 2	12	6	2	144000

➤ **Condition ii)**

Environment monitoring cell should be formed and made functional.

Compliance:

An environmental monitoring cell was formed with Mr. Jabu K. Abraham (Director) as head of the monitoring cell and made functional. Meeting of monitoring cell is arranged monthly and discuss the status of the compliance of the specific and general conditions contained in the Environmental

clearance order. The details of the monitoring cell members are given below

Sl. No.	Post	Name
1	Head of the monitoring cell (Director)	Mr. Jabu K. Abraham
2	Head in charge (Environment)	Mr. VT Thomas
3	Senior Environmental Officer	Mr. Rinoy Varghese
4	Environmental Officer	Mr. Navin Xavier
5	Name of the environmental officer in charge	Mr. Anil kumar. M.
6	Name of the officer Environment, Health and safety	Mr. Vijayakumar V.R.
7	Name of the Asst. officer of Environment, Health and safety	Mr. Jayaraj. T.
8	Name of the environmental consultant	M/s Enkay Enviro Services Pvt. Ltd. & M/s Environmental Engineers & Consultants Pvt. Ltd
9	Address of Environmental laboratory	M/s Poluchem Laboratory Pvt. Ltd.

➤ **Condition iii)**

Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any.

Compliance:

Natural vegetations including trees, shrub and herbs are present in the sides of tarred road and parking areas. The area with low vegetation planted with trees and a nursery is maintaining for further plantations. Photographs showing the same is provided at Annexure No. B. Plant saplings maintained in the nursery for roadsides and parking areas as follows.

Sl. No	Botanical Name	Common Name	Family	Distribution	Status
1	<i>Mangifera indica L.</i>	Mavu	Anacardiaceae	Evergreen and semi-evergreen forests and also widely cultivated	Indo-Malaysia
2	<i>Cassia fistula</i>	Indian	Fabaceae		Indo-

	L.	Laburnum/ Kanikkonna			Malesia
3	<i>Artocarpus heterophyllus</i> Lam.	Plavu	Moraceae	Evergreen and semi-evergreen forests, also widely cultivated	Widely cultivated in the tropics, origin is probably South India
4	<i>Acacia auriculiformis</i> Benth.	Acacia	Leguminosae	Native of Tropical Australia	Exotic

➤ **Condition IV)**

The project may incorporate devices for solar energy generation and utilization wherever possible.

Compliance:

Solar Energy device such as solar lights and water heater were installed in the project area. Solar water heater is associated with canteen for Kitchen purposes. Nine solar lights were installed in the different regions of the project area. Photographs showing the same are attached as Annexure B1.

➤ **Condition v)**

In the case of any change (s) in the scope of the project, the project would require a fresh appraisal by this authority.

Compliance:

Would be complied

➤ **Condition VI)**

The authority reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the environmental (protection) Act 1986, to ensure effective implementation of the suggested safe guard measures in a time bound and satisfactory manner.

Compliance:**Would be complied****➤ Condition vii)**

All other statutory clearances shall be obtained, as applicable, by project proponents from the respective competent authorities.

Compliance:

All other statutory approvals required for the quarrying activity is obtained for the project. The details regarding the same along with the copy of the statutory approvals is provided at Annexure C1, C2 & C3.

Sl. No.	Annexure	Name of the statutory approvals
1	C1	License from Panchayat
2	C2	Integrated consent to operate issued under Air act, 1981 and Environment act 1986.
3	C3	License to possess: (c) for use, explosives of class1, 2, 3, 4, 5, 6 or 7.

➤ Condition viii)

The stipulations by Statutory Authorities under different Acts and notifications should be complied with, including the provisions of Water (Prevention and control of pollution) Act, 1974, the Air (Prevention and control of pollution) Act 1981, The Environment (Protection) Act, 1986, the public liability (Insurance) Act, 1991 and EIA notification, 2006.

Compliance:**Would be complied****➤ Condition ix)**

The project proponent should advertise in at least two local newspapers widely circulated in the region. One of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Department of Environment

and climate change, Govt. of Kerala and may also be seen on the website of the authority at www.seiaaKerala.org. The advertisement should be made within 10 days from the date of receipt of the clearance letter and a copy of the same should be forwarded to the office of this authority as confirmation.

Compliance:

Regarding the accordance of environmental clearance to the quarrying process was advertised in two local newspapers and the copy of the same was submitted to SEIAA Kerala. The copy of the advertisement is provided at Annexure D1 & D2. Details of the news paper advertisements are given below.

Sl. No.	Annexure	Name of the News paper and edition	Dated
1	D1	Times of India (Thiruvananthapuram, Kollam)	23/12/2012
2	D2	Mathrubhumi	23/12/2012

➤ **Condition x)**

A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/District Panchayat/Municipality/Corporation/Urban local Body and also to the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

Compliance:

Environmental clearance order was submitted to Thiruvananthapuram Corporation Office on 14/12/2012. The acknowledgement received is provided as Annexure E. The environmental clearance order is uploaded in the website of the company and it can be seen in the website www.msand.in

➤ **Condition xi)**

The proponent shall submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hand copies as well as by e-mail) and upload the status of compliance of the stipulated EC

conditions including results of monitored data on their website and shall update the same periodically, it can simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also the Directorate of Environment and Climate Change, Govt. of Kerala.

Compliance:

Seventh compliance report (January – June, 2016) is being submitted to Department of Environment and Climate change, Govt. of Kerala both in hard copy as well as soft copy (CD).

Condition xii)

The proponent should provide affidavit that all the conditions stipulated in the EC shall be scrupulously followed.

Compliance:

An affidavit affirm that all the conditions stipulated in the Environmental clearance will be thoroughly followed was submitted to Department of Environment and climate change, Kerala on 23.12.2012 and the copy of the same is provided at Annexure F.

ANNEXURE 1



കേരളം KERALA

AF 880882

AFFIDAVIT

I, Jabu K. Abraham, Director & authorized signatory of M/s POABS Granite Pvt. Ltd. having its correspondence office at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala Pin-695543 do hereby affirm and confirm as follows:-

1. That, M/s. POABS Granite Pvt. Ltd. running a Quarry Project at Survey Nos. 459/2, 460/10, 460/12, 446/8, 462/5, 461/2, 461/3, 446/7, 460/2-2, 460/2-1 at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram Dist, Kerala.
2. That, the eco-restoration including the mine closure plan will be done at our expenses.

J.K. Abraham

DEPONENT

Verification:

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

Solemnly affirmed and signed before me by the deponent who is personally known to me in my office at Thiruvalla on this the 22nd day of March, 2014.

Place: Tiruvalla
Date: 22.03.2014

A.P. Gokula Chandran


DEPONENT



A. P. Gokula Chandran, B.A; LL.B.
Advocate & Notary
Tiruvalla.

P. KRISHNAN KUTTY NAIK
No. 501

056952 No 100 / Jabu K. Abraham
Director
M/s Poabs Granite Pvt Ltd




ANNEXURE 2



Photographs showing top soil storage area

ANNEXURE 3




ANNEXURE 4

PRE-FEASIBILITY, BASELINE DATA AND ENVIRONMENTAL MANAGEMENT PLAN – M/s POABS ROCK PRODUCTS PVT. LTD.

2.6.5 Drilling

The excavation of mineral is proposed by excavators. The mineral is fractured and easily exploitable by rock breakers and excavators. The hard strata are proposed to excavate after drilling and blasting. The cross-sectional view of drilling operations is shown below:-



Salient features of drilling

- About 30 to 50 holes per blast of 32 mm dia and to a depth of 2 to 2.5 m will be adopted
- It is estimated about 2 to 3 T production per hole
- Number of blasts per day depends upon the workable area and production to be achieved
- The spacing of 1.0 to 1.5m between the holes will be adopted
- About 250 g per hole of explosive will be used. However, 10 kg/blast will be adopted at any point of time
- Millisecond electric blasting will be adopted to limit the PPV and Noise levels within the stipulated standards.

2.6.6 Blasting

The controlled blasting is proposed by adopting all the safety measures as per "MMR 1961" and with the permission of DGMS.

In this area for fragmentation of granite the blasting will be conducted. Multiple blast holes of 1.0 to 1.5 m depth will be drilled with the help of 32 mm drill rod, Jack Hammer and Air Compressor of 100 cfm capacity.

It is estimated about 250 g of explosives per hole is required. About 30 – 50 holes per blast are proposed. Therefore, the requirement of explosives will be about 10 kg/ blast.

2.6.6.1 BLASTING SAFEGUARD

- Blasting in the open cast pits will be done only during day time at designated hours.
- Only competent blasters will be appointed to handle explosives.
- Explosives will be stored in approved and licensed magazine as per Explosive Act/ Rules.
- Explosives will be brought from magazine to blasting site in licensed Explosive Van under the care of blaster.
- Sufficient warning signals will be given before blasting the holes.
- Guards will be posted on all roads and paths at least 250 m distance to stop entrance to the danger zone during blasting hour.
- Controlled blasting will be practiced to control vibrations and flying fragments.
- Optimum charge will be used, while blasting near office complex/ infrastructure site.
- Maximum charge per delay will always be less than 10kg to limit the PPV levels within the DGMS standards of 15 mm/sec.

ANNEXURE 5



Photographs showing garland drains within the project sites to channelize storm water

ANNEXURE 6



Photographs showing de-siltation trap (Check dam like)

ANNEXURE 7



POLUCHEM LABORATORIES [P] LTD.

ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY
PALLATH BUILDING, N.KALAMASSERY P.O., ERNAKULAM-683104
PHONE: 0484-3261174, 2544030, E-mail: poluchem@gmail.com

A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOARD AND ACCREDITED BY NABL

322

TEST REPORT

Ref.No. PL/RT/PW/35/2015
Name & address of customer

Date of Issue: 28/09/2015

Page 01 of 02

Project Site

M/s. Poabs Granites Pvt Ltd,
Peeroorkada, Trivandrum
M/s Poabs Products Pvt Ltd,
Sy.No. 459/1-1pt, 461/4, 461/1, 462/1pt,
448/3pt, 2, 1pt, 452/4, 6, 7, 8
Village - Peeroorkada,
Taluk-Trivandrum,
District- Trivandrum, Kerala

Sample drawn by
Sample description
Sample Code
Location of sampling
Date of sample collected
Date of analysis started
Date of completion of analysis

Self
Water sample
I/35/2015
Open Well Water-East Side
22/09/2015
24/09/2015
26/09/2015



Parameters tested	Test method	Results	Desirable limit as per IS 10500
Color	IS 3025 (P) 04 - 1983	2 Hazen Unit	5 Hazen Unit
Odour	IS 3025 (P) 05 - 1983	Unobjectionable	Unobjectionable
Turbidity	IS 3025 (P) 10 - 1984	2 NTU	5 NTU
pH	IS 3025 (P) 11 - 1983	6.07	6.5 - 8.5
Total Dissolved Solids	IS 3025 (P) 15 - 1984	43 mg/l	500 mg/l
Total Hardness as CaCO ₃	IS 3025 (P) 21 - 1983	23.76 mg/l	300 mg/l
Total Alkalinity as CaCO ₃	IS 3025 (P) 23 - 1986	6 mg/l	200 mg/l
Residual Free Chlorine	IS 3025 (P) 26 - 1986	BDL	Min 0.2 mg/l
Chloride as Cl	IS 3025 (P) 32 - 1988	12.81 mg/l	250 mg/l
Calcium as Ca	IS 3025 (P) 40 - 1991	7.93 mg/l	75 mg/l
Magnesium as Mg	IS 3025 (P) 46 - 1994	< 1 mg/l	30 mg/l
Iron as Fe	IS 3025 (P) 53 - 2003	0.32 mg/l	0.3 mg/l
Sulphate	IS 3025 (P) 31 - 1988	14.30 mg/l	200 mg/l
Fluoride	IS 3025 (P) 60 - 2008	0.12 mg/l	1 mg/l

Note: BDL - Below Detection Level

For Poluchem Laboratories (P) Ltd.

Authorized Signatory
SREEJA KAMESH
Quality Manager

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste Water/Effluent, Soil
Tea, Spices, Oil, Fertilisers, Basic Chemical etc; Pesticides Residue, Heavy Metals, Microbiology



POLUCHEM LABORATORIES [P] LTD.

ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY
PALLATH BUILDING, N. KALAMASSERY P.O., ERNAKULAM-683104
PHONE: 0484-3761174, 2544030, E-mail: poluchem@gmail.com

323

'A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOARD

Continuation of Test Certificate No: 35/2015

Page 02 of 02

Parameters tested	Test method	Results	Desirable limit as per IS 10500
Selenium	APHA 3111B	BDL	0.01 mg/l
Arsenic	APHA 3111B	BDL	0.05 mg/l
Copper	APHA 3111B	BDL	0.05 mg/l
Manganese	APHA 3111B	BDL	0.1 mg/l
Cadmium	APHA 3111B	BDL	0.01 mg/l
Chromium	APHA 3111B	BDL	0.05 mg/l
Zinc	APHA 3111B	BDL	5 mg/l
Mercury	APHA 3111B	BDL	0.001 mg/l
Cyanide	APHA 4500 E	BDL	0.05 mg/l
Lead	APHA 3111 B	BDL	0.05 mg/l
Aluminum	APHA 3500 D	BDL	0.03 mg/l
Boron	APHA 4500 B	BDL	1 mg/l

Note: BDL - Below Detection Level

MICROBIOLOGICAL TESTS

Parameters	Unit	Results	Desirable limit as per IS 10500
MPN Coliform Count	MPN/100ml	130	1
Coliform bacteria	/100ml	Present	Absent
E - Coli	/100ml	Absent	Absent



For Poluchem Laboratories (P) Ltd.

Authorized Laboratory

SKEEJA RAMESH
Quality Manager

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste Water/Effluent, Soil
Tea, Spices, Oil, Fertilisers, Basic Chemical etc; Pesticides Residue, Heavy Metals, Microbiology

ANNEXURE 8




POLUCHEM LABORATORIES [P] LTD.

ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY
PALLATH BUILDING, N.KALAMASSERY P.O., ERNAKULAM-683104
PHONE: 0484-3261174, 2544030, E-mail: poluchem@gmail.com


330

'A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOARD TEST REPORT

Client Name & Address	Certificate No:	PL/RT/SD/6150/2015
	Date of issue:	28/09/2015
	Date of monitoring	21/09/2015 11.00 Hrs to 22/09/2015 11.00 Hrs
M/s Poabs Granites Pvt. Ltd Peeroorkada, Trivandrum.	Monitoring Location	M/s. Poabs Granites Pvt Ltd. Peeroorkada, Trivandrum. Sy.No. 459/1-1pt, 461/4, 461/1, 462/1pt, 448/3pt, 2, 1pt, 452/4, 6, 7, 8 Village - Peeroorkada, Taluk - Trivandrum, District - Trivandrum, Kerala.
	Sample Description	Ambient Sound Level (Leq)

Monitoring Location	Monitoring Time	Results
 Near east side boundary	11.00 Hrs	53.5 dB (A)
	12.00 Hrs	53.6 dB (A)
	13.00 Hrs	54.1 dB (A)
	14.00 Hrs	55.1 dB (A)
	15.00 Hrs	54.6 dB (A)
	16.00 Hrs	54.5 dB (A)
	17.00 Hrs	54.1 dB (A)
	18.00 Hrs	50.0 dB (A)
	19.00 Hrs	43.6 dB (A)
	20.00 Hrs	36.6 dB (A)
	21.00 Hrs	35.8 dB (A)
	22.00 Hrs	35.1 dB (A)
	23.00 Hrs	34.9 dB (A)
	00.00 Hrs	34.8 dB (A)
	01.00 Hrs	34.9 dB (A)
	02.00 Hrs	35.1 dB (A)
	03.00 Hrs	34.6 dB (A)
	04.00 Hrs	34.3 dB (A)
	05.00 Hrs	35.5 dB (A)
	06.00 Hrs	39.9 dB (A)
	07.00 Hrs	47.8 dB (A)
	08.00 Hrs	53.2 dB (A)
	09.00 Hrs	54.1 dB (A)
	10.00 Hrs	53.9 dB (A)
Leq (Day time)		51.8 dB (A)
Leq (Night time)		34.3 dB (A)

For Poluchem Laboratories (P) Ltd.

SKEEJA RAMESH 
Authorized Signatory
Quality Manager

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste Water/Effluent, Soil
Tea, Spices, Oil, Fertilisers, Basic Chemical etc; Pesticides Residue, Heavy Metals, Microbiology

ANNEXURE 9




NABL ACCREDITED
Certificate No. T-1656

POLUCHEM LABORATORIES [P] LTD.

ANALYTICAL, CHEMICAL & ENVIRONMENTAL LABORATORY
PALLATH BUILDING, N.KALAMASSERY P.O., ERNAKULAM-683104
PHONE: 0484-3261174, 2544030, E-mail: poluchem@gmail.com

'A' GRADE LABORATORY APPROVED BY KERALA STATE POLLUTION CONTROL BOARD AND ACCREDITED BY NABL

TEST REPORT

 M/s Poabs Granites Pvt. Ltd Peeroorkada, Trivandrum.	Certificate No	PI/AMB/RT/31/2015
	Date of issue	28/09/2015
	Date of monitoring	21/09/2015 11.00 Hrs to 22/09/2015 11.00 Hrs
	Date of sample received	23/09/2015
	Date of analysis started	24/09/2015
	Monitoring location	M/s. Poabs Granites Pvt Ltd. Peeroorkada, Trivandrum. Sy.No.459/1-1pt, 461/4, 461/1, 462/1pt, 448/3pt, 2, 1pt, 452/4, 6, 7, 8 Village - Peeroorkada, Taluk - Trivandrum, District - Trivandrum, Kerala.
	Sample description	Ambient air - Near east side boundary
	Sample code given by the client	Nil
Sample identification No:	G/131/15	

PARAMETERS	TEST METHOD	RESULT	LIMITS
Particulate Matter (PM ₁₀)	IS 5182 Part 4 1999	65.3 µg/M ³	100 µg/M ³
Particulate Matter (PM _{2.5})	CPCB	32.4 µg/M ³	60 µg/M ³
Sulphur dioxide	IS 5182 Part 2 2001	5.1 µg/M ³	80 µg/M ³
Nitrogen dioxide	IS 5182 Part 06 1975	4.5 µg/M ³	80 µg/M ³

The results are related only to the sample collected for analysis. This certificate shall not be reproduced except in full and without the written permission with authorized signatory.

For and on behalf of
POLUCHEM LABORATORIES (P) LTD.

AUTHORIZED SIGNATORY

SREEJA RAMESH
Quality Manager

Analysis of Ambient air, Stack emission, Noise, Light, Water, Waste Water/Effluent, Soil
Tea, Spices, Oil, Fertilisers, Basic Chemical etc; Pesticides Residue, Heavy Metals, Microbiology

ANNEXURE 10




Photographs showing specific conditions of the environmental clearance prominently displayed in a metallic board

ANNEXURE A



Photographs showing the rainwater harvesting system in the project area

ANNEXURE B



Photographs showing Road side plantation and plant nursery

ANNEXURE B1



Photographs showing the Solar Energy devices within the project area

ANNEXURE C1

[illegible]

മലബാർ സുൽത്താൻ നാമ പരമ്പര വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു.

1. പട്ടണത്തിൽ രാജ് ആക്ടും അതേ ആക്ടുകളെ പട്ടണവും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. തൊഴിൽ സ്മരവും പരിസരങ്ങളും വെർച്വലും വ്യവസ്ഥയും സംരക്ഷിക്കേണ്ടതാണെന്നുള്ള ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിന് വ്യക്തികളെ കേടാക്കുന്നതിനോടുള്ള ഈട്, അങ്ങനെയൊരു പൊതി മൂലമായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.
3. തൊഴിൽ സ്മരവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്തധികാരികൾക്കോ സെക്രട്ടറി അധികാരിയോടുള്ളതുമായ ഉദ്യോഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് മലബാർ സുൽത്താൻ നാമ റോജ സൗകര്യം നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ മലബാർ കൗൺസിലിനെ അറിയിക്കേണ്ടതാകുന്നു.
4. പഞ്ചായത്തിൽ നിന്നും അനുവാദം സിദ്ധിച്ചശേഷമല്ലാതെ തൊഴിൽ സ്മരം മാറ്റാവുന്നതല്ലാത്തതും തൊഴിൽ നിർമ്മാണ പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതാകുന്നു.
5. ഏതൊരു പ്രവർത്തി മലബാർ സ്മരവും ഉദ്യോഗസ്ഥർക്ക് സ്മരം വ്യവസ്ഥാക്കേണ്ടതാണ്.
6. ആ സ്മരത്തിന്റെയോ പുറയിടത്തിന്റെയോ, ഏതെങ്കിലും ഭാഗത്ത് വീഴ്ചയോ നീക്കംപിടിക്കുമ്പോഴോ മറ്റോ പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും സെക്രട്ടറിക്ക് അറിയിക്കേണ്ടതാണ്.
7. മലബാർ സുൽത്താൻ ഏതൊരു കെട്ടിടത്തിന്റെയോ ചുമട്ടുകളുടെ അകമ്പടത്തിന്റെ ഏതൊരു ഭാഗവും മോഷ്ടംപറഞ്ഞ പുറയിടത്തിലുള്ള അയ്യം നടപ്പുനെയ്യം അവിടെ തെറിപ്പുറപ്പെടുവിക്കുന്നതല്ല ഏതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ ചുറ്റുമുറപ്പോ, അസഹ്യമോ, ഉപദ്രവകരമായ ഏതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് അടയ്ക്കേണ്ടതാണ്.
8. മലബാർ സുൽത്താൻ അതിപരമ്പര പുറയിടത്തിലോ, അതോടു ചേർത്തോ ഉള്ള ഏതൊരു മാവുപാളിയോ, അഴുക്കുമ്മം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായും കെട്ടിപ്പാടുത്തിരിക്കേണ്ടതാണ്.
9. ഏതെങ്കിലും അതിലുള്ള സ്ഥൽ രോഗമോ കൃഷി രോഗമോ പ്രവണമോ ഉള്ള യാതൊരുതും കൂടാതെ നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന യാതൊരു പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
10. ഏത് സ്മരത്തിന്റെ ചുമട്ടുത്തിൽ മലബാർ നൽകിയിരിക്കുന്നതോ ആ സ്മരത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് മലബാർ സുൽത്താൻ അതിർ പേരും, മലബാർ സ്മരൻ നമ്പരും ഉദ്യോഗവും കാണിക്കുന്ന ഒരു അടയാളവക വച്ചിരിക്കേണ്ടതാണ്.
11. അതിനും ആചരിക്കാൻ കടകളുടെ മലബാർ നല്ലപെയ്യുന്നതാണ്.
12. ചുറ്റുമുള്ള കുന്നുകളിലെല്ലാം വ്യവസ്ഥകളിൽ ഏതെങ്കിലും മാറ്റംവന്ന പക്ഷം ഈ മലബാർ നല്ല പെയ്യുന്നതാണ്.




SECRET
 Velland Grama Panchayat
 Thiruvananthapuram - 695 343
 Ph: 0472 2882034 / 9496040675

ANNEXURE C2

File No. PCB/TVM-DO/CO/6424/2007

Date: 04-08-2011



KERALA STATE POLLUTION CONTROL BOARD
District office, Plamoodu Jn., Thiruvananthapuram

INTEGRATED CONSENT TO OPERATE

ISSUED UNDER

The Air (Prevention & Control of Pollution) Act, 1981
The Water (Prevention & Control of Pollution) Act, 1974

&

The Environment (Protection) Act, 1986

TO

✓ Shri. K.A Abraham,
Poabs Granites (P) Ltd.,
Malamugal, Vattiyoorkavu,
Thiruvananthapuram.

(for Quarrying at Malamugal,
Peroorkada, Thiruvananthapuram)

Consent No. PCB/TVM-DO/ICO/QRY/1495/2011



KERALA STATE POLLUTION CONTROL BOARD

കേരള സംസ്ഥാന മലിനീകരണ നിയന്ത്രണ ബോർഡ്

DISTRICT OFFICE, THIRUVANANTHAPURAM

ബില്ലാ ഓഫീസ്, തിരുവനന്തപുരം

T. C. 12/96 (4,5), PLAMOODU JN., PATTOM P.O., THIRUVANANTHAPURAM - 695 004

ടീ.സി. 12/96 (4,5), പ്ലാമൂടു ജംഗ്ഷൻ, പട്ടം പി.ഒ., തിരുവനന്തപുരം - 695 004

☎0471-2303844

e.mail: kspcbdotvpm@gmail.com

kspcbdotvm@yahoo.com

No. PCB/TVM-DO/CO/6424/2007

Date: 29-04-2015

VARIATION ORDER

- Ref: - 1. Request received from the Director on 16-04-2015.
2. Consent no. PCB/TVM-DO/ICO(R)/QRY/1217/2014 dated 19-05-2014.

The 'Consent to Operate-Renewal' issued vide reference (2), to Poabs Granites Pvt Ltd., Malamugal, Vattiyoorkavu, Thiruvananthapuram is hereby **renewed up to 31-01-2017**. The copy of consent cited under reference (2) attached herewith is part of this renewal order and this order is subject to the conditions stipulated therein and subject to the following conditions;

- 1) Quarrying area having valid lease in survey nos. 459/2, 460/10, 460/12, 446/8 (part), 462/5, 461/2, 461/3, 446/7 (part), 460/2-2 and 460/2-1.
- 2) Any order passed by the Hon'ble Supreme Court, Hon'ble High Court, Hon'ble National Green Tribunal in the matter of quarrying, this order will become invalid immediately on the basis of the above mentioned order/judgment.
- 3) Any Government Order passed in the matter of quarrying by the Central Government, State Government & Pollution Control Board, this order will become invalid immediately.
- 4) This Consent to Operate is issued only in accordance with norms and parameters of the Board as per the Air (Prevention & Control of Pollution) Act, 1981 and is not a permit/license to carry out mining




operations/quarrying operation. Permit/license for mining/quarrying operation shall be obtained from competent authorities.

- 5) Regular wetting of the roads in the premises of the quarry and approach roads near the quarry shall be done for avoiding dust emission within and outside the boundary.
- 6) This order is issued based on pollution control purpose and necessary orders/licenses/clearances shall be obtained for quarrying from appropriate authorities.
- 7) Fencing shall be maintained around the quarrying area.
- 8) Occupier shall ensure that quarrying area is restricted to a distance more than 100 m from residences and public roads having vehicular traffic.



For and on behalf of the
Kerala State Pollution Control Board




ENVIRONMENTAL ENGINEER
(Designation of issuing authority)
M. DILEEP KUMAR
ENVIRONMENTAL ENGINEER

Encl: Previous Consent

To
✓ Poabs Granites Pvt Ltd.,
Malamugal,
Vattiyookavu,
Thiruvananthapuram.
Ph: 0471-2366622

Copy to:
The Chief Environmental Engineer,
Regional Office.

ANNEXURE C3



GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
(Formerly Department of Explosives)
No.140, Rukmini Laxmipati Road,
Marshalls Road, Egmore, Chennai 600008
Tele: 28514848 Fax: 28514848
Email: jtccechennai@explosives.gov.in

No.: E/SC/KL/22/1452(E68709)

Dated:04/10/2012

To
Shri ABY MATHEW, Managing Director,
M/s. POABS GRANITES PVT. LTD. Kuttoor PO, Tiruvalla, Town/Village - Kuttoor
District-PATHANAMTHITTA, State-Kerala, Pincode - 689551

Subject: Possession for Use of Explosives from magazine situated at Survey No.:194/6,Block No.39,
Vellanadu,Nedumangadu,Taluk, Dist. THIRUVANANTHAPURAM, Kerala -Licence No.: E/SC/KL/22/1452
(E68709) granted in Form I.E-3 of Explosives Rules, 2008 -
Amendment of Quantity of Explosives/Monthly Purchase Limit .

Sir(s),

Please refer to your letter No. x dated 03/10/2012 on the subject cited above.

The Licence No.: E/SC/KL/22/1452(E68709) is duly amended in respect of :

Quantity of Explosives/Monthly Purchase Limit

with condition QUARTERLY RETURNS SHALL BE SUBMITTED ON-LINE IMMEDIATELY and forwarded herewith;

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below :

No	Explosive(s)	Class	Div	Sub Div	Capacity	Unit
1	Nitrate Mixture	2	0	0	300	Kg.
2	Safety Fuse	6	1	0	30000	Mtrs
3	Electric and/or Ordinary Detonators	6	3	0	40000	Nos.

Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 20 times as above.

This Licence shall remain valid till 31st day of March 2017.

For further renewal of licence, please follow the procedure under Rule 112 of Explosives Rules, 2008.
Receipt of this letter may please be acknowledged.

Enclosures :

Yours faithfully,
(C. Shanmugam)
Controller of Explosives
For Joint Chief Controller of Explosives
South Circle, Chennai

Copy Forwarded to:

1. The Dy. Chief Controller of Explosives, Kochi.
2. Additional District Magistrate, THIRUVANANTHAPURAM, Kerala with reference to his Noc No: A17-9946/2011 Dated: 31/10/2011.
3. Superintendent of Police, THIRUVANANTHAPURAM, Kerala

For Joint Chief Controller of Explosives
South Circle, Chennai

[For more information regarding status, fees and other details, please visit our web site <http://peso.gov.in>]

<http://10.0.1.11/IntExp/AmdCoveringLetterNew.asp>

10/4/2012

LICENCE FORM LE-3

(See article 3(a) to (d) of Part I of Schedule IV of Explosives Rules, 2008)

Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

Licence No. : E/SC/KL/22/1452(E68709)
Annual Fee Rs 4500/-



1. Licence is hereby granted to : **Shri ABY MATHEW, Managing Director (Occupier : SHRI ABY MATHEW MG. DIRECTOR M/s. Poabs Granites Pvt.Ltd.)**
M/s. POABS GRANITES PVT. LTD. Kuttloor,PO, Tiruvalla, Town/Village - Kuttloor
District-PATHANAMTHITTA, State-Kerala, Pincode - 689551

2. Status of licensee : **Company**

3. Licence is valid only for the following purpose : possess for use of **Nitrate Mixture, Safety Fuse, Electric and/or Ordinary Detonators,**

4. (a) Licence is valid for the following kinds and quantity of explosives:

Sr. No.	Name and Description	Class & Division	Sub-division (If any)	Quantity at any one time
1.	Nitrate Mixture	2,0	0	300 Kg.
2.	Safety Fuse	6,1	0	30000 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	40000 Nos.

(b) Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : **20 times as above.**

5. The licensed premises shall conform to the following drawing(s):

Drawing No : E/SC/KL/22/1452(E68709) dated : 03/07/2012

6. The licensed premises are situated at following address:

Survey No. 194/6,Block No.39 , Town/Village : Vellanadu,Nedumangadu.Taluk
Police Station : Aryanadu District : THIRUVANANTHAPURAM
PinCode : 689551 Phone : E-Mail :

State : Kerala
Fax :

7. The licensed premises consist of following facilities : **Magazine for High Explosives ,detonators& Lobby as per the plan**

8. The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- (1) Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
(2) Conditions and Additional Conditions of this licence signed by the licensing authority.
(3) Distance Form DE-2

9. This licence shall remain valid till **31st day of March 2017**

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

The Date: 03/07/2012

Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 16/08/2012
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 04/10/2012

Endorsement for renewal of licence:

Date of Renewal

Date of Expiry

Signature of licensing authority

Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

<http://10.0.1.11/IntExp/ExplosivesLicenceLE3.asp>

10/4/2012

Trouble in a can

A Housewife's Death In Aluva Following Burns She Suffered In A Canister

and large sizes. "The Santa caps and masks keep the white hair for little kids. The price of Santa caps range from Rs.20 to 80."

Last date extended: The Kerala University has extended the last date to submit applications for admission to MPhil courses for the year 2012-13, till December 31.

Exam timetable: The timetable for the fifth semester LLB (three-year), sixth semester LLB (five-year) to begin from January 3 and second semester MSc computer science exam to begin from January 4 at the Institute of distance education is available in the website www.ku.ac.in.

NOTICE

This is to inform to the General Public that the proposed quarry project at Chithira Village, Panchayath, Kollam District, Kerala being developed by M/s Pooja Granite Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. STSEIA/KR/802/2012 dt. 14-12-2012 and the copy of the Environmental Clearance of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.stseia.org

NOTICE

This is to inform to the General Public that the proposed quarry project at Chithira Village, Panchayath, Kollam District, Kerala being developed by M/s Pooja Granite Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by State Environment Impact Assessment Authority, Kerala vide Order No. STSEIA/KR/802/2012 dt. 14-12-2012 and the copy of the Environmental Clearance of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.stseia.org

APPLICATION PROCEDURE

For application forms & prospectus, send a Demand Draft on Rs.100/- to IMT-COL, A-6, 5th & 3rd UPSIDC Industrial Area, Vasant Road, Ghazalabad in favour of IMT-COL payable at Delhi. You can also Apply Online at www.imtdcl.ac.in. Forms also available at information Centres.

1 YEAR PGDM (EXECUTIVE)
Recognized by DEC (Fully Online Mode)
1 YEAR PGDIP IN CYBER SECURITY
Recognized by DEC for graduates in any discipline

MS in CYBER LAW & SECURITY
In collaboration with National Law University (NLU) For graduates in any discipline with 50% marks. To enroll visit our website.

TENDER NOTICE

131/2012 Date: 22.12.2012

A MEDICAL SERVICES CORPORATION LTD
MINISTRY OF HEALTH & FAMILY WELFARE, GOVT. OF KERALA
Head Office : Thiruvananthapuram-14,
Telephone No. 0471-2337353, 3045600 FAX No. 0471-3045647,
info@kmsci.kerala.gov.in, website : www.kmsci.kerala.gov.in

Controversial win for Juve

Milan: Defending champions Juventus scored two stoppage-time goals to snatch a controversial 3-1 win over Udinese Cagliari in Serie A on Friday.

Mirko Vucinic sealed the result following two goals from former Cagliari striker Alessandro Matri — the decisive second after an apparent handball by Udinese defender Antonio Di Natale.

was denied by Arsenal's Polish keeper Wojciech Szczesny and Dave Jones thumped a shot narrowly wide of the upright with Szczesny.

was denied by Arsenal's Polish keeper Wojciech Szczesny and Dave Jones thumped a shot narrowly wide of the upright with Szczesny.

Kashyap, Sindhu in maiden GP finals

Kat 68: Praveen Gupta 46 no, 3-833 VS TN
AT 100: Haryana 293/7
AT 100: Goa vs Tripura
No play, bad light.

Soldado struck in the opening minute to set them on their way to a 4-2 home win over Getafe in the earlier kickoff.

of intense battle Sugilaro netted the shuttle trying to dribble. The Indian heaved a big shot to relief. Kashyap now plays Taponnag Sansombornak of Thailand who outwitted another Indonesian Yonus Alamsyah, the fifth seed 21-14, 21-17.

Young Sindhu, on the other hand looked confident as she set up a final clash against Indonesia's Lisdawati Parerati. Maintaining the form and tempo she displayed in the earlier rounds, Sindhu continued her march into the final in style. The tall 18-year-old left-handed player had her match evened up with a 2-1 lead.

India's top player Kashyap had to overcome a tough resistance from Tommy Sittiporn, the

ASYED MODI GRAND PRIX GOLD
India's top player Kashyap had to overcome a tough resistance from Tommy Sittiporn, the


ASYED MODI GRAND PRIX GOLD
India's top player Kashyap had to overcome a tough resistance from Tommy Sittiporn, the

ASYED MODI GRAND PRIX GOLD
India's top player Kashyap had to overcome a tough resistance from Tommy Sittiporn, the

ASYED MODI GRAND PRIX GOLD
India's top player Kashyap had to overcome a tough resistance from Tommy Sittiporn, the

ASYED MODI GRAND PRIX GOLD
India's top player Kashyap had to overcome a tough resistance from Tommy Sittiporn, the

ANNEXURE E

 തിരുവനന്തപുരം കോർപ്പറേഷൻ		റേറ്റാൺ : 2320821
0046369		കൈപ്പറ്റ് രസീത്
നമ്പർ 455/14	തീയതി 16.01.2014	
<p>Received the copy of order no. 37/SE/AA/KL/6092/12, dated 14.12.2012 of the member secretary SE/AA, Kerala being environmental clearance whole EIA certificate for quarry project at Malankal, 2006. VTK, TUM</p>		
<p>Pooha Granites private Limited, Kuthiravattalam, TUM, (ശുഭാലു)</p>		

മറുപുറത്ത് പറഞ്ഞിട്ടുള്ള താങ്കളുടെ മേൽനമ്പർ ഹർജി/പരാതി/മെമ്മോറാണ്ടം കൈപ്പറ്റിയിരിക്കുന്നു. ആയതു മേൽനടപടികൾക്കായി മറുപുറത്ത് പറഞ്ഞിട്ടുള്ള സെക്ഷനിഫോക്ക് അയച്ച് കൊടുത്തിട്ടുണ്ട്. ആയതിന് 15 ദിവസത്തിനകം യാതൊരു മറുപടിയും ലഭിക്കാത്തപക്ഷം താങ്കൾക്ക് സെക്രട്ടറിയേയോ/സെക്രട്ടറിയുടെ ഫോഴ്സണൽ അസിസ്റ്റന്റിനേയോ നേരിൽ കണ്ട് വിവരം ബോധിപ്പിക്കാവുന്നതാണ്.



കൗണ്ടർ സൂപ്രണ്ട്/കൗണ്ടർ ക്ലർക്ക്

ANNEXURE F



കേരളം KERALA

P 788331

AFFIDAVIT

I, Jabu K Abraham, Director & authorized signatory of M/s Poabs Granites Pvt. Ltd. having its correspondence office at Kuthirakalam P.O., Trivandrum, Kerala-695543 do hereby affirm and confirm as follows :-

1. That, M/s. Poabs Granites Pvt. Ltd. proposes to develop a Quarry Project at Peroorkada Village, Thiruvananthapuram Taluk, Thiruvananthapuram District, Kerala.
2. That, all the conditions stipulated in the Environment Clearance would be scrupulously followed.

DEPONENT

Verification :

Verified that my above statements are true to the best of my knowledge and belief and nothing material has been concealed therein.

DEPONENT

Place : Thiruvananthapuram

Date : 23-12-2012



No. 42615 PSL001-

19.12.12

Mr. Jabu K Abraham, Director
Poabs Granites P. Ltd, Kuthirakalam
Tum